
**Internal combustion engines — Piston
rings — Expander/segment oil-control
rings**

*Moteurs à combustion interne — Segments de piston — Segments
racleurs régulateurs d'huile/Ressorts d'expansion*





COPYRIGHT PROTECTED DOCUMENT

© ISO 2011

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
Introduction.....	v
1 Scope	1
2 Normative references	1
3 Symbols and abbreviated terms	1
4 Ring types and designations	3
4.1 Types of expander/segment oil-control rings	3
4.2 General features	4
4.3 Designation examples.....	5
5 Common features	5
5.1 Expander-spacer	5
5.2 Segment features	7
5.3 Expander/segment assembly.....	10
6 Dimensions	10
7 Materials	13
7.1 Expander-spacer	13
7.2 Segments	13
8 Tangential force and nominal contact pressure	13
8.1 Tangential force.....	13
8.2 Classes of nominal contact pressure.....	13
Bibliography.....	15

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 6627 was prepared by Technical Committee ISO/TC 22, *Road vehicles*.

This second edition cancels and replaces the first edition (ISO 6627:2000), which has been technically revised.

Introduction

ISO 6627 is one of a series of International Standards dealing with piston rings for reciprocating internal combustion engines. Others are ISO 6621, ISO 6622, ISO 6623; ISO 6624, ISO 6625 and ISO 6626 (see Clause 2 and the Bibliography).

The common features and dimensional tables included in ISO 6627 represent a broad range of variables. In selecting a ring type, the designer will above all need to consider the particular operating conditions. Moreover, it is essential that the designer refer to the specifications and requirements of ISO 6621-3 and ISO 6621-4 before completing the selection.

Internal combustion engines — Piston rings — Expander/segment oil-control rings

1 Scope

This International Standard specifies the essential dimensional features of expander/segment oil-control rings, without providing a complete product description (because expander-spacer design varies from piston-ring manufacturer to piston-ring manufacturer, the interaction between the manufacturer and the client will determine specific design details).

This International Standard applies to expander/segment oil-control rings of nominal diameters ranging from 40 mm to 125 mm for reciprocating internal combustion engines for road vehicles and other applications. It also applies to piston rings for compressors working under analogous conditions.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 6621-2, *Internal combustion engines — Piston rings — Part 2: Inspection measuring principles*

ISO 6621-3, *Internal combustion engines — Piston rings — Part 3: Material specifications*

ISO 6621-4, *Internal combustion engines — Piston rings — Part 4: General specifications*

ISO 6626, *Internal combustion engines — Piston rings — Coil-spring-loaded oil control rings*

3 Symbols and abbreviated terms

For the purposes of this International Standard, the symbols and abbreviated terms in Table 1 apply.

Table 1 — Symbols and abbreviated terms

Symbol abbreviated terms	Description
a_1	Segment radial wall thickness
a_8	Spacer radial thickness
a_9	Expander radial thickness
a_{11}	Assembly radial thickness
a_{14}	Seating tab height
d_1	Nominal ring assembly diameter (nominal diameter)
h_1	Nominal assembly width