

**Aerospace series - Electrical contacts
used in elements of connection - Part
008: Contacts, electrical, male, type A,
crimp, class S - Product standard**

Aerospace series - Electrical contacts used in
elements of connection - Part 008: Contacts,
electrical, male, type A, crimp, class S - Product
standard

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

Käesolev Eesti standard EVS-EN 3155-008:2006 sisaldab Euroopa standardi EN 3155-008:2005 ingliskeelset teksti. Käesolev dokument on jõustatud 27.02.2006 ja selle kohta on avaldatud teade Eesti standardiorganisatsiooni ametlikus väljaandes. Standard on kättesaadav Eesti standardiorganisatsioonist.	This Estonian standard EVS-EN 3155-008:2006 consists of the English text of the European standard EN 3155-008:2005. This document is endorsed on 27.02.2006 with the notification being published in the official publication of the Estonian national standardisation organisation. The standard is available from Estonian standardisation organisation.
--	---

Käsitlusala: This standard specifies the required characteristics, tests and tooling applicable to male electrical contacts 008, type A, crimp, class S, used in elements of connection according to EN 3155-002.	Scope: This standard specifies the required characteristics, tests and tooling applicable to male electrical contacts 008, type A, crimp, class S, used in elements of connection according to EN 3155-002.
---	---

ICS 49.060

Võtmesõnad: aerospace transport, air transport, contact, dimensions, fasteners

ICS 49.060

English Version

**Aerospace series - Electrical contacts used in elements of
connection - Part 008: Contacts, electrical, male, type A, crimp,
class S - Product standard**

Série aérospatiale - Contacts électriques utilisés dans les
organes de connexion et optique - Partie 008 : Contacts
électriques, mâles, type A, à sertir, classe S - Norme de
produit

Luft- und Raumfahrt - Elektrische Kontakte zur Verwendung
in Verbindungselementen - Teil 008: Elektrische
Stiftkontakte, Typ A, crimpbar, Klasse S - Produktnorm

This European Standard was approved by CEN on 26 September 2005.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Contents

Page

Foreword	3
Introduction	4
1 Scope	4
2 Normative references	4
3 Terms and definitions	5
4 Required characteristics	5
4.1 Specific characteristics	5
4.2 Dimensions and mass	5
4.3 Marking by colour code	8
4.4 Material, surface treatment	8
4.5 Permissible cables	8
4.6 Tooling	9
4.7 Cable stripping	12
4.8 Tests	12
4.9 Gauges	14
5 Designation	14
6 Marking	15
7 Technical specification	15

Foreword

This European Standard (EN 3155-008:2005) has been prepared by the European Association of Aerospace Manufacturers - Standardization (AECMA-STAN).

After enquiries and votes carried out in accordance with the rules of this Association, this Standard has received the approval of the National Associations and the Official Services of the member countries of AECMA, prior to its presentation to CEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2006, and conflicting national standards shall be withdrawn at the latest by June 2006.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

Introduction

The contacts defined by this standard are derived from those of MIL-C-39029/58 and intermateable with those of MIL-C-39029/56 and MIL-C-39029/57.

1 Scope

This standard specifies the required characteristics, tests and tooling applicable to male electrical contacts 008, type A, crimp, class S, used in elements of connection according to EN 3155-002.

It shall be used together with EN 3155-001.

The associated female contacts are defined in EN 3155-003 and EN 3155-009.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 8843, *Aircraft — Crimp-removable contacts for electrical connectors — Identification system*.

EN 2083, *Aerospace series — Copper or copper alloy conductors for electrical cables — Product standard*.

EN 2591*, *Aerospace series — Elements of electrical and optical connection — Test methods — General*.

EN 3155-001, *Aerospace series — Electrical contacts used in elements of connection — Part 001: Technical specification*.¹⁾

EN 3155-002, *Aerospace series — Electrical contacts used in elements of connection — Part 002: List and utilization of contacts*.¹⁾

EN 3155-003, *Aerospace series — Electrical contacts used in elements of connection — Part 003: Contacts, electrical, female, type A, crimp, class S — Product standard*.¹⁾

EN 3155-009, *Aerospace series — Electrical contacts used in elements of connection — Part 009: Contacts, electrical, female, type A, crimp, class S — Product standard*.¹⁾

EN 4008-009, *Aerospace series — Elements of electrical and optical connection — Crimping tools and associated accessories — Part 009: Positioner for crimping tool M22520/23 — Product standard*.²⁾

EN 4008-010, *Aerospace series — Elements of electrical and optical connection — Crimping tools and associated accessories — Part 010: Head for crimping tool M22520/23 — Product standard*.²⁾

* All its parts quoted in this standard.

1) Published as AECMA Prestandard at the date of publication of this standard.

2) In preparation at the date of publication of this standard.

MIL-DTL-22520, *Crimping tools, terminal, hand or power actuated, wire termination, and tool kits general specification for.*³⁾

MIL-C-39029, *Contacts, electrical connector, general specification for.*³⁾

MIL-C-39029/56, *Contacts, electrical connector, socket, crimp removable (for MIL-C-38999 series I, III and IV connectors).*³⁾

MIL-C-39029/57, *Contacts, electrical connector, socket, crimp removable (for MIL-C-24308, MIL-C-38999 series II, MIL-C-55302/68, /71, /72, /75 and MIL-C-83733 connectors).*³⁾

MIL-C-39029/58, *Contacts, electrical connector, pin, crimp removable (for MIL-C-24308, MIL-C-38999 series I, II, III and IV, and MIL-C-55302/69 and MIL-C-83733 connectors).*³⁾

MIL-I-81969, *Installing and removal tools, connector electrical contact, general specification for.*³⁾

3 Terms and definitions

For the purposes of this standard, the terms and definitions given in EN 3155-001 apply.

4 Required characteristics

4.1 Specific characteristics

Type A contacts are for general application and class S corresponds to an operating temperature range from – 65 °C to 200 °C.

4.2 Dimensions and mass

See Figure 1 and Table 1.

Dimensions and tolerances are given in millimetres and apply after surface treatment.

3) Published by: Department of Defense (DOD), the Pentagon, Washington D.C. 20301 USA.