

Liquid petroleum products - Vapour pressure - Part 3:
Determination of vapour pressure and calculated dry
vapour pressure equivalent (DVPE) (Triple Expansion
Method)

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 13016-3:2018 sisaldab Euroopa standardi EN 13016-3:2018 ingliskeelset teksti.	This Estonian standard EVS-EN 13016-3:2018 consists of the English text of the European standard EN 13016-3:2018.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 04.04.2018.	Date of Availability of the European standard is 04.04.2018.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 75.160.20

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:
Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

English Version

Liquid petroleum products - Vapour pressure - Part 3:
Determination of vapour pressure and calculated dry
vapour pressure equivalent (DVPE) (Triple Expansion
Method)

Produits pétroliers liquides - Pression de vapeur -
Partie 3 : Détermination de la pression de vapeur et de
la pression de vapeur sèche équivalente calculée
(PVSE) (Méthode triple expansion)

Flüssige Mineralölerzeugnisse - Dampfdruck - Teil 3:
Bestimmung des Dampfdruckes und des berechneten
dem trockenen Dampfdruck entsprechenden Druckes
(DVPE) (Dreifach-Expansionsmethode)

This European Standard was approved by CEN on 27 November 2017.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents

Page

European foreword	3
Introduction	4
1 Scope	5
2 Normative references	5
3 Terms and definitions	5
4 Principle	6
5 Reagents and materials	6
6 Apparatus	7
7 Sampling	8
8 Sample preparation	8
9 Preparation of apparatus	9
10 Calibration of apparatus	9
10.1 Pressure transducer	9
10.2 Temperature measuring device	10
11 Verification of apparatus	10
11.1 Reference fluid check	10
11.2 Quality control checks	11
12 Procedure	11
13 Calculation	12
14 Expression of results	12
15 Precision	13
15.1 General	13
15.2 Repeatability, r	13
15.3 Reproducibility, R	13
16 Test report	13
Annex A (normative) Accepted reference values	15
Bibliography	16

European foreword

This document (EN 13016-3:2018) has been prepared by Technical Committee CEN/TC 19 “Gaseous and liquid fuels, lubricants and related products of petroleum, synthetic and biological origin”, the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by October 2018, and conflicting national standards shall be withdrawn at the latest by October 2018.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

EN 13016 consists of the following parts, under the general title *Liquid petroleum products — Vapour pressure*:

- *Part 1: Determination of air saturated vapour pressure (ASVP) and calculated dry vapour pressure equivalent (DVPE);*
- *Part 2: Determination of absolute pressure (AVP) between 40 C and 100 C;*
- *Part 3: Determination of vapour pressure and calculated dry vapour pressure equivalent (DVPE) (Triple Expansion Method).*

This part is based on ASTM D6378 [3].

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

Vapour pressure is used as a classification criterion for the safe handling and carriage of petroleum products, feedstocks and components; it has a relationship to the potential for hydrocarbon emissions, under uncontrolled conditions, and thus is the subject of environmental scrutiny.

Vapour pressure limitations are often imposed to prevent pump cavitation during transfer operations.

Vapour pressure is one measure of the volatility characteristics of fuels used in many differing types of engines with large variations in operating temperatures. Fuels having a high vapour pressure may vaporize too readily in the fuel handling systems, resulting in decreased flow to the engine and possible stoppage by vapour lock. Conversely, fuels of low vapour pressure may not vaporize readily enough, resulting in difficult starting, slow warm-up and poor acceleration.

1 Scope

This European Standard specifies a method for the determination of the vapour pressure, exerted *in vacuo*, by volatile, low viscosity petroleum products, components, ethanol blends up to 85 % (V/V), and feedstocks using a variable volume chamber. A dry vapour pressure equivalent (DVPE) is calculated from the vapour pressure.

The conditions used in the test described in this standard are a vapour-to-liquid ratio of 4:1 and a test temperature of 37,8 °C.

The equipment is not wetted with water during the test, and the method described is therefore suitable for testing samples with or without oxygenates; no account is taken of dissolved water in the sample.

This procedure calculates the partial pressure of the air dissolved in the test portion during the triple expansion process. It is suitable for samples with a DVPE between 13,7 kPa and 98,3 kPa; vapour pressures outside this range can be measured but the precision has not been determined.

This document is applicable to fuels containing oxygenated compounds up to the limits stated in the relevant Council Directive 85/536/EEC [6], and for ethanol-fuel blends up to 85 % (V/V) ethanol.

NOTE For the purposes of this European Standard, the terms “% (m/m)” and “% (V/V)” are used to represent the mass and volume fractions respectively.

WARNING — The use of this Standard can involve hazardous materials, operations and equipment. This Standard does not purport to address all of the safety problems associated with its use. It is the responsibility of users of this standard to take appropriate measures to ensure the safety and health of personnel prior to application of the standard, and fulfil statutory and regulatory requirements for this purpose.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 13016-1, *Liquid petroleum products — Vapour pressure — Part 1: Determination of air saturated vapour pressure (ASVP) and calculated dry vapour pressure equivalent (DVPE)*

EN ISO 3170, *Petroleum liquids — Manual sampling (ISO 3170)*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

vapour pressure

VP

total pressure minus the partial pressure of the dissolved air in the liquid at a vapour to liquid ratio of 4:1 and at 37,8 °C