Aerospace series - Circuit breakers, single-pole, temperature compensated, rated currents 1 A to 25 A -Part 006: 6,3 mm blade terminal - Product standard



## EESTI STANDARDI EESSÕNA

## NATIONAL FOREWORD

See Eesti standard EVS-EN 3773-006:2017 sisaldab Euroopa standardi EN 3773-006:2017 ingliskeelset teksti.	This Estonian standard EVS-EN 3773-006:2017 consists of the English text of the European standard EN 3773-006:2017.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 07.06.2017.	Date of Availability of the European standard is 07.06.2017.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile <u>standardiosakond@evs.ee</u>.

## ICS 49.060

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega: Koduleht <a href="mailto:www.evs.ee">www.evs.ee</a>; telefon 605 5050; e-post <a href="mailto:info@evs.ee">info@evs.ee</a>

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

## EUROPEAN STANDARD NORME EUROPÉENNE

EUROPÄISCHE NORM

June 2017

EN 3773-006

ICS 49.060

## **English Version**

# Aerospace series - Circuit breakers, single-pole, temperature compensated, rated currents 1 A to 25 A - Part 006: 6,3 mm blade terminal - Product standard

Série aérospatiale - Disjoncteurs unipolaires compensés en température, intensités nominales 1 A à 25 A - Partie 006 : Raccordement par lame 6,3 mm - Norme de produit

Luft- und Raumfahrt - Schutzschalter, einpolig, temperaturkompensiert, Nennströme von 1 A bis 25 A - Teil 006: Flachsteckverbinder 6,3 mm - Produktnorm

This European Standard was approved by CEN on 20 February 2017.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

European foreword	Page	Conte
1 Scope	2	urone
Normative references  Dimensions and mass  Characteristics  Designation  Rated current code  Hardware delivery codes  Marking  Technical specification		
Dimensions and mass		
4 Characteristics		
Rated current code		
Rated current code	11	. ]
Marking		
Technical specification	12	, J
9 Technical specification	12	; J
	12	,
	25	
2		

## **European foreword**

This document (EN 3773-006:2017) has been prepared by the Aerospace and Defence Industries Association of Europe - Standardization (ASD-STAN).

After enquiries and votes carried out in accordance with the rules of this Association, this Standard has received the approval of the National Associations and the Official Services of the member countries of ASD, prior to its presentation to CEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by December 2017, and conflicting national standards shall be withdrawn at the latest by December 2017.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, ak. Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

## 1 Scope

This European Standard specifies the characteristics of single-pole circuit breakers, temperature compensated with a rated current from 1 A to 25 A, used in aircraft on-board circuits at a temperature between –  $55\,^{\circ}$ C and  $125\,^{\circ}$ C and at an altitude of  $15\,000\,\mathrm{m}$  max.

These circuit breakers are operated by a push-pull type single push button (actuator), with delayed action "trip-free" tripping.

They will continue to function up to the short-circuit current.

### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 2282, Aerospace series — Characteristics of aircraft electrical supplies

EN 3773-001, Aerospace series — Circuit breakers, single-pole, temperature compensated, rated currents 1 A to 25 A — Part 001: Technical specification

EN 3841-100, Aerospace series — Circuit breakers — Test methods — Part 100: General

EN 3841-505, Aerospace series — Circuit breakers — Test methods — Part 505: Strength of main terminals

EN 6113, Aerospace series — Circuit breaker, connecting and attachment hardware

EN 9133, Aerospace series — Quality Management Systems — Qualification Procedure for Aerospace Standard Products

FED-STD-595C, Colors used in government procurement 1)

IEC 60934, Circuit-breakers for equipment 2)

TR 6083, Aerospace series — Cut-outs for installation of electrical components 3)

#### 3 Dimensions and mass

## 3.1 Dimensional characteristics

The circuit breakers do not have to correspond to the pictorial illustration, only the dimensions given shall be adhered to. The mounting surface is the contact surface with the circuit breaker panel.

See Figure 1.

<sup>1)</sup> Published by: DoD National (US) Mil. Department of Defense (http://www.defenselink.mil/).

<sup>2)</sup> Published by: IEC International Electrotechnical Commission (<a href="http://www.iec.ch/">http://www.iec.ch/</a>).

<sup>3)</sup> Published as ASD-STAN Technical Report at the date of publication of this standard by AeroSpace and Defence industries Association of Europe - Standardization (ASD-STAN) (<a href="www.asd-stan.org">www.asd-stan.org</a>)