Puitplaadid. Proovivõtt, lõikamine ja kontroll. Osa 2: Esmane tüübikatsetus ja ettevõtte tootmisohje

an d fac. Wood-based panels - Sampling, cutting and inspection - Part 2: Initial type testing and factory production control



FESTI STANDARDI FESSÕNA

NATIONAL FOREWORD

Käesolev Eesti standard EVS-EN 326-2:2010 sisaldab Euroopa standardi EN 326-2:2010 ingliskeelset teksti.

This Estonian standard EVS-EN 326-2:2010 consists of the English text of the European standard EN 326-2:2010.

Standard on kinnitatud Eesti Standardikeskuse 31.10.2010 käskkirjaga ja jõustub sellekohase teate avaldamisel EVS Teatajas.

This standard is ratified with the order of Estonian Centre for Standardisation dated 31.10.2010 and is endorsed with the notification published in the official bulletin of the Estonian national standardisation organisation.

Euroopa standardimisorganisatsioonide poolt rahvuslikele liikmetele Euroopa standardi teksti kättesaadavaks tegemise kuupäev on 29.09.2010.

Date of Availability of the European standard text 29.09.2010.

Standard on kättesaadav Eesti standardiorganisatsioonist.

The standard is available from Estonian standardisation organisation.

ICS 79.060.01

Standardite reprodutseerimis- ja levitamisõigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonilisse süsteemi või edastamine ükskõik millises vormis või millisel teel on keelatud ilma Eesti Standardikeskuse poolt antud kirjaliku loata.

Kui Teil on küsimusi standardite autorikaitse kohta, palun võtke ühendust Eesti Standardikeskusega: Aru 10 Tallinn 10317 Eesti; www.evs.ee; Telefon: 605 5050; E-post: info@evs.ee

Right to reproduce and distribute belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without permission in writing from Estonian Centre for Standardisation.

If you have any questions about standards copyright, please contact Estonian Centre for Standardisation: Aru str 10 Tallinn 10317 Estonia; www.evs.ee; Phone: 605 5050; E-mail: info@evs.ee

EUROPEAN STANDARD NORME EUROPÉENNE

EUROPÄISCHE NORM

EN 326-2

September 2010

ICS 79.060.01

Supersedes EN 326-2:2000

English Version

Wood-based panels - Sampling, cutting and inspection - Part 2: Initial type testing and factory production control

Panneaux à base de bois - Echantillonnage, découpe et contrôle - Partie 2 : Essai de type initial et contrôle de la production en usine

Holzwerkstoffe - Probenahme, Zuschnitt und Überwachung - Teil 2: Erstprüfung des Produktes und werkseigene Produktionskontrolle

This European Standard was approved by CEN on 7 August 2010.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

		Page
Forew	ord	4
1	Scope	5
•	Normative references	
2		
3	Terms and definitions	
4	Symbols and indices	7
4.1	Letter symbols (see also EN 326-1:1994)	
4.2	Indices (see also EN 326-1:1994)	
5	Initial type testing (ITT)	
5.1	General	
5.2	Initial type testing by variables	
5.2.1	General	
5.2.2	Sampling of panels	
5.2.3	Evaluation	
5.3 5.3.1	Initial type testing by attributes	
5.3.1 5.3.2	Evaluation	
6	Factory production control	
6.1	General	13
6.2	Sampling	
6.2.1 6.2.2	General	
6.2.2 6.2.3	Dimensional tolerances, squareness and edge straightness	
6.2.3 6.2.4	Sampling and cutting of test pieces	
6.3	Factory production control by variables	14 14
6.3.1	Characteristics	
6.3.2	Product types	
6.4	Control of production	
6.4.1	General	
6.4.2	Factory production control by variables for batch production	15
6.4.3	Factory production control by attributes for batch production	17
6.4.4	Internal records of an established product	19
6.5	Initial inspection of factory and factory production control (FPC)	
6.6	Continuous surveillance, assessment and approval of the factory production control	20
Annex	A (informative) Example of initial type testing by variables – Evaluation of bending	
	strength of particleboards (see 5.2)	
A.1	Example	
A.2	Sampling (see 5.1.2)	21
A.3	Test results, records and evaluation (see 5.2.3 and EN 326-1:1994, Clause 7)	21
Annex	B (informative) Factory production control by variables – Example: Batch production (see 6.4.2)	23
B.1	General	
B.2	Sampling	
B.3	Testing	
B.4	Calculation and recording of test results of the first sample	23
B.4.1	Example for the case that the first sample of one panel fulfils the panel characteristic	
D 4 0	requirement	23
B.4.2	Example for the case that the first sample of one panel does not fulfil the panel characteristic requirement	24

Annex	C (informative) Example of initial type testing attributes - Evaluation of bonding quality of	
	plywood (see 6.4.3.1)	
C.1	Example	
C.2	Sampling plan	
C.3	Sampling (see 5.3.1)	27
C.4	Test data and evaluation of bond shear strength and apparent cohesive wood fibre failure	
	percentage	
C.4.1	General	
C.4.2	First sample	
C.4.3	Second sample	
C.5	Single sampling plan	30
Annex	D (informative) Control of factory production control records - Examples of the	
	determination of differences between factory testing and external testing (see 6.6)	
D.1	General	
D.1.1	Use of unconditioned test pieces	
D.1.2	Paired testing	
D.2	Example (1): Swelling in thickness tested according to EN 317	
D.2.1	Sample of example (1)	
D.2.2	Control of variability	
D.3	Example (2): Internal bond tested according to EN 319	
D.3.1	General	
D.3.2	Sample of example (2)	
D.3.3	Control of variability	34
D.4	Determination of a significant difference between the results from the alternative test procedure and from the standard reference test method	35
Annex	E (informative) Example of the calculation of a linear correlation (see 7.2)	
	E (INTO(MISTIVE) EYSMNIG AT THE ACTORMINSTIAN AT 2 CIANITICS OF AUTOCOPICE DETWARD THA	
Annex	F (informative) Example of the determination of a significant difference between the results from the alternative test procedure and from the standard reference test method	
	results from the alternative test procedure and from the standard reference test method (see 6.4.5) in accordance with EN 13986	
F.1	results from the alternative test procedure and from the standard reference test method (see 6.4.5) in accordance with EN 13986	40
F.1 F.2	results from the alternative test procedure and from the standard reference test method (see 6.4.5) in accordance with EN 13986	40 41
F.1 F.2 F.3	results from the alternative test procedure and from the standard reference test method (see 6.4.5) in accordance with EN 13986	40 41 41
F.1 F.2 F.3	results from the alternative test procedure and from the standard reference test method (see 6.4.5) in accordance with EN 13986	40 41 41
F.1 F.2 F.3	results from the alternative test procedure and from the standard reference test method (see 6.4.5) in accordance with EN 13986	40 41 41
F.1 F.2 F.3	results from the alternative test procedure and from the standard reference test method (see 6.4.5) in accordance with EN 13986	40 41 41
F.1 F.2 F.3	results from the alternative test procedure and from the standard reference test method (see 6.4.5) in accordance with EN 13986	40 41 41
F.1 F.2 F.3	results from the alternative test procedure and from the standard reference test method (see 6.4.5) in accordance with EN 13986	40 41 41
F.1 F.2 F.3	results from the alternative test procedure and from the standard reference test method (see 6.4.5) in accordance with EN 13986	40 41 41
F.1 F.2 F.3	results from the alternative test procedure and from the standard reference test method (see 6.4.5) in accordance with EN 13986	40 41 41
F.1 F.2 F.3	results from the alternative test procedure and from the standard reference test method (see 6.4.5) in accordance with EN 13986	40 41 41
F.1 F.2 F.3	results from the alternative test procedure and from the standard reference test method (see 6.4.5) in accordance with EN 13986	40 41 41
F.1 F.2 F.3	results from the alternative test procedure and from the standard reference test method (see 6.4.5) in accordance with EN 13986	40 41 41
F.1 F.2 F.3	results from the alternative test procedure and from the standard reference test method (see 6.4.5) in accordance with EN 13986	40 41 41
F.1 F.2 F.3	results from the alternative test procedure and from the standard reference test method (see 6.4.5) in accordance with EN 13986	40 41 41
F.1 F.2 F.3	results from the alternative test procedure and from the standard reference test method (see 6.4.5) in accordance with EN 13986	40 41 41
F.1 F.2 F.3	results from the alternative test procedure and from the standard reference test method (see 6.4.5) in accordance with EN 13986	40 41 41
F.1 F.2 F.3	results from the alternative test procedure and from the standard reference test method (see 6.4.5) in accordance with EN 13986	40 41 41
F.1 F.2 F.3	results from the alternative test procedure and from the standard reference test method (see 6.4.5) in accordance with EN 13986	40 41 41
F.1 F.2 F.3	results from the alternative test procedure and from the standard reference test method (see 6.4.5) in accordance with EN 13986	40 41 41
F.1 F.2 F.3	results from the alternative test procedure and from the standard reference test method (see 6.4.5) in accordance with EN 13986	40 41 41
F.1 F.2 F.3	results from the alternative test procedure and from the standard reference test method (see 6.4.5) in accordance with EN 13986	40 41 41
F.1 F.2 F.3	results from the alternative test procedure and from the standard reference test method (see 6.4.5) in accordance with EN 13986	40 41 41
F.1 F.2 F.3	results from the alternative test procedure and from the standard reference test method (see 6.4.5) in accordance with EN 13986	40 41 41
F.1 F.2 F.3	results from the alternative test procedure and from the standard reference test method (see 6.4.5) in accordance with EN 13986	40 41 41
F.1 F.2 F.3	results from the alternative test procedure and from the standard reference test method (see 6.4.5) in accordance with EN 13986	40 41 41
F.1 F.2 F.3	results from the alternative test procedure and from the standard reference test method (see 6.4.5) in accordance with EN 13986	40 41 41
F.1 F.2 F.3	results from the alternative test procedure and from the standard reference test method (see 6.4.5) in accordance with EN 13986	40 41 41

Foreword

This document (EN 326-2:2010) has been prepared by Technical Committee CEN/TC 112 "Wood-based panels", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by March 2011, and conflicting national standards shall be withdrawn at the latest by March 2011.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 326-2:2000.

A revision of EN 326-2:2000 was necessary in order to adapt this standard to the harmonized European Standard EN 13986:2004.

Compared to EN 326-2:2000 the following main changes have been made:

- a) the procedures of initial type testing as well as of factory production control have been adapted to those specified in EN 13986;
- b) the terminology has been adapted to EN 13986;
- c) the specification requirement of the lower 5 % value or the upper 95 % value, respectively, is also fulfilled, if all single 30 mean values comply with the specification limit;
- d) the procedure of evaluation of linear correlations between test results has been improved.

This standard is one of a series of European Standards dealing with sampling, cutting and inspection of wood-based panels. The other parts of this series are listed in Clause 2 and in the Bibliography.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

1 Scope

This European Standard specifies methods for internal initial type testing (ITT) and internal factory production control (FPC) as well as external control of wood-based panels for their compliance with EN 13986 and other relevant product specifications. However, it may also apply, at the option of the manufacturer, to wood-based panels applied for non-construction purposes.

This European Standard is not applicable for the assessment of compliance with specifications of panels comprised in consignments. In such cases, EN 326-3 applies.

For internal factory production control, if required, methods for the assessment of conformity of batches and of production over longer periods are given.

For external control, if required, methods for the initial inspection of a factory and initial type testing of a product, and for the surveillance of the factory production control, are given.

In the factory production control small test pieces are used. The statistics of evaluation is based on normal distribution.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 326-1:1994, Wood-based panels — Sampling, cutting and inspection — Part 1: Sampling and cutting of test pieces and expression of test results

EN 13986, Wood-based panels for use in construction — Characteristics, evaluation of conformity and marking

ISO 8258, Shewhart control charts

3 Terms and definitions

For the purpose of this document, the terms and definitions given in EN 326-1:1994 and the following apply.

3.1

acceptable quality level

AOL

maximum percentage of non-conforming panels that for the purpose of sampling inspection can be considered satisfactory as a process average

3.2

at random

sampling of panels in such a way that each panel of the inspection lot has an equal chance of being selected, and cutting of test pieces from a single panel in such a way that each part of the panel has an equal chance of being selected as a test piece

3.3

attribute

qualitative panel characteristic which can be taken for a yes or no decision about the conformity of a panel characteristic with the specification requirements

NOTE An example is given in Annex C.