

INTERNATIONAL STANDARD

NORME INTERNATIONALE

BASIC SAFETY PUBLICATION

PUBLICATION FONDAMENTALE DE SÉCURITÉ

**Fire hazard testing –
Part 8-1: Heat release – General guidance**

**Essais relatifs aux risques du feu –
Partie 8-1: Dégagement de chaleur – Guide général**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2016 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue IEC - webstore.iec.ch/catalogue

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

Recherche de publications IEC - www.iec.ch/searchpub

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 15 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

65 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.

INTERNATIONAL STANDARD

NORME INTERNATIONALE

BASIC SAFETY PUBLICATION

PUBLICATION FONDAMENTALE DE SÉCURITÉ

**Fire hazard testing –
Part 8-1: Heat release – General guidance**

**Essais relatifs aux risques du feu –
Partie 8-1: Dégagement de chaleur – Guide général**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 13.220.40; 29.020

ISBN 978-2-8322-3749-6

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references	7
3 Terms and definitions	7
4 Principles of determining heat release	11
4.1 Complete combustion measured by the oxygen bomb calorimeter	11
4.2 Incomplete combustion	12
4.2.1 Measurement techniques	12
4.2.2 Heat release by oxygen consumption.....	12
4.2.3 Heat release by carbon dioxide generation	13
4.2.4 Heat release by increase of gas temperature	13
5 Parameters used to report heat release data	15
5.1 Heat of combustion (gross and net)	15
5.2 Heat release rate (HRR)	15
5.3 Heat release (HR)	16
5.4 Heat release rate per unit area (HRR*)	16
5.5 Total heat release	17
5.6 Peak heat release rate	17
5.7 Time to peak heat release rate.....	17
5.8 Effective heat of combustion	17
5.8.1 Measurement and calculation	17
5.8.2 Examples.....	18
5.9 FIGRA index	19
5.10 ARHE and MARHE	20
6 Considerations for the selection of test methods.....	22
6.1 Ignition sources	22
6.2 Type of test specimen	22
6.3 Choice of conditions	22
6.4 Test apparatus.....	22
6.4.1 General	22
6.4.2 Small-scale fire test apparatus.....	22
6.4.3 Intermediate and large-scale fire test apparatus	23
6.4.4 Comparison between small-scale and intermediate/large-scale fire test methods	23
6.5 Choice of fire tests.....	23
7 Relevance of heat release data	23
7.1 Contribution to fire hazard.....	23
7.2 Secondary ignition and flame spread	23
7.3 Determination of self-propagating fire thresholds	24
7.4 Probability of reaching flash-over	24
7.5 Smoke and toxic gas production	24
7.6 The role of heat release testing in research and development.....	24
Bibliography.....	25

Figure 1 – Heat release rate (HRR) curve	16
Figure 2 – Heat release (HR) curve.....	16
Figure 3 – Heat release rate per unit area (HRR*) curve	17
Figure 4 – Mass loss curve	18
Figure 5 – FIGRA curve derived from Figure 1	19
Figure 6 – Illustrative HRR curve	20
Figure 7 – FIGRA curve derived from Figure 6	20
Figure 8 – ARHE curve derived from Figure 1	21
Figure 9 – ARHE curve derived from Figure 6	21
Table 1 – Relationship between heat of combustion expressed in units of $\text{kJ}\cdot\text{g}^{-1}$ of fuel burned and $\text{kJ}\cdot\text{g}^{-1}$ of oxygen consumed for a variety of fuels	14
Table 2 – Relationship between heat of combustion expressed in units of $\text{kJ}\cdot\text{g}^{-1}$ of fuel burned and $\text{kJ}\cdot\text{g}^{-1}$ of oxygen consumed for a variety of insulating liquids	15

This document is a preview generated by EVS

INTERNATIONAL ELECTROTECHNICAL COMMISSION

FIRE HAZARD TESTING –**Part 8-1: Heat release – General guidance****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60695-8-1 has been prepared by IEC technical committee 89: Fire hazard testing.

This third edition cancels and replaces the second edition published in 2008. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) a modified Introduction;
- b) reference to IEC 60695-1-12;
- c) updated normative references;
- d) revised terms and definitions;
- e) new text in 4.2.2, 4.2.3, 6.1 and 6.4, including several mandatory statements;
- f) mandatory statements in a new Subclause 6.5.

The text of this standard is based on the following documents:

FDIS	Report on voting
89/1342/FDIS	89/1348/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

It has the status of a basic safety publication in accordance with IEC Guide 104 and ISO/IEC Guide 51.

This standard is to be used in conjunction with IEC 60695-8-2.

A list of all the parts in the IEC 60695 series, under the general title *Fire hazard testing*, can be found on the IEC website.

IEC 60695-8 consists of the following parts:

Part 8-1: *Heat release – General guidance*

Part 8-2: *Heat release – Summary of test methods*

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

INTRODUCTION

In the design of any electrotechnical product, the risk of fire and the potential hazards associated with fire need to be considered. In this respect the objective of component, circuit and equipment design as well as the choice of materials is to reduce the risk of fire to a tolerable level even in the event of reasonably foreseeable (mis)use, malfunction or failure. IEC 60695-1-10 [1]¹ provides guidance on how this is to be accomplished.

Fires involving electrotechnical products can be initiated from external non-electrical sources. Considerations of this nature are dealt with in an overall risk assessment.

The aim of the IEC 60695 series of standards is to save lives and property by reducing the number of fires or reducing the consequences of the fire. This can be accomplished by:

- trying to prevent ignition caused by an electrically energised component part and, in the event of ignition, to confine any resulting fire within the bounds of the enclosure of the electrotechnical product;
- trying to minimise flame spread beyond the product's enclosure and to minimise the harmful effects of fire effluents including heat, smoke, and toxic or corrosive combustion products.

Fires are responsible for creating hazards to life and property as a result of the generation of heat (thermal hazard), toxic and/or corrosive compounds and obscuration of vision due to smoke. Fire risk increases as the heat released increases, possibly leading to a flash-over fire.

One of the most important measurements in fire testing is the measurement of heat release, and it is used as an important factor in the determination of fire hazard; it is also used as one of the parameters in fire safety engineering calculations.

The measurement and use of heat release data, together with other fire test data, can be used to reduce the likelihood of (or the effects of) fire, even in the event of reasonably foreseeable (mis)use, malfunction or failure of electrotechnical products.

When a material is heated by some external source, fire effluent can be generated and can form a mixture with air, which can ignite and initiate a fire. The heat released in the process is carried away by the fire effluent-air mixture, radiatively lost or transferred back to the solid material, to generate further pyrolysis products, thus continuing the process.

Heat may also be transferred to other nearby products, which may burn, and then release additional heat and fire effluent.

The rate at which thermal energy is released in a fire is defined as the heat release rate. Heat release rate is important because of its influence on flame spread and on the initiation of secondary fires. Other characteristics are also important, such as ignitability, flame spread and the side-effects of the fire (see the IEC 60695 series of standards).

¹ Numbers in square brackets refer to the Bibliography.

FIRE HAZARD TESTING –

Part 8-1: Heat release – General guidance

1 Scope

This part of IEC 60695-8 provides guidance on the measurement and interpretation of heat release from electrotechnical products and materials from which they are constructed.

Heat release data can be used as part of fire hazard assessment and in fire safety engineering, as described in IEC 60695-1-11 [2] and IEC 60695-1-12 [3].

This basic safety publication is intended for use by technical committees in the preparation of standards in accordance with the principles laid down in IEC Guide 104 and ISO/IEC Guide 51.

One of the responsibilities of a technical committee is, wherever applicable, to make use of basic safety publications in the preparation of its publications. The requirements, test methods or test conditions of this basic safety publication will not apply unless specifically referred to or included in the relevant publications.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60695-4:2012, *Fire hazard testing – Part 4: Terminology concerning fire tests for electrotechnical products*

IEC 60695-8-2, *Fire hazard testing – Part 8-2: Heat release – Summary and relevance of test methods*

IEC Guide 104, *The preparation of safety publications and the use of basic safety publications and group safety publications*

ISO/IEC Guide 51, *Safety aspects – Guidelines for their inclusion in standards*

ISO 13943:2008, *Fire safety – Vocabulary*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 13943:2008 and IEC 60695-4:2012 (some of which are reproduced below), as well as the following, apply.

3.1

combustion

exothermic reaction of a substance with an oxidizing agent

Note 1 to entry: Combustion generally emits fire effluent accompanied by flames and/or glowing.