Chemical disinfectants and antiseptics - Quantitative non-porous surface test without mechanical action for the evaluation of virucidal activity of chemical disinfectants used in the medical area - Test method and requirements (phase 2/step 2)



EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

	This Estonian standard EVS-EN 16777:2018 consists of the English text of the European standard EN 16777:2018.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 12.12.2018.	Date of Availability of the European standard is 12.12.2018.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile <u>standardiosakond@evs.ee</u>.

ICS 11.080.20

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega: Koduleht <u>www.evs.ee</u>; telefon 605 5050; e-post <u>info@evs.ee</u>

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

EUROPEAN STANDARD

NORME EUROPÉENNE

EUROPÄISCHE NORM

December 2018

EN 16777

ICS 11.080.20

English Version

Chemical disinfectants and antiseptics - Quantitative nonporous surface test without mechanical action for the evaluation of virucidal activity of chemical disinfectants used in the medical area - Test method and requirements (phase 2/step 2)

Antiseptiques et désinfectants chimiques - Essai quantitatif de surface non poreuse sans action mécanique pour l'évaluation de l'activité virucide des désinfectants chimiques utilisés dans le domaine médical - Méthode d'essai et exigences (phase 2/étape

Chemische Desinfektionsmittel und Antiseptika -Quantitativer Versuch auf nicht porösen Oberflächen ohne mechanische Einwirkung zur Bestimmung der viruziden Wirkung im humanmedizinischen Bereich -Prüfverfahren und Anforderungen (Phase 2, Stufe 2)

This European Standard was approved by CEN on 24 September 2018.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Cont	tents	Page
Г		
-	ean foreword	
Introd	luction	
1	Scope	6
2	Normative references	6
3	Terms and definitions	7
4	Requirements for virucidal activity on surfaces	7
5	Test methods	8
5.1	Principle	
5.2	Materials and reagents, including cell cultures	8
5.2.1	Test organisms	
5.2.2	Culture media, reagents and cell cultures	
5.3	Apparatus and glassware	
5.3.1	General	
5.3.2	Usual microbiological laboratory equipment	
5.3.3	Test surfaces	
5.4	Preparation of test organism suspensions and product test solutions	
5.4.1	Test organisms suspensions (test virus suspension)	
5.4.2	Product test solution	
5.4.2 5.5	Procedure for assessing the virucidal activity of the product	
5.5.1	Experimental conditions	
5.5.1 5.5.2	Test procedure	
5.5.2 5.5.3	Cytotoxicity caused by product solutions	10
5.5.4	Control of efficiency for suppression of disinfectant virucidal activity	
5.5.5	Reference test for virus inactivation	
5.5.6	Titration of the virus control	
5.6	Experimental data and calculation	
5.6.1	Protocol of the results	
5.6.2	Calculation of infectivity titre (TCID ₅₀ – PFU)	
5.7	Verification of the methodology	20
5.8	Expression of results	20
5.8.1	General	20
5.8.2	Calculation of the virucidal activity of products	20
5.9	Test report	21
Annex	A (informative) Examples of viruses sorted according to their presence in the human body in case of virus infection	
Annex	B (normative) Detoxification of test mixtures by molecular sieving	25
B.1	Molecular sieving with Sephadex™ LH 20	
B.1.1	Principle	
B.1.2	Sephadex suspension	25
B.1.3	Procedure	25
B.2	Molecular sieving using MicroSpin™ S 400 HR	27
	Protecular stering asing riterospin - s too incommunication and an armine succession of the second s	4/

B.3	Determination of the residual virus titre by the large-volume-plating (LVP) method	27
B.3.1	General	27
B.3.2	Example for the calculation of titres and the reduction according to the large-volume-plating Method	28
Annex	x C (informative) Calculation of the viral infectivity titre	30
C.1	Quantal tests - Example of $TCID_{50}$ determination by the Spaerman-Kärber method	30
C.2	Plaque test	30
C.3	Biometrical evaluation of experimental approaches and assessment of the disinfecting effect on the virus (reduction [R]):	31
C.3.1	General	31
C.3.2	Calculating the virus titre with 95 % confidence interval - Example	
C.3.3	Calculating the reduction and its 95 % confidence interval	
C.3.4	Calculating the average reduction ($R_{(mi)}$) and its 95 % confidence interval	
C.3.5	Practical example graphy	34
	Practical example	3

European foreword

This document (EN 16777:2018) has been prepared by Technical Committee CEN/TC 216 "Chemical disinfectants and antiseptics", the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2019, and conflicting national standards shall be withdrawn at the latest by June 2019.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

This document describes a surface test method for establishing whether a product proposed as a disinfectant in the fields described in Clause 1 has or does not have virucidal activity on non-porous surfaces.

The laboratory test closely simulates practical conditions of application. Chosen conditions (contact time, temperature, organisms on surfaces etc.) reflect parameters which are found in practical situations including conditions which may influence the action of disinfectants. Each use concentration found from this test corresponds to defined experimental conditions.

The conditions are intended to cover general purposes and to allow reference between laboratories and product types. Each utilization concentration of the chemical disinfectant or antiseptic found by this test corresponds to defined experimental conditions.

However for special applications the recommendations of use of a product can differ and therefore et. additional test conditions might be needed, which cannot be covered by this document.

1 Scope

This document specifies a test method and the minimum requirements for virucidal activity of chemical disinfectants that form a homogeneous physically stable preparation when diluted with hard water – or in the case of ready-to-use products - with water.

This document applies to products that are used in the medical area for disinfecting non-porous surfaces including surfaces of medical devices without mechanical action.

This document applies to areas and situations where disinfection is medically indicated. Such indications occur in patient care, for example:

- in hospitals, in community medical facilities, and in dental institutions;
- in clinics of schools, of kindergartens, and of nursing homes;

and may occur in the workplace and in the home.

It may also include services such as laundries and kitchens supplying products directly for the patients.

NOTE 1 The method described is intended to determine the activity of commercial formulations or active substances on viruses in the conditions in which they are used.

NOTE 2 This method corresponds to a phase 2, step 2 test.

EN 14885 specifies in detail the relationship of the various tests to one another and to "use recommendations".

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 14476, Chemical disinfectants and antiseptics — Quantitative suspension test for the evaluation of virucidal activity in the medical area — Test method and requirements (Phase 2/Step 1)

EN 12353, Chemical disinfectants and antiseptics — Preservation of test organisms used for the determination of bactericidal (including Legionella), mycobactericidal, sporicidal, fungicidal and virucidal (including bacteriophages) activity

EN 14885, Chemical disinfectants and antiseptics — Application of European Standards for chemical disinfectants and antiseptics

EN 10088-1, Stainless steels — Part 1: List of stainless steels

EN 10088-2, Stainless steels — Part 2: Technical delivery conditions for sheet/plate and strip of corrosion resisting steels for general purposes