

Composites made from cellulose-based materials and thermoplastics (usually called wood-polymer composites (WPC) or natural fibre composites (NFC)) - Part 1: Test methods for characterisation of compounds and products

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 15534-1:2014+A1:2017 sisaldab Euroopa standardi EN 15534-1:2014+A1:2017 ingliskeelset teksti.	This Estonian standard EVS-EN 15534-1:2014+A1:2017 consists of the English text of the European standard EN 15534-1:2014+A1:2017.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 01.11.2017.	Date of Availability of the European standard is 01.11.2017.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 79.080, 83.080.01, 83.140.99

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:

Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

English Version

Composites made from cellulose-based materials and thermoplastics (usually called wood-polymer composites (WPC) or natural fibre composites (NFC)) - Part 1: Test methods for characterisation of compounds and products

Composites à base de matières cellulosiques et de thermoplastiques (communément appelés composites bois-polymères (WPC) ou composites fibres d'origine naturelle (NFC)) - Partie 1: Méthodes d'essai pour la caractérisation des compositions et des produits

Verbundwerkstoffe aus cellulosehaltigen Materialien und Thermoplasten (üblicherweise Holz-Polymer-Werkstoffe (WPC) oder Naturfaserverbundwerkstoffe (NFC) genannt) - Teil 1: Prüfverfahren zur Beschreibung von Compounds und Erzeugnissen

This European Standard was approved by CEN on 9 November 2013 and includes Amendment 1 approved by CEN on 9 August 2017.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

European foreword.....	5
Introduction	7
1 Scope	8
2 Normative references	8
3 Terms and definitions	10
4 Test specimens.....	11
5 Conditioning of test specimens	11
5.1 General.....	11
5.2 Reference conditioning.....	11
5.3 Conditioning for factory production control and testing under other conditions	12
5.4 Conditioning for tests performed by third-parties	12
6 Physical properties.....	12
6.1 Appearance (applicable to products)	12
6.2 Density	12
6.3 Moisture content	12
6.4 Slipperiness.....	13
6.4.1 General.....	13
6.4.2 Pendulum test	13
6.4.3 Inclination plan test	13
6.4.4 Dynamic coefficient of friction	14
6.5 Linear mass (applicable to profiles)	14
6.5.1 Apparatus.....	14
6.5.2 Test specimens.....	15
6.5.3 Procedure.....	15
6.5.4 Calculation and expression of results.....	15
6.6 Dimensional characteristics.....	15
6.6.1 Conditioning.....	15
6.6.2 Thickness, width and length (applicable to profiles, only).....	15
6.6.3 Deviation from straightness (applicable to profiles, only).....	15
6.6.4 Cupping.....	16
7 Mechanical properties.....	16
7.1 Impact resistance	16
7.1.1 Impact resistance (applicable to compounds)	16
7.1.2 Falling mass impact resistance (applicable to products)	17
7.1.3 Extreme temperatures.....	20
7.2 Tensile properties (applicable to compounds).....	20
7.3 Flexural properties.....	20
7.3.1 Flexural properties (applicable to compounds)	20
7.3.2 Flexural properties (applicable to non-load bearing products).....	20
7.4 Creep behaviour (applicable to finished products for non-load bearing applications).....	20
7.4.1 Known span in use	20
7.4.2 Unknown span in use.....	22
7.5 Resistance to indentation.....	23

7.5.1	Principle.....	23
7.5.2	Apparatus	23
7.5.3	Test specimens	23
7.5.4	Test method.....	23
7.6	Nail and screw withdrawal.....	24
7.7	Pull through resistance	24
8	Durability.....	25
8.1	Resistance to artificial weathering.....	25
8.1.1	Test methods for artificial weathering.....	25
8.1.2	Methods for assessing of the resistance to artificial weathering.....	25
8.1.3	[A1] Determination of colorimetric coordinates	25
8.2	Resistance to natural ageing (external use)	25
8.2.1	Test methods for natural ageing	25
8.2.2	Methods for assessing the resistance to natural ageing.....	26
8.3	Moisture resistance	26
8.3.1	Swelling and water absorption.....	26
8.3.2	Moisture resistance under cyclic conditions	28
8.3.3	Moisture resistance – Boiling test.....	29
8.4	Resistance against termites.....	29
8.5	Resistance against biological agents	30
8.5.1	Pre-treatment	30
8.5.2	Resistance against basidiomycetes.....	30
8.5.3	Resistance against soft rotting micro-fungi	33
8.5.4	Resistance against discolouring micro-fungi according to ASTM D 3273.....	34
8.5.5	Resistance against discolouring micro-fungi according to ISO 16869	36
8.5.6	Resistance against discolouring algae	37
8.6	Resistance to salt spray	38
9	Thermal properties.....	38
9.1	Heat deflection temperature (HDT).....	38
9.2	Linear thermal expansion	38
9.3	Heat reversion	38
9.4	Heat build-up (applicable to products)	38
9.4.1	Principle.....	38
9.4.2	Apparatus	39
9.4.3	Test specimens	39
9.4.4	Procedure	39
9.4.5	Expression of results	40
9.4.6	Test report	41
9.5	Oxygen index (OI)	41
9.6	Reaction to fire	41
9.6.1	Single flame source test.....	41
9.6.2	Single burning item (SBI) test (applicable to cladding only).....	41
9.6.3	Radiant heat source test (floorings)	47
10	Other properties	47
10.1	Degree of chalking (applicable to coated products, only)	47
10.2	Change of gloss.....	47
10.3	Peel strength (applicable to profiles with laminated foil).....	47
10.3.1	Principle.....	47
10.3.2	Apparatus	48
10.3.3	Preparation of test pieces.....	48
10.3.4	Conditioning	49
10.3.5	Procedure	49

10.3.6 Test report	49
Annex A (normative) Determination of the modulus of elasticity in bending and bending strength of profiles	51
A.1 Principle	51
A.2 Apparatus	51
A.3 Test specimens	52
A.4 Atmosphere for conditioning and testing	53
A.5 Procedure	53
A.6 Expression of results	54
A.6.1 Modulus of elasticity in bending	54
A.6.2 Bending strength	56
A.7 Test report	57
Bibliography	59

European foreword

This document (EN 15534-1:2014+A1:2017) has been prepared by Technical Committee CEN/TC 249 “Plastics”, the secretariat of which is held by NBN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by May 2018, and conflicting national standards shall be withdrawn at the latest by May 2018.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes A1 EN 15534-1:2014 A1.

This document includes Amendment 1 approved by CEN on 09 August 2017.

The start and finish of text introduced or altered by amendment is indicated in the text by tags A1 A1.

The significant changes that have been made since the previous edition are the following:

- change of the status from Technical Specification to European Standard;
- complete technical review of the test methods.

EN 15534 consists of the following parts:

- EN 15534-1, *Composites made from cellulose-based materials and thermoplastics (usually called wood-polymer composites (WPC) or natural fibre composites (NFC)) — Part 1: Test methods for characterization of compounds and products*
- prEN 15534-2, *Composites made from cellulose-based materials and thermoplastics (usually called wood-polymer composites (WPC) or natural fibre composites (NFC)) — Part 2: Characterization of compounds¹⁾*
- EN 15534-4, *Composites made from cellulose-based materials and thermoplastics (usually called wood-polymer composites (WPC) or natural fibre composites (NFC)) — Part 4: Specifications for decking profiles and tiles*
- EN 15534-5, *Composites made from cellulose-based materials and thermoplastics (usually called wood-polymer composites (WPC) or natural fibre composites (NFC)) — Part 5: Specifications for cladding profiles and tiles*
- prEN 15534-6, *Composites made from cellulose-based materials and thermoplastics (usually called wood-polymer composites (WPC) or natural fibre composites (NFC)) — Part 6: Specifications for fencing profiles and systems¹⁾*

¹⁾ In preparation.

- prEN 15534-7, *Composites made from cellulose-based materials and thermoplastics (usually called wood-polymer composites (WPC) or natural fibre composites (NFC)) — Part 7: Specifications for general purpose profiles in external applications*¹⁾

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

The denomination “wood-polymer composites”, WPC, is usually used to designate materials or products consisting of one or more natural fibres or flours and one or a mixture of polymer(s). Natural fibres and flours come from different plant sources (e.g. wood, hemp, flax, sisal, coconut, cotton, kenaf, jute, abaca, banana leaf fibres, bamboo, rice, wheat straw or other fibrous material) and different polymers, virgin or recycled, are used. Currently, the most commonly used polymers are poly(vinyl chloride) (PVC), polypropylene (PP) and polyethylene (PE).

WPC materials can be processed by different techniques, as extrusion for profiles, calendering for films and sheets, injection moulding or compression moulding. The contents of natural fibres and polymers depend on the application and the processing techniques.

WPC materials may be considered neither as filled plastics nor as a special kind of wood. They should be considered as different materials having their own characteristics.

For the moment, the main applications of WPC products are decking, cladding, panelling and fencing and furniture.

1 Scope

This European Standard specifies test methods for the determination of properties of composites made from cellulose-based materials and thermoplastics, usually called wood-polymer composites (WPC) or natural fibre composites (NFC).

NOTE For editorial reasons, in EN 15534 the abbreviation “WPC” is used for “composites made from cellulose-based materials and thermoplastics”.

This part of EN 15534 is applicable to cellular or non-cellular compounds and products, made from cellulose-based materials and thermoplastics, intended to be or being processed through plastics processing techniques, without threshold for the cellulose-based material content.

All the properties listed in this part of EN 15534 are not necessarily assessed for a given application. Test parameters and requirements of the test methods for a given application are specified in the relevant part of EN 15534.

Profiles for the management of electrical power cables, communication cables and power track systems used for the distribution of electrical power, profiles for windows or doors and profiles for guttering are not covered by EN 15534²⁾.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 84:1997, *Wood preservatives - Accelerated ageing of treated wood prior to biological testing - Leaching procedure*

EN 117:2012, *Wood preservatives - Determination of toxic values against Reticulitermes species (European termites) (Laboratory method)*

EN 152:2011, *Wood preservatives - Determination of the protective effectiveness of a preservative treatment against blue stain in wood in service - Laboratory method*

EN 317, *Particleboards and fibreboards - Determination of swelling in thickness after immersion in water*

EN 321:2001, *Wood-based panels - Determination of moisture resistance under cyclic test conditions*

EN 322:1993, *Wood-based panels - Determination of moisture content*

EN 477:1995, *Unplasticized polyvinylchloride (PVC-U) profiles for the fabrication of windows and doors - Determination of the resistance to impact of main profiles by falling mass*

EN 479, *Unplasticized polyvinylchloride (PVC-U) profiles for the fabrication of windows and doors - Determination of heat reversion*

EN 927-3, *Paints and varnishes - Coating materials and coating systems for exterior wood - Part 3: Natural weathering test*

²⁾ Profiles that are excluded are in the scopes of standards prepared by CEN/TC 33, CENELEC/TC 213 or CEN/TC 128.

EN 927-6, *Paints and varnishes - Coating materials and coating systems for exterior wood - Part 6: Exposure of wood coatings to artificial weathering using fluorescent UV lamps and water*

EN 1383, *Timber structures - Test methods - Pull through resistance of timber fasteners*

ENV 12038:2002, *Durability of wood and wood-based products - Wood-based panels - Method of test for determining the resistance against wood-destroying basidiomycetes*

EN 13446, *Wood-based panels - Determination of withdrawal capacity of fasteners*

EN 13823, *Reaction to fire tests for building products - Building products excluding floorings exposed to the thermal attack by a single burning item*

EN 13893, *Resilient, laminate and textile floor coverings - Measurement of dynamic coefficient of friction on dry floor surfaces*

CEN/TS 15083-2:2005, *Durability of wood and wood-based products - Determination of the natural durability of solid wood against wood-destroying fungi, test methods - Part 2: Soft rotting micro-fungi*

EN 16472, *Plastics - Method for accelerated photoageing using medium pressure mercury vapour lamps*

EN 20105-A02, *Textiles - Tests for colour fastness - Part A02: Grey scale for assessing change in colour (ISO 105-A02)*

CEN/TS 15676, *Wood flooring - Slip resistance - Pendulum test*

EN ISO 75-1, *Plastics - Determination of temperature of deflection under load - Part 1: General test method (ISO 75-1)*

EN ISO 75-2, *Plastics - Determination of temperature of deflection under load - Part 2: Plastics and ebonite (ISO 75-2)*

EN ISO 178:2010, *Plastics - Determination of flexural properties (ISO 178:2010)*

EN ISO 179-1, *Plastics - Determination of Charpy impact properties - Part 1: Non-instrumented impact test (ISO 179-1)*

EN ISO 291, *Plastics - Standard atmospheres for conditioning and testing (ISO 291)*

EN ISO 472:2013, *Plastics - Vocabulary (ISO 472:2013)*

EN ISO 527-2, *Plastics - Determination of tensile properties - Part 2: Test conditions for moulding and extrusion plastics (ISO 527-2)*

EN ISO 877-2, *Plastics - Methods of exposure to solar radiation - Part 2: Direct weathering and exposure behind window glass (ISO 877-2)*

EN ISO 1183-1, *Plastics - Methods for determining the density of non-cellular plastics - Part 1: Immersion method, liquid pycnometer method and titration method (ISO 1183-1)*

EN ISO 1183-3, *Plastics - Methods for determining the density of non-cellular plastics - Part 3: Gas pycnometer method (ISO 1183-3)*

EN ISO 2813, *Paints and varnishes - Determination of specular gloss of non-metallic paint films at 20°, 60° and 85° (ISO 2813)*

EN ISO 4589-2, *Plastics - Determination of burning behaviour by oxygen index - Part 2: Ambient-temperature test (ISO 4589-2)*

EN ISO 4628-6, *Paints and varnishes - Evaluation of degradation of coatings - Designation of quantity and size of defects, and of intensity of uniform changes in appearance - Part 6: Assessment of degree of chalking by tape method (ISO 4628-6)*

EN ISO 4892-2:2013, *Plastics - Methods of exposure to laboratory light sources - Part 2: Xenon-arc lamps (ISO 4892-2:2013)*

EN ISO 9227, *Corrosion tests in artificial atmospheres - Salt spray tests (ISO 9227)*

EN ISO 9239-1, *Reaction to fire tests for floorings - Part 1: Determination of the burning behaviour using a radiant heat source (ISO 9239-1)*

Ⓐ₁ EN ISO 11664-1, *Colorimetry — Part 1: CIE standard colorimetric observers (ISO 11664-1)* Ⓐ₁

Ⓐ₁ EN ISO 11664-2, *Colorimetry — Part 2: CIE standard illuminants (ISO 11664-2)* Ⓐ₁

Ⓐ₁ EN ISO 11664-4, *Colorimetry — Part 4: CIE 1976 L*a*b* Colour space (ISO 11664-4)* Ⓐ₁

EN ISO 11925-2, *Reaction to fire tests - Ignitability of products subjected to direct impingement of flame - Part 2: Single-flame source test (ISO 11925-2)*

Ⓐ₁ EN ISO 16474-3:2013, *Paints and varnishes - Methods of exposure to laboratory light sources — Part 3: Fluorescent UV lamps (ISO 16474-3:2013)* Ⓐ₁

ISO 11359-2, *Plastics - Thermomechanical analysis (TMA) - Part 2: Determination of coefficient of linear thermal expansion and glass transition temperature*

ISO 16869, *Plastics - Assessment of the effectiveness of fungistatic compounds in plastics formulations*

Ⓐ₁ ISO 18314-1, *Analytical colourimetry — Part 1: Practical colour measurement* Ⓐ₁

ASTM D3273-00(2005), *Standard Test Method for resistance to Growth of Mold on the Surface of Interior Coatings in an Environmental Chamber*

CIE³⁾ Publication 51, *A method for assessing the quality of daylight simulators for colorimetry*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN ISO 472:2013 and the following apply.

³⁾ Commission internationale de l'éclairage, Central Bureau, Kegelgasse 27, A-1030, Vienna, Austria.