INTERNATIONAL STANDARD

Fifth edition 2011-12-15

Rubber, vulcanized or thermoplastic -Determination of tensile stress-strain properties

inition Caoutchouc vulcanisé ou thermoplastique — Détermination des caractéristiques de contrainte-déformation en traction



Reference number ISO 37:2011(E)



© ISO 2011

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org

Published in Switzerland

Contents

Page

Fore	word	iv
1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4	Principle	4
5	General	4
6	Test pieces	5
7	Apparatus	6
8	Number of test pieces	9
9	Preparation of test pieces	10
10	Conditioning of sample and test pieces	10
11	Marking of dumb-bell test pieces	11
12	Measurement of test pieces	11
13	Procedure	11
14	Temperature of test	12
15	Calculation of results	12
16	Expression of results	15
17	Precision	15
18	Test report	15
Anne	ex A (informative) Preparation of type B ring test pieces	16
Anne	ex B (informative) Precision	19
Anne	ex C (informative) Analysis of ITP data and dumb-bell shape	23
Bibliography		27
		125

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 37 was prepared by Technical Committee ISO/TC 45, Rubber and rubber products, Subcommittee SC 2, Testing and analysis.

This fifth edition cancels and replaces the fourth edition (ISO 37:2005), which has been technically revised. It also incorporates the Technical Corrigendum ISO 37:2005/Cor.1:2008.

The technical changes mainly concern the testing of ring test pieces, which is now described in more detail.

Rubber, vulcanized or thermoplastic — Determination of tensile stress-strain properties

WARNING — Persons using this International Standard should be familiar with normal laboratory practice. This standard does not purport to address all of the safety problems, if any, associated with its use. It is the responsibility of the user to establish appropriate safety and health practices and to ensure compliance with any national regulatory conditions.

IMPORTANT — Certain procedures specified in this International Standard might involve the use or generation of substances, or the generation of waste, that could constitute a local environmental hazard. Reference should be made to appropriate documentation on safe handling and disposal after use.

1 Scope

This International Standard describes a method for the determination of the tensile stress-strain properties of vulcanized and thermoplastic rubbers.

The properties which can be determined are tensile strength, elongation at break, stress at a given elongation, elongation at a given stress, stress at yield and elongation at yield. The measurement of stress and strain at yield applies only to some thermoplastic rubbers and certain other compounds.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 5893, Rubber and plastics test equipment — Tensile, flexural and compression types (constant rate of traverse) — Specification

ISO 23529:2010, Rubber — General procedures for preparing and conditioning test pieces for physical test methods

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1 tensile stress *S* stress applied so as to extend the test piece

NOTE It is calculated as the applied force per unit area of the original cross-section of the test length.