

---

---

**Soil quality — Sampling —**  
**Part 204:**  
**Guidance on sampling of soil gas**

*Qualité du sol — Échantillonnage —*

*Partie 204: Lignes directrices pour l'échantillonnage des gaz de sol*



This document is a preview generated by EBS



**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Ch. de Blandonnet 8 • CP 401  
CH-1214 Vernier, Geneva, Switzerland  
Tel. +41 22 749 01 11  
Fax +41 22 749 09 47  
copyright@iso.org  
www.iso.org

# Contents

Page

<b>Foreword</b>	<b>v</b>
<b>Introduction</b>	<b>vi</b>
<b>1 Scope</b>	<b>1</b>
<b>2 Normative references</b>	<b>2</b>
<b>3 Terms and definitions</b>	<b>2</b>
<b>4 Preliminary items to be considered</b>	<b>5</b>
<b>5 Basic principles</b>	<b>6</b>
5.1 Physical and chemical principles	6
5.1.1 Permanent gases	6
5.1.2 Volatile organic compounds	7
5.2 Environmental conditions	7
5.3 Soil gas dynamics	9
5.4 Identifying the source of soil gas	9
<b>6 Requirements for sampling plan</b>	<b>10</b>
6.1 General considerations for sampling plan	10
6.1.1 Objectives and general recommendations	10
6.1.2 Initial explorations (field screening)	12
6.1.3 Known contamination centre	12
6.1.4 Determination of the contamination hot spots (areas showing highest concentrations) and gas monitoring wells location	12
6.1.5 Determination of horizontal and vertical distribution of VOCs	13
6.1.6 Observation of spatial distribution of VOCs in the course of time	13
6.1.7 Evaluation of soil gases contribution to ambient, indoor and/or outdoor air	13
6.2 Working ranges of measurement methods	13
6.3 Monitoring well options	14
6.4 Sampling plan	17
6.4.1 Horizontal location of sampling devices	17
6.4.2 Monitoring depths	18
6.4.3 Timing and frequency of monitoring	19
6.4.4 Sample volumes and sampling rates	20
<b>7 Construction of monitoring installations</b>	<b>21</b>
7.1 General	21
7.1.1 Environmental conditions	21
7.1.2 Instruments	21
7.2 Soil gas sampling devices	21
7.2.1 Passive soil gas sampling	21
7.2.2 Sub-slab	22
7.2.3 Driven probes	22
7.2.4 Gas-monitoring standpipe in a borehole	23
<b>8 Sampling</b>	<b>26</b>
8.1 Generic consideration	26
8.2 Preparation of the monitoring installations	29
8.2.1 Preparation of the sampling point	29
8.2.2 Leakage test	29
8.2.3 Purge	29
8.3 Active sampling	30
8.3.1 General	30
8.3.2 Sorbent tubes or filters	31
8.3.3 Sample containers — Sampling bags	34
8.3.4 Sparging	35
8.3.5 Sample containers — Pressurized containers	35

8.4	Passive sampling .....	35
8.5	Sampling for on-site measurements .....	36
<b>9</b>	<b>Identification, packaging and transport of samples for laboratory analysis .....</b>	<b>37</b>
9.1	Identification .....	37
9.2	Packaging and transport .....	37
<b>10</b>	<b>Sampling report .....</b>	<b>37</b>
<b>11</b>	<b>Quality assurance .....</b>	<b>38</b>
11.1	General .....	38
11.2	Quality control samples .....	39
11.2.1	General .....	39
11.2.2	Blind replicate samples .....	40
11.2.3	Split samples .....	40
11.2.4	Trip blanks .....	40
11.2.5	Field blanks .....	40
11.2.6	Other quality control samples .....	40
11.2.7	Evaluation of quality control sample results .....	40
11.2.8	Chain of custody .....	41
11.2.9	Equipment .....	41
11.3	Interferences .....	42
11.3.1	General .....	42
11.3.2	Large sample volume .....	42
11.3.3	Cohesive soils .....	42
11.3.4	Soil moisture .....	42
11.3.5	Low ambient temperatures .....	42
11.3.6	Heterogeneous stratigraphy .....	42
11.3.7	Seepage front .....	42
11.3.8	Perched water table horizon .....	43
11.3.9	Contamination .....	43
11.3.10	Breakthrough .....	43
11.4	Interpretation of soil gas analyses for VOCs .....	43
<b>Annex A (informative)</b>	<b>Standard equipment and instruments used for soil gas sampling for VOCs .....</b>	<b>44</b>
<b>Annex B (informative)</b>	<b>Portable equipment to measure gases .....</b>	<b>46</b>
<b>Annex C (informative)</b>	<b>Equipment to measure flow rates and borehole pressure .....</b>	<b>48</b>
<b>Annex D (informative)</b>	<b>Example of sampling sheet .....</b>	<b>50</b>
<b>Bibliography</b>	<b>.....</b>	<b>52</b>

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html).

This document was prepared by Technical Committee ISO/TC 190, *Soil quality*, Subcommittee SC 2, *Sampling*.

This first edition of ISO 18400-204 cancels and replaces ISO 10381-7:2005, which has been technically and structurally revised. The ISO 18400 series is based on a modular structure and cannot be compared to ISO 10381-7 clause by clause.

A list of all parts in the ISO 18400 series can be found on the ISO website.

## Introduction

This document is one of a group of International Standards to be used in conjunction with each other where necessary. The ISO 18400 series deals with sampling procedures for the various purposes of soil investigation. The roles/positions of the individual standards within the total investigation programme are shown in [Figure 1](#). The stated soil gas and landfill-gas measurements do not give any quantitative statement of the total quantity of material detected in soil gas or soil. The measurement results can be influenced by, e.g. temperature, humidity, air pressure, minimum extraction depth, etc.

The general terminology used is in accordance with that established in ISO/TC 190 and, more particularly, with the vocabulary given in ISO 11074.


Toxic, asphyxiating and explosive soil gases can enter buildings and other built development on and below ground and variously pose potential risks to occupants and users and to the structures themselves.

Such gases might be present in the ground naturally, or be present as a result of contamination of the ground, or arise from buried wastes. In addition to the main components found in air (nitrogen and oxygen), soil gas can contain volatile organic compounds (VOCs), inorganic vapours (e.g. mercury) and a wide range of other gases (e.g. methane, carbon dioxide, carbon monoxide, hydrogen sulfide, ammonia, helium, neon, argon, xenon, radon, etc.).

These gases can have several origins such as: landfilled wastes; contaminated soils on a brownfield site; plume of contaminated groundwater; spill or leakage of chemicals products, leaks of mains gas (natural gas); sewer gas, etc.

In order to complete an assessment of the risks posed by the presence of permanent and other soil gases like VOCs, it is necessary to understand and characterize the potential sources of gas in and around a site.

Guidance on installations for soil gas sampling (equipment and instruments, methods of sampling, requirements of controls, etc.) and other relevant information (e.g. on environmental conditions) are provided in this document.



**Figure 1 — Links between the essential elements of an investigation programme**

NOTE 1 The numbers in circles in [Figure 1](#) define the key elements (1 to 7) of the investigation programme.

NOTE 2 [Figure 1](#) displays a generic process which can be amended when necessary.





# Soil quality — Sampling —

## Part 204: Guidance on sampling of soil gas

### 1 Scope

This document contains guidance on soil gas sampling using

- active sampling (adsorbents, filters, air containers), and
- passive sampling

applied at permanent or temporary monitoring wells or other installations in soils or underneath buildings (sub-slab).

It provides guidance on:

- development of a sampling plan;
- construction of monitoring installations;
- transport, packaging and storage soil gas samples;
- quality assurance.

This document also gives basic information about

- soil gas dynamics, and
- identification of soil gas sources

relevant to permanent or temporary boreholes in soils or underneath buildings (sub-slab).

The compounds covered by this document are:

- volatile organic compounds (VOCs);
- inorganic volatile compounds (e.g. mercury, HCN);
- permanent gases (i.e. CO<sub>2</sub>, N<sub>2</sub>, O<sub>2</sub>, CH<sub>4</sub>).

This document does not give guidance on:

- risk evaluation and characterization;
- selection and design of protective measures;
- the verification of protective measures, although the site investigation methodologies described can be used when appropriate;
- the sampling of atmospheric or indoor gases;
- the measurement of gases from the soil entering into the atmosphere;
- monitoring and sampling for radon.

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 11074, *Soil quality — Vocabulary*

ISO 18400-107, *Soil quality — Sampling — Part 107: Recording and reporting*

## 3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 11074 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

### 3.1 active soil gas sampling

sampling by extracting a certain volume of soil gas

### 3.2 breakthrough

detection of an adsorbent control section of one or more compounds having a mass greater than 5 % of the mass quantified on the measuring section

### 3.3 dead volume

volume which is present between the suction opening of the soil gas probe and the sampling vial, including the volume of the sampling vial or of the adsorption tube

### 3.4 dense non aqueous phase liquid DNAPL

liquid of a group of organic substances which is relatively insoluble in the water and denser than the water

### 3.5 direct method direct measuring method

method of analysis where the soil gas sample (aliquot) is directly introduced into a suitable equipment without first being concentrated and subjected to analysis

### 3.6 direct-reading detecting tube

glass tube filled with reagents which, after drawing through certain gaseous compounds, show concentration-dependent chromophoric reactions and which are thus used for qualitative and semi-quantitative analyses as well

Note 1 to entry: It is important that attention be paid to cross-sensitivities.

### 3.7 gas migration

movement of gas from the source through the ground to the adjoining strata or to emit to atmosphere

Note 1 to entry: Examples of sources include e.g. wastes within a landfill or spill of hydrocarbons.