

Edition 1.0 2017-01

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE



EMC IC modelling – Part 3: Models of integrated circuits for EMI behavioural simulation – Radiated emissions modelling (ICEM-RE)

Modèles de circuits intégrés pour la CEM -

Partie 3: Modèles de circuits intégrés pour la simulation du comportement lors de perturbations électromagnétiques – Modélisation des émissions rayonnées (ICEM-RE)





## THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2017 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office 3, rue de Varembé CH-1211 Geneva 20 Switzerland Tel.: +41 22 919 02 11 Fax: +41 22 919 03 00 info@iec.ch www.iec.ch

#### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

#### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

#### IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

#### IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

### IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

#### Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

#### IEC Glossary - std.iec.ch/glossary

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

#### IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

#### A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

#### A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

#### Catalogue IEC - webstore.iec.ch/catalogue

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

#### Recherche de publications IEC - www.iec.ch/searchpub

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

#### IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

#### Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

#### Glossaire IEC - std.iec.ch/glossary

65 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

#### Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.







# INTERNATIONAL STANDARD

# NORME INTERNATIONALE



## EMC IC modelling –

Part 3: Models of integrated circuits for EMI behavioural simulation – Radiated emissions modelling (ICEM-RE)

Modèles de circuits intégrés pour la CEM -

Partie 3: Modèles de circuits intégrés pour la simulation du comportement lors de perturbations électromagnétiques – Modélisation des émissions rayonnées (ICEM-RE)

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

31.200; 33.100.10

ISBN 978-2-8322-3878-3

Warning! Make sure that you obtained this publication from an authorized distributor. Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

 Registered trademark of the International Electrotechnical Commission Marque déposée de la Commission Electrotechnique Internationale

## CONTENTS

F	DREWO	RD	6			
1	1 Scope					
2	Norm	native references	8			
3	3 Terms, definitions, abbreviations and conventions					
	31	Terms and definitions	9			
	3.2	Abbreviations	10			
	3.3	Conventions	. 10			
4	Philo	sophy	. 10			
5	ICEM	I-RE macro-model description	11			
Ŭ	5 1	General				
	5.2		. I I 12			
	53	IA description	16			
	5.0 5.4	Electromagnetic field calculation and simulation	16			
6	D.4 REM	Licertomagnetic nelo calculation and simulation	. 10			
0		Caparal				
	0.1		. 17			
	0.2		. 10 10			
	0.3 6.4	Header section	10			
	0.4 6 5	Frequency definitions	20			
	0.5 6.6	Coordinate system definition	20			
	6.7	Reference definition	.20			
	6.8	Validity section	21			
	681	General	21			
	6.8.2	Attribute definitions	.22			
	6.9	PDN	.24			
	6.9.1	General	.24			
	6.9.2	Attribute definitions	.25			
	6.9.3	PDN of a single-frequency ICEM-RE	.26			
	6.9.4	PDN for multi-frequency ICEM-RE	.29			
	6.10	ΙΑ	. 32			
	6.10.	1 General	. 32			
	6.10.	2 Attribute definitions	. 33			
	6.10.	3 IA of a single-frequency ICEM-RE	. 34			
	6.10.	4 IA for multi-frequency ICEM-RE	. 37			
7	Extra	iction	. 38			
	7.1	General	. 38			
	7.2	Environmental extraction constraints	. 39			
	7.3	Obtaining model parameters from near-field data	. 39			
	7.3.1	General	. 39			
	7.3.2	PDN	.40			
	7.3.3	IA	.42			
	7.4	Extraction based on ICEM-CE simulation	.45			
	7.4.1	General	.45			
	7.4.2	PDN	.45			
	7.4.3	ΙΑ	.46			
8	Valid	ation	.46			

Annex A (nor	mative) Preliminary definitions for XML representation	48				
A.1 XM	L basics	48				
A.1.1	XML declaration	48				
A.1.2	Basic elements	48				
A.1.3	Root element	48				
A.1.4	Comments	48				
A.1.5	Line terminations	49				
A.1.6	Element hierarchy	49				
A.1.7	Element attributes	49				
A.2 Ke	yword requirements	49				
A.2.1	General	49				
A.2.2	Keyword characters	49				
A.2.3	Keyword syntax	50				
A.2.4	File structure	50				
A.2.5	Values	52				
Annex B (info	rmative) Electromagnetic fields radiated by an elementary electric and					
magnetic dip	ble	55				
B.1 Ele	ctric dipole	55				
B.2 Ma	gnetic dipole	57				
Annex C (info	rmative) Example files	60				
C.1 Mir	nimum default ICEM-RE file	60				
C.2 Mie	crocontroller example in REML format	61				
Annex D (nor	mative) REML valid keywords and usage	63				
D.1 Ro	ot element keywords	63				
D.2 File	e header keywords	64				
D.3 Va	idity section keywords	65				
D.4 Glo	bal keywords	65				
D.5 Pd	n section keywords	66				
D.6 la	section keywords	67				
Annex E (info	rmative) ICEM-RE extraction methods	69				
E.1 Ge	neral	69				
E.2 IC	M-RE Modelling methods					
E.2.1	Modeluman	69				
E.2.2	Modelu					
E.2.3		71				
E.2.4		72				
E.2.5		72				
E.2.6	Model selection guide	73				
E.3 IC	M-RE modelling environment from near-field data	73				
E.3.1	General	73				
E.3.2	Modelling design-flow	74				
E.3.3	ICEM-RE importation into 3D electromagnetic tools	75				
E.4 IC	M-RE modelling from ICEM-CE	76				
Annex F (informative) ICEM-RE model validation examples						
F.1 Ge	neral	78				
F.2 Va	idation on a microcontroller					
F.2.1	General					
F.2.2	Details of the microcontroller	78				
		-				

F.2.3 Case 1: Choosing manual model Model <sub>Hman</sub>	78
F.2.4 Case 2: Choosing one of the automatic magnetic field models	79
F.3 Validation on an oscillator circuit	81
F.4 Example of validation on passive devices	84
F.5 Examples of validation on active devices	85
F.5.1 Extraction from hear-field measurements	85 
Annex G (informative) ICEM-RE macro-model usage examples	со 88
G 1 General	 88
G 2 Methodology for exploiting ICEM-RE macro-model	86
Bibliography	
Figure 1 – General ICEM-RE model structure	12
Figure 2 – Geometrical representation of the ICEM-RE PDN	13
Figure 3 – Representation of an elementary dipole in the ICEM-RE PDN	13
Figure 4 – An elementary current loop of radius "a" in 3D space	14
Figure 5 – Duality theorem between a current loop and a magnetic dipole	14
Figure 6 – Example of referential points to describe the geometry	15
Figure 7 – PDN definition at three different frequencies	16
Figure 8 – REML inheritance hierarchy	18
Figure 9 – Format for defining PDN vector data in an external file	28
Figure 10 – Format for defining IA vector data in an external file	36
Figure 11 – Electromagnetic field measurement	39
Figure 12 – $B_7$ field in nT measured at 3 mm above the microprocessor at 80 MHz	40
Figure 13 – Example of electromagnetic field emitted by an elementary current line	41
Figure 14 – Manual current mapping	41
Figure 15 – Model representation with N automatically detected dipoles	42
Figure 16 – Comparison between the modelled and measured EM fields at 2 mm	
above an oscillator	44
Figure 17 – A simple ICEM-CE PDN representing the package and the internal network impedance between the power rails	45
Figure 18 – Reconstructing the geometry of the package model (ICEM-RE PDN) from IBIS and its link with the electrical model (ICEM-CE PDN)	46
Figure 19 – Graphical representation of the example validation procedure	47
Figure A.1 – Multiple XML files	51
Figure A.2 – XML files with data files (*.dat)	51
Figure A.3 – XML files with additional files	52
Figure B.1 – An elementary current line in space	55
Figure B.2 – Elementary magnetic dipole in space	57
Figure C.1 – Microcontroller used for illustration	61
Figure C.2 – Data file representing the PDN information of the microcontroller	62
Figure C.3 – Data file representing the IA information of the microcontroller	62
Figure E.1 – Manually defined electric dipole array in Model <sub>Hman</sub>	69
Figure E.2 – Electric and magnetic dipole array in Model <sub>EM</sub> Inv	71
Figure E.3 – Example of an ICEM-RE modelling environment	74

Figure E.4 – ICEM-RE modelling design-flow	75
Figure E.5 – Example of an imported ICEM-RE PDN and IA in a 3D simulation tool	76
Figure E.6 – Design-flow to obtain ICEM-RE from ICEM-CE model	77
Figure F.1 – Microcontroller circuit used for model validation	78
Figure F.2 – Manual dipoles representing the PDN of the microcontroller	79
Figure F.3 – Comparison between the modelled and measured fields at 4 mm above the microcontroller using <i>Model</i> <sub>Hman</sub>	79
Figure F.4 – Validation of Model <sub>H</sub> on the microcontroller	80
Figure F.5 – Detection of dipoles representing the microcontroller using Model <sub>EM_Iter</sub>	80
Figure F.6 – Validation of Model <sub>EM_Iter</sub> on the microcontroller	81
Figure F.7 – Oscillator circuit used for model validation	81
Figure F.8 – Schematic of the oscillator used for validation	82
Figure F.9 – Validation of the magnetic field predicted with Model <sub>EM_Inv</sub> and Model <sub>EM Iter</sub> on the oscillator at 10 mm height	83
Figure F.10 – Validation of the electric field predicted with Model <sub>EM_Inv</sub> and Model <sub>EM Iter</sub> on the oscillator at 10 mm height	83
Figure F.11 – Modelled maximum total magnetic field as a function of height (z) above the oscillator compared with measurements	84
Figure G.1 – Typical EMC issues at equipment and system level covered by ICEM-RE	87
Table 1 – PDN format	15
Table 2 – Definition of the Validity section	10
Table 3 – Definition of the Submodel section of the $Pdn$ element	25
Table 4 – Definition of the Vector keyword in the Pdn section	25
Table 5 – Valid fields of the Submodel keyword for single-frequency PDN	0
Table 6 – Conditions for correct annotation of single-frequency PDN by the REM	
Table 7 Valid fields of the Vactor knyword for single frequency PDN	21
Table 9 Valid file extensions in the <i>Pdn</i> section	21
Table 0 - Valid the extensions in the <i>Full</i> section	20
Table 10 Definition of the Submodel eaction of the le element	30
Table 11 Definition of the Vector knywerd in the leagetion	32
Table 12 Valid fields of the Submodel knyword for single frequency IA	24
Table 12 – Valid fields of the Submodel Reyword for single-frequency IA hu the DEM percert	
Table 13 – Conditions for correct annotation of single-frequency IA by the REM parser	34
Table 14 – Valid fields of the Vector Reyword for single-frequency rA	35
Table 16 Conditions for correct expectation of multi-frequency IA, by the DEM percert	37
Table 10 – Conditions for correct annotation of multi-frequency IA by the REM parser	31
Table A. I – Valid logarithmic units	53
Table F. I - ICEM-RE model validation on passive structures	85

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

## EMC IC MODELLING -

## Part 3: Models of integrated circuits for EMI behavioural simulation – Radiated emissions modelling (ICEM-RE)

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62433-3 has been prepared by subcommittee 47A: Integrated Circuits, of IEC technical committee 47: Semiconductor devices.

The text of this standard is based on the following documents:

FDIS	Report on voting
47A/1000/FDIS	47A/1008/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 62433 series, published under the general title *EMC IC modelling*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT - The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer. a oreview oenerated of the

## EMC IC MODELLING -

## Part 3: Models of integrated circuits for EMI behavioural simulation – Radiated emissions modelling (ICEM-RE)

## 1 Scope

This part of IEC 62433 provides a method for deriving a macro-model to allow the simulation of the radiated emission levels of an Integrated Circuit (IC). This model is commonly called Integrated Circuit Emission Model – Radiated Emission, ICEM-RE. The model is intended to be used for modelling a complete IC, with or without its associated package, a functional block and an Intellectual Property (IP) block of both analogue and digital ICs (input/output pins, digital core and supply), when measured or simulated data cannot be directly imported into simulation tools.

The proposed IC macro-model will be inserted in 3D electromagnetic simulation tools so as to:

- predict the near-radiated emissions from the IC
- evaluate the effect of the radiated emissions on neighbouring ICs, cables, transmission lines, etc.

This part of IEC 62433 has two main parts:

- the first is the electrical description of ICEM-RE macro-model elements,
- the second part proposes a universal data exchange format called REML based on XML. This format allows encoding the ICEM-RE in a more useable and generic form for emission simulation.

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC TS 62433-1, EMC IC modelling – Part 1: General modelling framework

IEC 62433-2, EMC IC modelling – Part 2: Models of integrated circuits for EMI behavioural simulation – Conducted emissions modelling (ICEM-CE)

IEC 61967-1, Integrated circuits – Measurement of electromagnetic emissions, 150 kHz to 1 GHz – Part 1: General conditions and definitions

IEC TS 61967-3, Integrated circuits – Measurement of electromagnetic emissions – Part 3: Measurement of radiated emissions – Surface scan method

ANSI INCITS 4:1986, Information Systems – Coded Character Sets – 7-Bit American National Standard Code for Information Interchange (7-Bit ASCII)