

Edition 2.0 2017-01

# INTERNATIONAL STANDARD



Organic light emitting diode (OLED) displays –
Part 6-1: Measuring methods of optical and electro-optical parameters





# THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2017 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office Tel.: +41 22 919 02 11 3, rue de Varembé Fax: +41 22 919 03 00

CH-1211 Geneva 20 info@iec.ch Switzerland www.iec.ch

#### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

#### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

#### IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad

# IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

#### IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

# Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

#### IEC Glossary - std.iec.ch/glossary

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

#### IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.



Edition 2.0 2017-01

# INTERNATIONAL STANDARD



Organic light emitting diode (OLED) displays –
Part 6-1: Measuring methods of optical and electro-optical parameters

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 31.260 ISBN 978-2-8322-3845-5

Warning! Make sure that you obtained this publication from an authorized distributor.

# CONTENTS

F	OREWO	PRD	5
1	Scop	e	7
2	Norm	native references	7
3	Term	ns, definitions, and abbreviated terms	7
	3.1	Terms and definitions	
	3.2	Abbreviated terms	
4	Struc	cture of measuring equipment	
5		dard measuring conditions	
Ū	5.1	Standard environmental conditions for measurements	
	5.2	Standard dark room conditions for measurements	
	5.3	Standard setup conditions	
	5.3.1		
	5.3.2		
	5.3.3		
	5.3.4		
	5.4	Standard locations of measurement field	
	5.5	Standard test patterns	11
6	Meas	suring methods for optical parameters	
	6.1	Primary luminance, colour, and uniformity of full-colour high-resolution	
		modules	16
	6.1.1		
	6.1.2	Measuring conditions	16
	6.1.3	Measuring method for high-resolution full-colour modules	16
	6.1.4		
	6.1.5	Average colour of white and RGB primaries	18
	6.1.6		
	6.1.7		
	6.1.8		
	6.1.9		
	6.2	Primary luminance, colour, and uniformity of low-resolution modules	21
	6.2.1		
	6.2.2	5	
	6.2.3	3	
	6.3	Signal loading	
	6.3.1		
	6.3.2		
	6.3.3	ŭ	
	6.4	Dark room contrast ratio	
	6.4.1 6.4.2		
		9	
	6.4.3	3	
	6.5	Display colour gamut, colour gamut area, and colour gamut volume	
	6.5.1 6.5.2	•	
	6.5.3	· · · · · · · · · · · · · · · · · · ·	
	6.5.4	· · · · · · · · · · · · · · · · · · ·	
	σ.σ.τ	= .= piw j vvivw: ywinw:	<u>~</u> T

6.5.5	, , ,	
6.5.6	S .	
7 Meas	suring methods for power consumption	26
7.1	Purpose	26
7.2	Measuring conditions	26
7.3	Measuring method	26
Annex A	normative) Response time of passive matrix display panels	28
A.1	Purpose	28
A.2	Measuring conditions	28
A.3	Measuring method	28
Annex B (	(normative) Luminance current efficiency	30
B.1	Purpose	30
B.2	Measuring conditions	30
B.3	Measuring method	
Annex C	(informative) Veiling glare frustum	
Annex D	(informative) Methods to obtain the correlated colour temperature (CCT) from eity coordinates	
D.1	Method 1: using McCamy's approximate formula	
D.1	Method 2: using Javier Hernandez-Andres's approximate formula	
D.3	Method 3: graphical determination of correlated colour temperature	
Annex E (	(informative) Measuring the performance of modern colour-managed displays	
E.1	Legacy displays	
E.2	Modern displays	JC
E.3	Results	
E.4	Conclusion	
	informative) Simple window luminance and colour measurements	
F.1	Background	
г. і F.2	Measuring conditions	
F.2 F.3	Maximum full-screen luminance	
г.з F.4		
	4 % window luminance	
F.5	4 % window centre colour	
F.6	4 % Window Centre Colour	43
F.7	Sampled colour non-uniformitybhy	44 16
Figure 1 -	- Layout diagram of measurement setup	10
Figure 2 -	- Standard measurement positions in the active area of the display	11
	- Test pattern scaling used to define the area size of the coloured rectangles ive area of the display	12
	- Low APL loading series of red, green, blue, and white test patterns used for inance, colour, and uniformity measurements	13
Figure 5 -	- Medium (top) and high (bottom) APL loading versions of CTR pattern	14
Figure 6 -	- Standard low APL RGBCMY test pattern used for centre luminance and	
Figure 7 -	- Optional medium APL RGBCMY test pattern used for centre luminance and	16

Figure 8 – Sequence for measuring luminance and colour at the nine standard display positions for all coloured tile patterns	17
Figure 9 – Colour of blackbody source at various temperatures as represented on the CIE 1931 chromaticity diagram	20
Figure 10 – Example representation of the same primary colours in the CIE 1931 (left) and CIE 1976 (right) chromaticity diagrams	24
Figure 11 –Example of the range of colours produced by a given display as represented by the CIELAB colour space	25
Figure 12 – Example of measurement setup of power consumption	27
Figure A.1 – Relationship between the driving signal and the optical response times	29
Figure B.1 – Example of a measurement configuration for measuring luminance current efficiency	31
Figure C.1 – Pattern for veiling glare frustum	32
Figure D.1 – CIE 1931 XYZ chromaticity diagram	34
Figure D.2 – Blackbody locus (Planckian locus) and isotemperature lines in CIE 1931 chromaticity diagram	35
Figure E.1 – Legacy model where the independent drive electronics provide a direct correlation between the input RGB signals and the display's colour primaries	36
Figure E.2 – Example of modern drive models utilizing multi-dimensional LUTs for RGB (top) and multi-primary (bottom) displays	37
Figure E.3 – Example of APL loading behaviour for a WRGB (top) and RGB (bottom) OLED display	39
Figure E.4 – Low APL loading test pattern with small box size (1/9 the screen size dimensions)	40
Figure E.5 – APL loading profiles for several input colours measured at the centre of the test pattern using Figure E.4	41
Figure F.1 – Example of a simple 4 % white window pattern at the centre of the screen	43
Table 1 – Standard digital-equivalent input signals for rendering the white, primary and secondary colours in test patterns	15
Table 2 – Example of luminance measured of the same colour at the nine standard screen positions and the resulting luminance non-uniformity	18
Table 3 – Example of the same colour measured at the nine standard screen positions and the resulting chromaticity non-uniformity	18
Table 4 – Scaling the size of the colour boxes in the APL loading pattern relative to the screen dimensions	22
Table 5 – Example of a summary sheet for module power consumption measurements	27
Table D.1 – $x_{\mathbf{e}}, y_{\mathbf{e}}, A_{\mathbf{i}}$ and $t_{\mathbf{i}}$ for Formula (D.3) and Formula (D.4)	
Table E.1 – Example of luminance data for an RGB and WRGB OLED display	38

# INTERNATIONAL ELECTROTECHNICAL COMMISSION

# ORGANIC LIGHT EMITTING DIODE (OLED) DISPLAYS -

# Part 6-1: Measuring methods of optical and electro-optical parameters

## **FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62341-6-1 has been prepared by IEC technical committee 110: Electronic display devices.

This second edition cancels and replaces the first edition published in 2009. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) extends the applicability of the measuring methods to include OLED displays that have multi-primary or red, green, blue and white sub-pixels;
- b) adds a method to characterize how the luminance is affected by the amount of content on the screen;
- c) adds a method to determine the dark room colour gamut volume in the CIELAB colour space.

The text of this standard is based on the following documents:

FDIS	Report on voting
110/816/FDIS	110/830/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all the parts in the IEC 62341 series, under the general title *Organic light emitting diode (OLED) displays*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- · replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

# ORGANIC LIGHT EMITTING DIODE (OLED) DISPLAYS -

# Part 6-1: Measuring methods of optical and electro-optical parameters

# 1 Scope

This part of IEC 62341 specifies the standard measurement conditions and measuring methods for determining optical and electro-optical parameters of organic light-emitting diode (OLED) display modules and, where specified, OLED display panels. These methods are limited to flat displays measured in a dark room.

# 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-845, International Electrotechnical Vocabulary – Part 850: Lighting (available at www.electropedia.org)

IEC 61966-2-1, Multimedia systems and equipment – Colour measurement and management – Part 2-1: Colour management – Default RGB colour space – sRGB

IEC 62341-1-2, Organic light emitting diode (OLED) displays – Part 1-2: Terminology and letter symbols

IEC 62341-6-2:2015, Organic light emitting diode (OLED) displays – Part 6-2: Measuring methods of visual quality and ambient performance

CIE 15:2004, Colorimetry, 3rd edition

CIE S 014-1, Colorimetry – Part 1: CIE Standard Colorimetric Observers

# 3 Terms, definitions, and abbreviated terms

## 3.1 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 60050-845, IEC 62341-1-2, and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at http://www.electropedia.org
- ISO Online browsing platform: available at http://www.iso.org/obp

# 3.1.1

## signal pixel

smallest encoded picture element in the input image