
**Geometrical product specifications
(GPS) — Roundness —**

**Part 1:
Vocabulary and parameters of roundness**

*Spécification géométrique des produits (GPS) — Circularité —
Partie 1: Vocabulaire et paramètres de circularité*



This document is a preview generated by EVS



COPYRIGHT PROTECTED DOCUMENT

© ISO 2011

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
Introduction.....	v
1 Scope.....	1
2 Normative references	1
3 Terms and definitions	1
3.1 General terms	1
3.2 Terms relating to profiles	2
3.3 Terms relating to the reference circle	3
3.4 Terms relating to the circumference	4
3.5 Terms relating to the filter function	4
3.6 Terms relating to parameters	5
Annex A (informative) Mathematical definition of roundness tolerances of nominal integral features.....	7
Annex B (informative) Synoptic tables of terms, abbreviated terms and parameters.....	9
Annex C (informative) Relationship to the GPS matrix model	11
Bibliography.....	13

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 12181-1 was prepared by Technical Committee ISO/TC 213, *Dimensional and geometrical product specifications and verification*.

This first edition of ISO 12181-1 cancels and replaces ISO/TS 12181-1:2003, which has been technically revised.

ISO 12181 consists of the following parts, under the general title *Geometrical product specifications (GPS) — Roundness*:

- *Part 1: Vocabulary and parameters of roundness*
- *Part 2: Specification operators*

Introduction

This part of ISO 12181 is a geometrical product specification (GPS) standard and is to be regarded as a general GPS standard (see ISO/TR 14638). It influences chain link 2 of the chain of standards on form of a surface (independent of a datum).

The ISO/GPS Masterplan given in ISO/TR 14638 gives an overview of the ISO/GPS system of which this document is a part. The fundamental rules of ISO/GPS given in ISO 8015 apply to this document and the default decision rules given in ISO 14253-1 apply to specifications made in accordance with this document, unless otherwise indicated.

For more detailed information on the relationship of this part of ISO 12181 to other standards and the GPS matrix model, see Annex C.

This part of ISO 12181 defines terms and concepts necessary for defining the specification operators according to ISO 17450-2 for roundness of integral features.

Extracting data always involves applying a certain filtering process. An additional filtering of the extracted data might or might not be applied. This additional filter can be a mean line filter (Gaussian, spline, wavelet, etc.) or a non-linear filter (e.g. morphological filter). The type of filtering influences the actual specification operator and, consequently, the actual definition of roundness. Therefore, the type of filtering needs to be stated unambiguously.

This part of ISO 12181 is not intended to disallow any means of measuring roundness.

This document is a preview generated by EVS

Geometrical product specifications (GPS) — Roundness —

Part 1:

Vocabulary and parameters of roundness

1 Scope

This part of ISO 12181 defines the terms and concepts related to the roundness of individual integral features and covers complete roundness profiles only.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 14660-1:1999, *Geometrical Product Specifications (GPS) — Geometrical features — Part 1: General terms and definitions*

ISO 14660-2:1999, *Geometrical Product Specifications (GPS) — Geometrical features — Part 2: Extracted median line of a cylinder and a cone, extracted median surface, local size of an extracted feature*

ISO 17450-1:—¹⁾, *Geometrical product specifications (GPS) — General concepts — Part 1: Model for geometrical specification and verification*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 14660-1, ISO 14660-2 and ISO 17450-1 and the following apply.

3.1 General terms

3.1.1

roundness

property of a circle

3.1.2

roundness axis

axis of a feature associated to an integral feature

NOTE The integral feature can be a cylindrical surface or a surface of revolution.

1) To be published. (Revision of ISO/TS 17450-1:2005)