

IEC TS 61375-2-4

Edition 1.0 2017-02









THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2017 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office Tel.: +41 22 919 02 11 3, rue de Varembé Fax: +41 22 919 03 00 CH-1211 Geneva 20 info@iec.ch Switzerland www.iec.ch	
--	--

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.



TECHNICAL

UN PARIS



Edition 1.0 2017-02

SPECIFICATION



Electronic railway equipment - Train communication network (TCN) -Part 2-4: TCN application profile

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 45.060.01

ISBN 978-2-8322-3818-9

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FC	DREWO	RD	6
IN	TRODU	ICTION	8
1	Scop	e	9
2	Norm	ative references	10
3	Term	s, definitions, abbreviated terms, acronyms and conventions	11
	3.1	Terms and definitions	11
	3.2	Abbreviated terms and acronyms	13
	3.3	Conventions	14
	3.3.1	Base of numeric values	14
	3.3.2	Naming conventions	14
	3.3.3	State diagram conventions	15
	3.3.4	Elementary data types	15
	3.3.5	Derived data types	15
4	Distri	ibuted train applications	15
	4 1	General	15
	4.2	Function interface for remote control	15
	4.3	General application architecture	16
	4.4	Architecture model	17
	4.5	Assignment of function leader and function follower	18
	4.6	Communication flow	18
5	Addr	essing and data format	19
	5.1	General	19
	5.2	Eunction data unit	21
	5.2.1	General	21
	5.2.2	Function identification	22
	5.2.3	Channel identification	22
	5.2.4	Function instance information	24
	5.2.5	Function control information	24
	5.2.6	Function life sign	25
	5.2.7	Function data length	25
	5.2.8	Function data set	25
	5.2.9	Sequence numbers	25
6	Trans	sversal functions	28
	6.1	General	28
	6.2	Function train mode	28
	6.2.1	Train mode breakdown structure	28
	6.2.2	Train mode propagation	30
	6.2.3	Operation modes	30
	6.2.4	Train modes	32
	6.2.5	Other train modes	40
	6.2.6	Parameter train_mode	44
7	Appli	cation profiles	48
	7.1	Door system application profile	48
	7.1.1	Scope	48
	7.1.2	Door system breakdown structure	49
	7.1.3	Door types	50

7.1.4	Door application functional breakdown system	52
7.1.5	Door application degraded mode	52
7.1.6	Door application special mode	53
7.1.7	Door system interaction	53
7.1.8	Side selective operation	60
7.1.9	Door application behaviour	61
Annex A (norn	native) Profile data definitions	78
A.1 Eng	ineering units	78
A.2 Fun	ction identification	79
Bibliography		88
Figure 1 – IEC	CTS 61375-2-4 as a link between the functions and the applications	10
Figure 2 – Rei	note control of a process via the function interface	16
Figure 3 – Arc	hitecture of a distributed application	16
Figure 4 – Arc	hitecture model of a distributed application	17
Figure 5 – Cor	mmunication flow in the distributed application	19
Figure 6 – Exa	ample function instances and their relations	20
Figure 7 – Ma	pping of function instance relations to communication infrastructure	20
Figure 8 – Fur	nction data units embedded in TRDP	21
Figure 9 – Str	ucture of function data unit	21
Figure 10 – St	ructure of function data unit header	22
Figure 11 – III	ustration of channel relations	23
Figure 12 – Ex	cample train composition to illustrate sequence numbers	26
Figure 13 – Ex	cample sequence numbers in counting area train	26
Figure 14 – Ex	cample sequence numbers in counting area closed train	27
Figure 15 – Ex	cample sequence numbers in counting area consist	27
Figure 16 – Ex	cample functional sequence numbers of vehicles in counting area train	28
Figure 17 – Di	stribution structure for the function train mode	29
Figure 18 – Co	omponent structure of function train mode	29
Figure $19 - E_{1}$	cample operation modes state diagram	32
Figure 20 – Ex	vample train modes state diagram	10
Figure 21 \mathbf{D}	ample train modes state diagram	40
Figure 22 – Fa	atribution structure of the deer application	44
Figure 22 – Di		49
Figure 23 – Ar		49
Figure $24 - De$	bor types	50
Figure 25 – Co	ommunication path for entry doors	51
Figure 26 – Co	ommunication path for interconnecting doors	51
Figure 27 – Co	ommunication path for entry doors of sleeping cars	51
Figure 28 – Co	ommunication path for interconnecting doors of sleeping cars	52
Figure 29 – Co	ommunication flow of triggers for entry doors	54
Figure 30 – Co	ommunication flow of triggers for neighbouring interconnecting doors	57
Figure 31 – No	eighbouring consist DCUs for neighbouring interconnecting doors	58
Figure 32 – Co	ommunication flow of triggers for control of interconnecting doors of	
sleeping cars		59

Figure 33 – Side selective parameterization of triggers	61
Figure 34 – State machine structure of DCU and consist DCU	62
Figure 35 – DCU state diagram for entry doors	64
Figure 36 – DCU state diagram for neighbouring interconnecting doors	67
Figure 37 – DCU state diagram for interconnecting doors of sleeping cars	68
Figure 38 – Consist DCU state diagram for entry doors	69
Figure 39 – Consist DCU state diagram for neighbouring interconnecting doors	71
Figure 40 – Consist DCU state diagram for interconnecting doors of sleeping cars	73
Figure 41 – Train DCU state diagram	75
G.	
Table 1 – Channel groups	23
Table 2 – Control information	25
Table 3 – OperationModes	45
Table 4 – TrainModes	46
Table 5 – OtherTrainMode	48
Table 6 – Operation scenarios	52
Table 7 – Door application degraded mode	53
Table 8 – Door application special mode	53
Table 9 – Triggers between TCMS and train DCU	55
Table 10 – Local triggers for the train DCU	55
Table 11 – Triggers between train DCU and consist DCU	55
Table 12 – Triggers between consist DCU and DCU for entry doors	56
Table 13 – Local triggers for the DCU	56
Table 14 – Triggers between DCU and door	56
Table 15 – Triggers between consist DCU and consist DCU for neighbouring interconnecting doors	57
Table 16 – Triggers between consist DCU and DCU for neighbouring interconnecting doors	58
Table 17 – Triggers between consist DCU and consist DCU for interconnecting doors of sleeping cars	59
Table 18 – Triggers between consist DCU and DCU for interconnecting doors of sleeping cars	60
Table 19 – DCU state definitions	63
Table 20 – DCU triggers for entry doors	65
Table 21 – DCU operations for entry doors	66
Table 22 – DCU state definitions for neighbouring interconnecting doors	66
Table 23 – DCU state definitions for interconnecting doors of sleeping cars	67
Table 24 – Consist DCU state definitions for entry doors	68
Table 25 – Additional consist DCU state definitions for entry doors of sleeping cars	69
Table 26 – Consist DCU Triggers for entry doors	70
Table 27 – Consist DCU Conditions for entry doors	70
Table 28 – Consist DCU Operations for entry doors	71
Table 29 – Consist DCU state definitions for neighbouring interconnecting doors	71
Table 30 – Consist DCU Triggers for neighbouring interconnecting doors	72

Table 31 – Consist DCU Operations for neighbouring interconnecting doors	72
Table 32 – Consist DCU state definitions for interconnecting doors of sleeping cars	72
Table 33 – Consist DCU Triggers for interconnecting doors of sleeping cars	73
Table 34 – Consist DCU Operations for interconnecting doors of sleeping cars	73
Table 35 – Train DCU state definitions	74
Table 36 – Train DCU triggers	76
Table 37 – Train DCU conditions	76
Table 38 – Train DCU operations	77
Table A.1 – Physical quantities (e.g. 16 bit integer type)	78
Table A.2 – Physical quantities (other data types)	79
Table A.3 – List of function identifiers	80
Table A.4 – List of sub-function identifiers and instance info	83

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ELECTRONIC RAILWAY EQUIPMENT – TRAIN COMMUNICATION NETWORK (TCN) –

Part 2-4: TCN application profile

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. In exceptional circumstances, a technical committee may propose the publication of a technical specification when

- the required support cannot be obtained for the publication of an International Standard, despite repeated efforts, or
- the subject is still under technical development or where, for any other reason, there is the future but no immediate possibility of an agreement on an International Standard.

Technical specifications are subject to review within three years of publication to decide whether they can be transformed into International Standards.

IEC TS 61375-2-4, which is a technical specification, has been prepared by IEC technical committee 9: Electrical equipment and systems for railways, in collaboration with UIC.

The text of this technical specification is based on the following documents:

Enquiry draft	Report on voting
9/2093/DTS	9/2150A/RVC

Full information on the voting for the approval of this technical specification can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 61375 series, published under the general title *Electronic railway* equipment – *Train communication network (TCN)*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- transformed into an International standard,
- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

IEC TS 61375-2-4 defines the application profiles of the Train Communication Network in order to achieve communication between software applications throughout consist networks defined in IEC 61375-1 and the train backbone defined in IEC 61375-2-5.

This part of IEC 61375 defines the requirements for the applications communicating via the data transmission equipment of the consists throughout the consist networks and the train backbones.

The purpose of this part of IEC 61375 is to:

- fully document the communication requirements for all train applications, align them and set them out in standard form,
- provide guidelines for the technical solution of communication between software applications residing on the same or on different consists, which are part of a train, and which are connected to the consist networks and the train backbones in scope,
- iah Marana Maran define train applications for certain functionalities, which are in scope of this part of . IEC 61375.

ELECTRONIC RAILWAY EQUIPMENT – TRAIN COMMUNICATION NETWORK (TCN) –

Part 2-4: TCN application profile

1 Scope

This part of IEC 61375 applies to the applications in trains, i.e. it covers the application profile for functions belonging to the Train Control and Monitoring System (TCMS). The application profile is based on the TCN communication system for the data communication between consists of the said trains. This document provides for a data interface with parameters and addressing of TCMS functions based on the communication profile laid out in IEC 61375-2-3.

This document is applicable in rolling stock requiring interoperable coupling and uncoupling. This part of IEC 61375 may be additionally applicable to closed trains and multiple unit trains when so agreed between purchaser and supplier.

The applicability of this part of IEC 61375 to the train communication network technologies as defined allows for interoperability of individual consists within trains.

The data communication systems inside consists are not covered by this document and are given only as example solutions to cope with the said TCN. In any case, proof of compatibility between a proposed train backbone and a proposed consist network will have to be brought by the supplier.

Special backup functions, which are used in cases when the train backbone is in a degraded condition are not in the scope of this document.



Figure 1 – IEC TS 61375-2-4 as a link between the functions and the applications

As illustrated in Figure 1 the purpose of this part of IEC 61375 is to create a general model that describes in a functional way the remote control of TCMS functions like "provide access and egress". This document makes direct reference to IEC 61375-2-3, which covers data transmission on the Ethernet train backbone (ETB) and specifies the functions between the consists concerned (e.g. locomotives, multiple units and driving trailers) including the rules to set up the necessary data telegrams for transmission and process.

This document specifies the application profiles covering the train functions to:

- a) provide access and egress;
- b) control traction;
- c) control brake;
- d) provide diagnostics.

NOTE Functions b) to d) will be covered in a future revision of this document.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61375-1, *Electronic railway equipment – Train communication network (TCN) – Part 1:* General architecture

IEC TS 61375-2-4:2017 © IEC 2017 - 11 -

IEC 61375-2-1, *Electronic railway equipment* – *Train communication network (TCN)* – *Part 2-1: Wire Train Bus (WTB)*

IEC 61375-2-3, Electronic railway equipment – Train communication network (TCN) – Part 2-3: TCN communication profile

3 Terms, definitions, abbreviated terms, acronyms and conventions

3.1 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 61375-1 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at http://www.electropedia.org/
- ISO Online browsing platform: available at http://www.iso.org/obp

3.1.1

all doors of consist CLOSED

each single door of the consist is closed

Note 1 to entry: This state is side selective.

3.1.2

all doors of consist LOCKED

each single door of the consist is locked

Note 1 to entry: This state is side selective.

3.1.3

all doors of train CLOSED all doors of each consist are closed

Note 1 to entry: This state is side selective.

3.1.4

all doors of train LOCKED

all doors of each consist are locked

Note 1 to entry: This state is side selective.

3.1.5

application profile

defined standardized set of services or functions offered to the application processes for information exchange with specified data formats and data processing

Jene 2.

3.1.6

CLOSE

action to juxtapose the door to its frame, to obstruct an entrance or opening

3.1.7 consist FAILURE

the consist is defined in failure state when the consist DCU control function or communication is in failure

Note 1 to entry: Failure detection may be realized by self-diagnostic of the consist DCU or by function supervision of consist DCU by the train DCU (e.g. process data sink time supervision).