# INTERNATIONAL STANDARD

ISO/IEC 14496-26

First edition 2010-05-01

# Information technology — Coding of audio-visual objects —

Part 26: **Audio conformance** 

Technologies de l'information — Codage des objets audiovisuels — Partie 26: Conformité audio




#### PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.





#### COPYRIGHT PROTECTED DOCUMENT

#### © ISO/IEC 2010

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org

Published in Switzerland

# **Contents**

Page

	vord	
Introd	duction	vii
1	Scope	
2	Normative references	1
3	Terms and definitions	2
4	Conformance Points	
5	Profiles	4
6	Conformance data File name conventions Content	4
6.1	File name conventions	4
6.2	Content	6
7	Audio Object Types  General  Null	7
7.1	General	
7.2	Null	14
7.3	AAC-based scalable configurations	14
7.4		
7.5	TwinVQ and ER TwinVQ	40
7.6	ER BSAC.	44
7.7	CELP	52
7.8	ER CELP	56
7.9	HVXC	61
7.10	ER HVXC	71
7.11	ER HILN and ER Parametric	74
7.12	AAC (main, LC, ER LC, SSR, LTP, ER LD, scalable, ER scalable)	89
7.13	General MIDI	91
7.14	Wavetable Synthesis	92
7.15	Algorithmic Synthesis and AudioFX	93
7.16	Main Synthetic	100
7.17	SBR	102
7.18	PS (Parametric Stereo)	113
7.19	SSC (SinuSoidal Coding)	115
7.20	DST (Lossiess coding of oversampled audio)	121
7.21 7.22	ALS (Audio localese anding)	123
7.22	SLS (Scalable Lecaloge Coding)	125 127
7.23	DST (Lossless coding of oversampled audio)  Layer-3  ALS (Audio lossless coding)  SLS (Scalable Lossless Coding)  Layer-1 and Layer 2	127 130
7.25	Layer-1 and Layer Z	130 131
	Low Delay SBR	
8	Audio EP tool	134
8.1	Compressed data	
8.2	Decoders	137
9	Audio Composition	142
9.1	AudioBIFS v1	
9.2	Advanced Audio BIFS nodes	
9.3	AudioBIFS v3 Nodes	
10	MPEG-4 audio transport stream	197
10.1	General	197
10.2	Compressed Data	198
10.3	Decoders	198

### ISO/IEC 14496-26:2010(E)

11 11.1 11.2	UpstreamCompressed dataDecoders	199
12 12.1 12.2 12.3	Conformance test sequence assignment to profiles and levels	200 200
Annex	A (informative) Complexity measurement criteria and tool for level definitions of algorithmic synthesis and AudioFX Object Type	22.
Annex	A (informative) Complexity measurement criteria and tool for level definitions of algorithmic synthesis and AudioFX Object Type	242
	CHARLES TO SERVICE STATE OF THE SERVICE STATE OF TH	
	(i)	
	90.	

ίV

#### **Foreword**

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standard are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

ISO/IEC 14496-26 was prepared by Soint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 29, *Coding of audio*, *pietroe*, *multimedia and hypermedia information*.

This part of ISO/IEC 14496 cancels and replaces

- ISO/IEC 14496-4:2004, Clause 6,
- ISO/IEC 14496-4:2004/Cor.5,
- ISO/IEC 14496-4:2004/Cor.6,
- ISO/IEC 14496-4:2004/Amd.8:2005, including ISO/IEC 14496:2004/Amd.8:2005/Cor.1:2008,
- ISO/IEC 14496-4:2004/Amd.11:2006, including ISO/IEC 14496-4:2004/Amd.11:2006/Cor.1:2008,
- ISO/IEC 14496-4:2004/Amd.11:2006/Cor.2:2007,
- ISO/IEC 14496-4:2004/Amd.11:2006/Cor.3:2008.
- ISO/IEC 14496:2004-4/Amd.13:2007, including ISO/IEC 14496-4:2004/Amd 3:2007/Cor.1:2007,
- ISO/IEC 14496:2004-4/Amd.13:2007/Cor.2:2007,
- ISO/IEC 14496-4:2004/Amd.14:2007.
- ISO/IEC 14496-4:2004/Amd.15:2007,
- ISO/IEC 14496-4:2004/Amd.18:2007,
- ISO/IEC 14496-4:2004/Amd.19:2007, including ISO/IEC 14496-4:2004/Amd.19:2007/Cor.1:2008,
- ISO/IEC 14496-4:2004/Amd.20:2008, and
- ISO/IEC 14496-4:2004/Amd.22:2008.

# ISO/IEC 14496-26:2010(E)

ISO/IEC 14496 consists of the following parts, under the general title Information technology — Coding of audio-visual objects:

— Part 1: Systems

— Part 2: Visual

— Part 3: Audio

— Part 4: Conformance testing

— Part 5: Reference software

— Part 6: Delivery Multimedia Integration Framework (DMIF)

— Part 7: Optimised reference of tware for coding of audio-visual objects

— Part 8: Carriage of ISO/IEC 14496 contents over IP networks

— Part 9: Reference hardware description

— Part 10: Advanced Video Coding

— Part 11: Scene description and application engine

— Part 12: ISO base media file format

— Part 13: Intellectual Property Management and ProCation (IPMP) extensions

— Part 14: MP4 file format

— Part 15: Advanced Video Coding (AVC) file format

Part 16: Animation Framework eXtension (AFX)

— Part 17: Streaming text format

Part 18: Font compression and streaming

Part 19: Synthesized texture stream

— Part 20: Lightweight Application Scene Representation (LASeR) and Simple Aggregation Format (SAF)

Part 21: MPEG-J Graphics Framework eXtensions (GFX)

— Part 22: Open Font Format

— Part 23: Symbolic Music Representation

— Part 24: Audio and systems interaction [Technical Report]

Part 25: 3D Graphics Compression Model

Part 26: Audio conformance

Part 27: 3D Graphics conformance

#### Introduction

ISO/IEC 14496-3 specifies coded representations of audio information. ISO/IEC 14496-3 allows for large flexibility, achieving suitability of ISO/IEC 14496 for many different applications. The flexibility is obtained by including parameters in the bitstream that define the characteristics of coded bitstreams. Examples are the audio sampling frequency bitrate parameters, synchronisation timestamps, the association of bitstreams and synthetic objects within objects.

This part of ISO/IEO 14496 specifies how tests can be designed to verify whether bitstreams and decoders meet the requirements as specified in ISO/IEC 14496-3 and allow interoperability with remote terminals in interactive, broadcast and local (with stored contents) sessions. These tests can be used for various purposes such as

- manufacturers of encoders, and their customers, can use the tests to verify whether the encoder produces bitstreams compliant with ISO/IEC 14496-3,
- manufacturers of decoders and their customers can use the tests to verify whether the decoder meets the requirements specified in ISO/IEC 14496-3 for the claimed decoder capabilities,
- manufacturers and customers of terminals supporting interactive, broadcast and local sessions over a multitude of transport protocols and networks, can use the tests to verify whether the claimed functionalities are compliant with ISO/IEC 14496-6,
- manufacturers of test equipments, and the customers can use the tests to verify compliance with ISO/IEC 14496-3.

Inis document is a preview denetated by EUS

# Information technology — Coding of audio-visual objects —

# **Part 26:**

# **Audio conformance**

## 1 Scope

This part of ISO/IEC 14496 specifies how tests can be designed to verify whether compressed data and decoders meet requirements specified by ISO/IEC 14496-3. In this part of ISO/IEC 14496, encoders are not addressed specifically. An encoder may be said to be an ISO/IEC 14496 encoder if it generates compressed data compliant with the syntactic and semantic bitstream payload requirements specified in ISO/IEC 14496-3.

Characteristics of compressed data and decoders are defined for ISO/IEC 14496-3. The compressed data characteristics define the subset of the standard that is exploited in the compressed data. Examples are the applied values or range of the sampling rate and bitrate parameters. Decoder characteristics define the properties and capabilities of the applied decoding process. An example of a property is the applied arithmetic accuracy. The capabilities of a decoder specify which compressed data the decoder can decode and reconstruct, by defining the subset of the standard that may be exploited in the decodable compressed data. Compressed data can be decoded by a decoder if the characteristics of the compressed data are within the subset of the standard specified by the decoder carabilities.

Procedures are described for testing conformance of compressed data and decoders to the requirements defined in ISO/IEC 14496-3. Given the set of characteristics claimed, the requirements that must be met are fully determined by ISO/IEC 14496-3. This part of ISO/IEC 14496 summarises the requirements, cross references them to characteristics, and defines how conformance with them can be tested. Guidelines are given on constructing tests to verify decoder conformance. The examples of compressed data implemented according to these guidelines are provided as an electronic annex to this document usually together with their uncompressed counterparts (reference waveforms).

#### 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 11172-3, Information technology — Coding of moving pictures and associated audio for digital storage media at up to about 1,5 Mbit/s — Part 3: Audio

ISO/IEC 11172-4, Information technology — Coding of moving pictures and associated audio for digital storage media at up to about 1,5 Mbit/s — Part 4: Compliance testing

ISO/IEC 13818-3, Information technology — Generic coding of moving pictures and associated audio information — Part 3: Audio

ISO/IEC 13818-4, Information technology — Generic coding of moving pictures and associated audio information — Part 4: Conformance testing

ISO/IEC 13818-7, Information technology — Generic coding of moving pictures and associated audio information — Part 7: Advanced Audio Coding (AAC)

ISO/IEC 14496-1, Information technology — Coding of audio-visual objects — Part 1: Systems

ISO/IEC 14496-3, Information technology — Coding of audio-visual objects — Part 3: Audio

ISO/IEC 14496-11, Information technology — Coding of audio-visual objects — Part 11: Scene description and application engine

#### 3 Terms and definitions

For the purposes of this document the terms, defintions, symbols and abbreviated terms given in ISO/IEC 14496-1, ISO/IEC 14496-3 and the following apply.

3.1

conformance data

conformance test sequences and conformance tools

3.2

conformance tool

tool to check certain conformance criteri

NOTE Conformance tools are provided in the electronic attachments to this part of ISO/IEC 14496.

3.3

conformance test sequence

superset of compressed data and its reference waveforms

NOTE Examples of conformance test sequences are provided in the electronic attachments to this part of ISO/IEC 14496.

3.4

compressed data

data encoded in accordance with ISO/IEC 14496-3

3.5

reference waveform

decoded counterparts of the compressed data

#### 4 Conformance Points

All audio decoders except the LATM-based decoders are part of the MPEG-4 framework. Table 1 gives an overview about the interfaces that have to be provided to test the audio decoders using the MPEG-4 System.

Table 1 — Conformance points

conformance point/interface	data flow direction	description/reference
AudioSpecificConfig	in	audio related decoder specific information, see ISO/IEC 14496-3:2009, (1.6.2.1 AudioSpecificConfig)
audio access units	in	audio related bitstream payload, see ISO/IEC 14496-1:2004 (7.1.2.3 Access Units (AU))
BIFS/AudioSource node	in	see ISO/IEC 14496-11: 2005 (7.2.2.15 Audio Source)
private test info	in	to control some elements which are usually generated by random number generators
audio composition units out		see ISO/IEC 14496-1: 2004 (7.2.8 Composition Units (CU))