INTERNATIONAL STANDARD

ISO 3547-3

Third edition 2017-02

Plain bearings — Wrapped bushes —

Part 3:

Lubrication holes, grooves and indentations

Paliers lisses — Bagues roulées —

Partie 3: Trous de graissage, rainures de graissage et creux de graissage



Reference number ISO 3547-3:2017(E)



© ISO 2017, Published in Switzerland

voduced or utilized c te internet or an 'nr ISO's memb All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Ch. de Blandonnet 8 • CP 401 CH-1214 Vernier, Geneva, Switzerland Tel. +41 22 749 01 11 Fax +41 22 749 09 47 copyright@iso.org www.iso.org

| CO | ntent | IS | Page |
|------|------------------------------|---|---------------------------------|
| Fore | eword | | iv |
| 1 | | De | |
| 2 | Norr | mative references | 1 |
| 3 | Tern | ns and definitions | 1 |
| 4 | Sym | bols and units | 1 |
| 5 | Gene | eral | 2 |
| 6 | Lubr | rication holes | 2 |
| 7 | 7.1 7.2 7.3 | rication grooves General Type M1 7.2.1 General 7.2.2 Type M1A 7.2.3 Type M1B Type M2 7.3.1 General 7.3.2 Type M2A 7.3.3 Type M2B | 3 3 3 4 4 5 5 |
| 8 | Lub r 8.1 8.2 8.3 8.4 | Types N1 Type N2 Type N3 | |
| 9 | Desi | ignation | 9 |
| Bibl | iograpl | hy | 10 |
| | | | |
| | | | |

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 123, *Plain bearings*, Subcommittee SC 3, *Dimensions, tolerances and construction details*.

This third edition cancels and replaces the second edition (ISO 3547-3:2006), which has been technically revised.

A list of all the parts in the ISO 3547 series can be found on the ISO website.

Plain bearings — Wrapped bushes —

Part 3:

Lubrication holes, grooves and indentations

1 Scope

This document specifies dimensions of lubrication holes, grooves and bore indentations on wrapped bushes made of mono and multi-layer bearing material for plain bearing applications.

NOTE Wrapped bushes with lubrication holes, grooves or bore indentations in accordance with this document can be ordered with dimensions in accordance with ISO 3547-1 and made from materials in accordance with ISO 3547-4.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 3547-1, Plain bearings — Wrapped bushes — Part 1: Dimensions

ISO 4378-1, Plain bearings — Terms, definitions, classification and symbols — Part 1: Design, bearing materials and their properties

ISO 4378-4, Plain bearings — Terms, definitions, classification and symbols — Part 4: Basic symbols

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 4378-1 and ISO 4378-4 apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at http://www.iso.org/obp
- IEC Electropedia: available at http://www.electropedia.org/

4 Symbols and units

See Table 1.

Table 1 — Symbols and units

| Symbol | Description | Unit |
|------------------|---|------|
| В | Width of the bush | mm |
| С | Edge length of the diamond-shaped lubrication indentation | mm |
| D_{i} | Inside diameter of the bush | mm |
| d_{b} | Diameter of the lubrication indentation | mm |
| $d_{ m L}$ | Diameter of the lubrication hole | mm |
| D_0 | Outside diameter of the bush | mm |
| е | Distance between the lubrication grooves | mm |