

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Connectors for electronic equipment – Product requirements –
Part 2-113: Circular connectors – Detail specification for connectors with M12
screw locking with power and signal contacts for data transmission with
frequency up to 100 MHz**

**Connecteurs pour équipements électroniques – Exigences de produit –
Partie 2-113: Connecteurs circulaires – Spécification particulière relative aux
connecteurs à contacts de puissance et de signalisation, avec verrouillage à vis
M12 pour les transmissions de données à des fréquences allant jusqu'à 100 MHz**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2017 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue IEC - webstore.iec.ch/catalogue

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

Recherche de publications IEC - www.iec.ch/searchpub

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

65 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Connectors for electronic equipment – Product requirements –
Part 2-113: Circular connectors – Detail specification for connectors with M12
screw locking with power and signal contacts for data transmission with
frequency up to 100 MHz**

**Connecteurs pour équipements électroniques – Exigences de produit –
Partie 2-113: Connecteurs circulaires – Spécification particulière relative aux
connecteurs à contacts de puissance et de signalisation, avec verrouillage à vis
M12 pour les transmissions de données à des fréquences allant jusqu'à 100 MHz**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 31.220.10

ISBN 978-2-8322-3883-7

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	5
INTRODUCTION.....	7
1 Scope.....	9
2 Normative references	9
3 Terms and definitions	10
4 Technical information	10
4.1 Systems of levels.....	10
4.1.1 Performance levels	10
4.1.2 Compatibility levels, according to IEC 61076-1	10
4.2 Classification into climatic categories.....	10
4.3 Creepage and clearance distances	10
4.4 Current-carrying capacity	11
4.5 Marking.....	11
4.6 Safety aspects	11
5 Dimensional information	11
5.1 General.....	11
5.2 Survey of styles and variants	11
5.2.1 General	11
5.2.2 Contact terminations.....	11
5.2.3 Fixed connectors	11
5.2.4 Free connectors.....	12
5.3 Interface dimensions.....	14
5.3.1 Front view Type 1	14
5.3.2 Front view Type 2.....	16
5.3.3 Front view Type 3	17
5.3.4 Front view Type 4	18
5.4 Engagement (mating) information	19
5.5 Gauges	19
6 Characteristics	20
6.1 General.....	20
6.2 Pin assignment and other definitions.....	20
6.3 Climatic category	20
6.4 Electrical characteristics	21
6.4.1 Creepage and clearance distances	21
6.4.2 Voltage proof.....	21
6.4.3 Current-carrying capacity	22
6.4.4 Contact resistance.....	22
6.4.5 Insulation resistance.....	22
6.4.6 Impedance.....	22
6.5 Transmission characteristics	22
6.5.1 General	22
6.5.2 Insertion loss	22
6.5.3 Return loss	22
6.5.4 NEXT.....	22
6.5.5 FEXT	23
6.5.6 Transverse conversion loss	23

6.5.7	Transverse conversion transfer loss	23
6.5.8	Transfer impedance	23
6.5.9	Input to output resistance	23
6.5.10	Resistance unbalance	23
6.6	Mechanical characteristics	24
6.6.1	Mechanical operation	24
6.6.2	Effectiveness of connector coupling devices	24
6.6.3	Insertion and withdrawal forces	24
6.6.4	Contact retention in insert	24
6.6.5	Polarizing method	24
6.7	Other characteristics	25
6.7.1	Vibration (sinusoidal)	25
6.7.2	IP degree of protection	25
6.7.3	Screen and shielding properties	25
6.7.4	Pressure differential	25
6.8	Environmental aspects – Marking of insulation material (plastics)	25
7	Test schedule	25
7.1	General	25
7.2	Climatic category	26
7.3	Creepage and clearance distances	26
7.4	Arrangement for contact resistance measurements	26
7.5	Arrangement for dynamic stress tests (vibration)	26
7.6	Arrangement for testing static load; axial	28
7.7	Wiring of specimens	28
7.8	Test schedule	28
7.8.1	Test group P – Preliminary	28
7.8.2	Test group AP – Dynamic/ Climatic	29
7.8.3	Test group BP – Mechanical endurance	31
7.8.4	Test group CP – Electrical load	32
7.8.5	Test group DP – Chemical resistivity	33
7.8.6	Test group EP – Connection method tests	33
7.8.7	Test group FP – Electrical transmission requirements	34
Figure 1	Fixed connector, with female contacts, with contact pcb tails, female coupling	12
Figure 2	Non-rewireable connector, with male contacts, straight version, with locking nut	13
Figure 3	Non-rewireable connector, with male contacts, angled version, with locking nut	13
Figure 4	Non-rewireable connector, with female contacts, straight version, with locking nut	13
Figure 5	Non-rewireable connector, with female contacts right angled version, with locking nut	14
Figure 6	Front view Type 1	15
Figure 7	Front view Type 2	16
Figure 8	Front view Type 3	17
Figure 9	Front view Type 4	18
Figure 10	Engagement (mating) information	19

Figure 11 – Gauge dimensions	20
Figure 12 – Contact resistance arrangement.....	26
Figure 13 – Dynamic stress test arrangement	27
Table 1 – Ratings of connectors.....	11
Table 2 – Styles of fixed connectors	12
Table 3 – Styles of free connectors	12
Table 4 – Climatic category.....	20
Table 5 – Minimum Creepage and clearance distances in mm	21
Table 6 – Voltage proof.....	21
Table 7 – Rated voltage – Rated impulse voltage – Pollution degree	21
Table 8 – Number of mechanical operations.....	24
Table 9 – Insertion and withdrawal forces	24
Table 10 – Polarizing insertion forces	25
Table 11 – Number of test specimens	26
Table 12 – Test group P	28
Table 13 – Test group AP.....	29
Table 14 – Test group BP	31
Table 15 – Test group CP.....	32
Table 16 – Test group DP	33
Table 17 – Test group EP.....	33
Table 18 – Test group FP.....	34

preview generated by EVS

INTERNATIONAL ELECTROTECHNICAL COMMISSION

CONNECTORS FOR ELECTRONIC EQUIPMENT – PRODUCT REQUIREMENTS –

Part 2-113: Circular connectors – Detail specification for connectors with M12 screw locking with power and signal contacts for data transmission with frequency up to 100 MHz

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.

International Standard IEC 61076-2-113 has been prepared by subcommittee 48B: Electrical connectors, of IEC technical committee 48: Electrical connectors and mechanical structures for electrical and electronic equipment.

The text of this standard is based on the following documents:

FDIS	Report on voting
48B/2539/FDIS	48B/2547/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 61076 series, under the general title *Connectors for electronic equipment – Product requirements*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

INTRODUCTION

The International Electrotechnical Commission (IEC) draws attention to the fact that it is claimed that compliance with this document may involve the use of a patent concerning connectors given in this specification.

The IEC takes no position concerning the evidence, validity and scope of this patent right.


The holder of this patent right has assured the IEC that he is willing to give free licences with applicants throughout the world. In this respect, the statement of the holder of this patent right is registered with the IEC.

Information may be obtained from:

Molex Corporation
2222 Wellington Court
Lisle, IL 60532
USA

Attention is drawn to the possibility that some of the elements of this International Standard may be the subject of patent rights other than those identified above. IEC shall not be held responsible for identifying any or all such patent rights.

ISO (www.iso.org/patents) and IEC (<http://patents.iec.ch>) maintain on-line data bases of patents relevant to their standards. Users are encouraged to consult the data bases for the most up to date information concerning patents.

IEC SC 48B – Electrical connectors Specification available from: IEC General secretariat Or from the addresses shown on the inside cover.	IEC 61076-2-113Ed1
ELECTRONIC COMPONENTS DETAIL SPECIFICATION in accordance with IEC 61076-1	
 EC	Circular connectors M12 6 and 8 way Male and female connectors Rewireable – Non-rewireable Free cable connectors Straight and right angle connectors Fixed connectors Single hole mounting

CONNECTORS FOR ELECTRONIC EQUIPMENT – PRODUCT REQUIREMENTS –

Part 2-113: Circular connectors – Detail specification for connectors with M12 screw locking with power and signal contacts for data transmission with frequency up to 100 MHz

1 Scope

This part of IEC 61076 describes M12 circular connectors with two data pairs and power contacts with current ratings up to 12 A, that are typically used for data and power applications in industrial premises. These connectors consist of both fixed and free connectors either rewirable or non rewirable, with screw-locking. Male connectors have round contacts diameters of 1,50 mm, 1,00 mm and 0,60 mm.

The different codings provided by this document prevent the mating of accordingly coded male or female connectors to any other similarly sized interfaces covered by other standards and the cross-mating between the different codings provided by this document.

NOTE M12 is the dimension of the thread of the screw locking mechanism of these circular connectors.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-581, *International Electrotechnical Vocabulary – Part 581: Electromechanical components for electronic equipment*

IEC 60068-1, *Environmental testing – Part 1: General and guidance*

IEC 60068-2-60, *Environmental testing – Part 2: Tests – Test Ke: Flowing mixed gas corrosion test*

IEC 60352 (all parts), *Solderless connectors*

IEC 60512 (all parts), *Connectors for electronic equipment – Tests and measurements*

IEC 60512-1-2, *Connectors for electronic equipment – Tests and measurements – Part 1-2: General examination – Test 1b: Examination of dimension and mass*

IEC 60512-1-100, *Connectors for electronic equipment – Tests and measurements – Part 1-100: General – Applicable publications*

IEC 60529, *Degrees of protection provided by enclosure (IP code)*

IEC 60664-1, *Insulation coordination for equipment within low-voltage systems – Part 1: Principles, requirements and tests*

IEC 60998-2-1, *Connecting devices for low-voltage circuits for household and similar purposes – Part 2-1: Particular requirements for connecting devices as separate entities with screw-type clamping units*

IEC 60999 (all parts), *Connecting devices – Electrical copper conductors – Safety requirements for screw-type and screwless-type clamping units*

IEC 61076-1:2006, *Connectors for electronic equipment – Product requirements – Part 1: Generic specification*

IEC 61984, *Connectors – Safety requirements and tests*

IEC 62197-1, *Connectors for electronic equipment – Quality assessment requirements – Part 1: Generic specification*

ISO 1302: *Geometrical Product Specifications (GPS) – Indication of surface texture in technical product documentation*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 60050-581 as well as the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1

mounting orientation

circular mounting position of the connector in relation to the polarization of the mating interface

Note 1 to entry: Where the free connector has an angled cable entry (as opposed to an in-line cable entry), the angle between the cable entry direction and the polarization keyway should be specified.

4 Technical information

4.1 Systems of levels

4.1.1 Performance levels

Performance level for this connector is 1.

4.1.2 Compatibility levels, according to IEC 61076-1

Connectors according to this document are supposed to be intermateable.

4.2 Classification into climatic categories

Classification into climatic categories is specified in 6.3.

4.3 Creepage and clearance distances

See 6.4.1 in this document.