
**Information technology — Database
languages — SQL Technical Reports —**

**Part 7:
Polymorphic table functions in SQL**

*Technologies de l'information — Langages de base de données — SQL
rapport techniques —*

Partie 7: Fonctions de table polymorphes dans SQL



This document is a preview generated by ERS



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents	Page
Foreword.....	xi
Introduction.....	xii
1 Scope.....	1
2 Normative references.....	3
2.1 ISO and IEC standards.....	3
3 Introduction to Polymorphic Table Functions.....	5
3.1 Audiences.....	5
3.2 Motivating examples.....	6
3.2.1 CSVreader.....	6
3.2.2 Pivot.....	7
3.2.3 Score.....	9
3.2.4 TopNplus.....	12
3.2.5 ExecR.....	15
3.2.6 Similarity.....	16
3.2.7 UDjoin.....	18
3.2.8 MapReduce.....	19
3.3 The life cycle of a PTF.....	20
4 PTF processing model.....	23
4.1 Processing phases.....	23
4.2 Virtual processors.....	23
4.3 PTF component procedures.....	23
4.4 Input table characteristics.....	24
4.5 Partitioning and ordering.....	25
4.6 Flow of control.....	26
4.7 Flow of information.....	27
4.8 Flow of row types.....	28
4.9 Pass-through columns.....	30
4.10 Security model.....	30
4.11 Conformance features.....	31
5 Specification.....	35
5.1 Functional specification.....	35
5.1.1 Parameter list.....	35
5.1.2 Input table semantics.....	36
5.1.3 Prunability.....	37
5.1.4 Pass-through columns.....	37

5.1.5	Result row type.	38
5.1.6	Determinism.	38
5.1.7	SQL-data access.	39
5.1.8	Documenting the PTF to the query author.	39
5.2	Design specification.	40
5.2.1	Name the component procedures.	40
5.2.2	Private data.	40
5.2.3	Routine characteristics of the component procedures.	41
5.2.4	Component procedure signatures.	42
6	Data definition language.	47
6.1	PTF creation.	47
6.2	PTF component procedures.	49
6.3	Altering PTF component procedures and PTFs.	49
6.4	Dropping a PTF and its component procedures.	50
7	Implementation.	51
7.1	PTF descriptor areas.	51
7.1.1	PTF descriptor area header.	52
7.1.2	SQL item descriptor areas for row types.	53
7.1.3	SQL item descriptor areas for partitioning.	57
7.1.4	SQL item descriptor areas for ordering.	57
7.2	PTF extended names.	57
7.3	Reading a PTF descriptor area.	58
7.4	Writing a PTF descriptor area.	58
7.4.1	Using DESCRIBE to populate a PTF descriptor area.	59
7.4.2	Using SET DESCRIPTOR to populate a PTF descriptor area.	59
7.4.3	Using COPY DESCRIPTOR to populate a PTF descriptor area.	60
7.5	Reading a PTF input cursor.	61
7.6	Outputting a row.	62
8	Invocation.	65
8.1	<table primary>.	65
8.2	<PTF derived table>.	65
8.3	Proper result correlation name and proper result column naming.	65
8.4	<routine invocation>.	66
8.5	<table argument>.	67
8.6	<table argument proper>.	68
8.6.1	<table or query name>.	68
8.6.2	<table subquery>.	68
8.6.3	Nested table function invocation.	69
8.7	Table argument correlation name.	69
8.8	Table argument column renaming.	70
8.9	Range variables and column renaming in nested PTF.	70
8.10	Partitioning.	70
8.11	Pruning.	71

8.12	Ordering.	71
8.13	Copartitioning.	72
8.14	Cross products of partitions.	73
8.15	<descriptor argument>.	74
9	Compilation.	75
9.1	Calling the describe component procedure.	75
9.2	Inside the describe component procedure.	75
9.3	Using the result of describe.	76
10	Optimization.	77
11	Execution.	79
11.1	Partitions and virtual processors.	79
11.2	Calling the start component procedure.	80
11.3	Inside the start component procedure.	81
11.4	Calling the PTF fulfill component procedure.	81
11.5	Inside the PTF fulfill component procedure.	81
11.6	Closing cursors.	81
11.7	Calling the PTF finish component procedure.	81
11.8	Inside the PTF finish component procedure.	82
11.9	Collecting the output.	82
11.10	Cleanup on a virtual processor.	82
11.11	Final result.	82
12	Examples.	83
12.1	Projection.	84
12.1.1	Overview.	84
12.1.2	Functional specification of Projection.	84
12.1.3	Design specification for Projection.	85
12.1.4	Projection component procedures.	85
12.1.5	Invoking Projection.	87
12.1.6	Calling Projection_describe.	87
12.1.7	Inside Projection_describe.	89
12.1.8	Result of Projection_describe.	91
12.1.9	Virtual processors for Projection.	91
12.1.10	Calling Projection_fulfill.	92
12.1.11	Inside Projection_fulfill.	93
12.1.12	Collecting the results.	93
12.1.13	Cleanup.	94
12.2	CSVreader.	95
12.2.1	Overview.	95
12.2.2	Functional specification of CSVreader.	95
12.2.3	Design specification for CSVreader.	95
12.2.4	CSVreader component procedures.	96
12.2.5	Implementation of CSVreader.	97
12.2.6	Invoking CSVreader.	98

12.2.7	Calling CSVreader_describe.	98
12.2.8	Inside CSVreader_describe.	100
12.2.9	Result of CSVreader_describe.	101
12.2.10	Virtual processor for CSVreader.	103
12.2.11	Calling CSVreader_start.	103
12.2.12	Inside CSVreader_start.	104
12.2.13	Calling CSVreader_fulfill.	104
12.2.14	Inside CSVreader_fulfill.	104
12.2.15	Collecting the output.	105
12.2.16	Calling CSVreader_finish.	105
12.2.17	Inside CSVreader_finish.	106
12.2.18	Cleanup.	106
12.3	Pivot.	107
12.3.1	Overview.	107
12.3.2	Functional specification of Pivot.	107
12.3.3	Design specification for Pivot.	108
12.3.4	Pivot component procedures.	108
12.3.5	Invoking pivot.	109
12.3.6	Calling Pivot_describe.	109
12.3.7	Inside Pivot_describe.	113
12.3.8	Result of Pivot_describe.	115
12.3.9	Virtual processors for Pivot.	117
12.3.10	Calling Pivot_fulfill.	117
12.3.11	Inside Pivot_fulfill.	118
12.3.12	Collecting the results.	118
12.3.13	Cleanup.	119
12.4	Score.	120
12.4.1	Overview.	120
12.4.2	Functional specification of Score.	120
12.4.3	Design specification for Score.	120
12.4.4	Score component procedures.	121
12.4.5	Invoking Score.	122
12.4.6	Calling Score_describe.	122
12.4.7	Inside Score_describe.	125
12.4.8	Result of Score_describe.	126
12.4.9	Virtual processors for Score.	127
12.4.10	Calling Score_fulfill.	129
12.4.11	Inside Score_fulfill.	129
12.4.12	Collecting the output.	130
12.4.13	Cleanup.	131
12.5	TopNplus.	132
12.5.1	Overview.	132
12.5.2	Functional specification of TopNplus.	132
12.5.3	Design specification for TopNplus.	132

12.5.4	TopNplus component procedures.	133
12.5.5	Invoking TopNplus.	134
12.5.6	Calling TopNplus_describe.	134
12.5.7	Inside TopNplus_describe.	137
12.5.8	Result of TopNplus_describe.	139
12.5.9	Virtual processors for TopNplus.	139
12.5.10	Calling TopNplus_fulfill.	141
12.5.11	Inside TopNplus_fulfill.	141
12.5.12	Collecting the output.	142
12.5.13	Cleanup.	142
12.5.14	TopNplus using pass-through columns.	143
12.6	ExecR.	145
12.6.1	Overview.	145
12.6.2	Functional specification of ExecR.	145
12.6.3	Design specification for ExecR.	145
12.6.4	ExecR component procedures.	146
12.6.5	Invoking ExecR.	147
12.6.6	Calling ExecR_describe.	147
12.6.7	Inside ExecR_describe.	149
12.6.8	Result of ExecR_describe.	150
12.6.9	Virtual processors for ExecR.	150
12.6.10	Calling ExecR_start.	151
12.6.11	Inside ExecR_start.	152
12.6.12	Calling ExecR_fulfill.	152
12.6.13	Inside ExecR_fulfill.	152
12.6.14	Collecting the output.	153
12.6.15	Calling ExecR_finish.	153
12.6.16	Inside ExecR_finish.	153
12.6.17	Cleanup.	153
12.7	Similarity.	154
12.7.1	Overview.	154
12.7.2	Functional specification of Similarity.	154
12.7.3	Design specification for Similarity.	154
12.7.4	Similarity component procedures.	155
12.7.5	Invoking Similarity.	156
12.7.6	Calling Similarity_describe.	156
12.7.7	Inside Similarity_describe.	158
12.7.8	Result of Similarity_describe.	159
12.7.9	Virtual processors for Similarity.	159
12.7.10	Calling Similarity_fulfill.	163
12.7.11	Inside Similarity_fulfill.	163
12.7.12	Collecting the output.	164
12.7.13	Cleanup.	164
12.8	UDjoin.	165

12.8.1	Overview.	165
12.8.2	Functional specification of UDjoin.	165
12.8.3	Design specification for UDjoin.	165
12.8.4	UDjoin component procedures.	166
12.8.5	Invoking UDjoin.	167
12.8.6	Calling UDjoin_describe.	167
12.8.7	Inside UDjoin_describe.	168
12.8.8	Result of UDjoin_describe.	168
12.8.9	Virtual processors for UDjoin.	168
12.8.10	Calling UDjoin_fulfill.	168
12.8.11	Inside UDjoin_fulfill.	169
12.8.12	Collecting the output.	170
12.8.13	Cleanup.	170
12.9	Nested PTF invocation.	171
12.9.1	Nested PTF syntax and semantics.	171
12.9.2	Nested PTF compilation.	174
12.9.3	Nested PTF execution.	175
12.9.4	The PTF author's view of nested PTF invocations.	176
Bibliography.		177
Index.		179

Tables

Table	Page
1 Primary audiences for Clauses and Subclauses in this Technical Report.	20
2 PTF routine characteristics.	41
3 Table parameter semantics.	43
4 Corresponding PTF component procedure parameters.	44
5 PTF descriptor area.	52
6 PTF descriptor area header.	52
7 Relevant SQL item descriptor components.	53

Figures

Figure	Page
1 PTF information flow.	28
2 Row type relationships.	29
3 Nested PTF data flow.	172
4 Flow of row types.	174
5 Simplified flow of row types.	175
6 Net effect of complete compilation.	175

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 32 *Data management and interchange*.

A list of all parts in the ISO 19075 series can be found on the ISO website.

NOTE 1 — The individual parts of multi-part technical reports are not necessarily published together. New editions of one or more parts may be published without publication of new editions of other parts.

Introduction

The organization of this part of ISO/IEC 19075 is as follows:

- 1) **Clause 1, “Scope”**, specifies the scope of this part of ISO/IEC 19075.
- 2) **Clause 2, “Normative references”**, identifies additional standards that, through reference in this part of ISO/IEC 19075, constitute provisions of this part of ISO/IEC 19075.
- 3) **Clause 3, “Introduction to Polymorphic Table Functions”**, provides an introduction to polymorphic table functions, the requirements leading to their incorporation into SQL, and illustrations of their use.
- 4) **Clause 4, “PTF processing model”**, describes the abstract processing model for polymorphic table functions in the context of an SQL-implementation.
- 5) **Clause 5, “Specification”**, describes the manner in which polymorphic table functions are specified in the SQL standard.
- 6) **Clause 6, “Data definition language”**, provides the syntax and semantics of the SQL statements that create, modify, and drop polymorphic table functions.
- 7) **Clause 7, “Implementation”**, guides authors of polymorphic table functions through the steps required to create all of the functions necessary to accomplish particular purposes.
- 8) **Clause 8, “Invocation”**, supplies the information necessary for application writers, especially SQL query authors, to take advantage of the polymorphic table functions that are available to them.
- 9) **Clause 9, “Compilation”**, is directed at the authors of polymorphic table functions and of SQL database systems to guide them in the steps required to compile polymorphic table functions in the context of a particular SQL-implementation.
- 10) **Clause 10, “Optimization”**, describes the various aspects of polymorphic functions of which the authors of such functions and the authors of SQL-implementations must be aware to adequately optimize the execution of such functions.
- 11) **Clause 11, “Execution”**, discusses the details of executing polymorphic table functions in the context of the processing model.
- 12) **Clause 12, “Examples”**, supplies numerous examples in detail with commentaries to explain the various use cases, the requirements that relate to polymorphic table functions, and the specifics of the solutions for each use case.

Information technology — Database languages — SQL Technical Reports —**Part 7:****Polymorphic table functions in SQL****1 Scope**

This Technical Report describes the definition and use of polymorphic table functions in SQL.

The Report discusses the following features of the SQL Language:

- The processing model of polymorphic table functions in the context of SQL.
- The creation and maintenance of polymorphic table functions.
- Issues related to methods of implementing polymorphic table functions.
- How polymorphic table functions are invoked by application programs.
- Issues concerning compilation, optimization, and execution of polymorphic table functions.

(Blank page)

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

2.1 ISO and IEC standards

[ISO9075-2] ISO/IEC 9075-2:2016, *Information technology — Database languages — SQL — Part 2: Foundation (SQL/Foundation)*.