
INTERNATIONAL STANDARD



3921

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION

Honing stones of rectangular section — Designation and dimensions

Bâtons rodoirs à section rectangulaire — Désignation et dimensions

First edition — 1976-11-15

UDC 621.922.025

Ref. No. ISO 3921-1976 (E)

Descriptors : tools, abrasives, honing stones, specifications, designation, dimensions.

FOREWORD

ISO (the International Organization for Standardization) is a worldwide federation of national standards institutes (ISO Member Bodies). The work of developing International Standards is carried out through ISO Technical Committees. Every Member Body interested in a subject for which a Technical Committee has been set up has the right to be represented on that Committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work.

Draft International Standards adopted by the Technical Committees are circulated to the Member Bodies for approval before their acceptance as International Standards by the ISO Council.

International Standard ISO 3921 was drawn up by Technical Committee ISO/TC 29, *Small tools*, and was circulated to the Member Bodies in October 1975.

It has been approved by the Member Bodies of the following countries :

Australia	Italy	Switzerland
Austria	Korea, Dem., p. Rep. of	Turkey
Belgium	Mexico	United Kingdom
France	Poland	U.S.A.
Germany	Romania	U.S.S.R.
Hungary	South Africa, Rep. of	Yugoslavia
India	Spain	
Israel	Sweden	

No Member Body expressed disapproval of the document.

Honing stones of rectangular section – Designation and dimensions

1 SCOPE AND FIELD OF APPLICATION

This International Standard specifies the dimensions of honing stones of rectangular cross-section (conventional abrasive products). They are held in a groove and are intended for use on honing machines.

Honing stones of square cross-section are the subject of ISO 3920.

2 DESIGNATION


The designation of honing stones with rectangular sections consists of the width b , the thickness h , followed by the length l .

Example :

Designation of a honing stone of width $b = 4$ mm, thickness $h = 3$ mm and length $l = 40$ mm :

Honing stone 4 × 3 × 40

3 DIMENSIONS



Values in millimetres	
Recommended dimensions	Non-recommended dimensions
$b \times h \times l$	$b \times h \times l$
3 × 2,5 × 32 4 × 3 × 40 6 × 5 × 63 8 × 6 × 80 10 × 8 × 100 13 × 10 × 125 16 × 13 × 160	5 × 4 × 50

NOTE — Other lengths selected from the above range (i.e 32 – 40 – (50) – 63 – 80 – 100 – 125 and 160 mm) may be specified in national standards.