
**Rolling bearings — Damage and
failures — Terms, characteristics and
causes**

*Roulements — Détérioration et défaillance — Termes,
caractéristiques et causes*



This document is a preview generated by EBS



COPYRIGHT PROTECTED DOCUMENT

© ISO 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Classification of failure modes occurring in rolling bearings	2
5 Failure modes	3
5.1 Rolling contact fatigue.....	3
5.1.1 General description of rolling contact fatigue.....	3
5.1.2 Subsurface initiated fatigue.....	4
5.1.3 Surface initiated fatigue.....	4
5.2 Wear.....	6
5.2.1 General description of wear.....	6
5.2.2 Abrasive wear.....	6
5.2.3 Adhesive wear.....	7
5.3 Corrosion.....	9
5.3.1 General description of corrosion.....	9
5.3.2 Moisture corrosion.....	9
5.3.3 Frictional corrosion.....	10
5.4 Electrical erosion.....	12
5.4.1 General description of electrical erosion.....	12
5.4.2 Excessive current erosion.....	12
5.4.3 Current leakage erosion.....	13
5.5 Plastic deformation.....	14
5.5.1 General description of plastic deformation.....	14
5.5.2 Overload deformation.....	14
5.5.3 Indentations from particles.....	16
5.6 Cracking and fracture.....	17
5.6.1 General description of cracking and fracture.....	17
5.6.2 Forced fracture.....	17
5.6.3 Fatigue fracture.....	18
5.6.4 Thermal cracking.....	19
Annex A (informative) Failure analysis — Illustrations of damage — Other investigations — Explanation of terms used	20
Bibliography	53

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

The committee responsible for this document is ISO/TC 4, *Rolling bearings*.


This second edition cancels and replaces the first edition (ISO 15243:2004), which has been technically revised.

Introduction

In practice, damage and/or failure of a rolling bearing can often be the result of several mechanisms operating simultaneously. The failure can result from improper transport, handling, mounting or maintenance or from faulty manufacture of the bearing or its adjacent parts. In some instances, failure is due to a design compromise made in the interests of economy or from unforeseen operating and environmental conditions. It is the complex combination of design, manufacture, mounting, operation and maintenance that often causes difficulty in establishing the root cause of failure.

NOTE Be aware that counterfeit bearings are circulated in the market. They might look as original bearings, but their use often lead to very early damage or failure.

In the event of extensive damage to or catastrophic failure of the bearing, the evidence is likely to be lost and it will then be impossible to identify the root cause of failure. It is therefore important to stop equipment in time to enable appropriate bearing damage analysis (see [Figure 1](#)). In all cases, knowledge of the actual operating conditions of the assembly and the maintenance history is of utmost importance.



NOTE The spall started just behind the dent in the raceway [a]]. Over a period of time, the spalling becomes more severe [b) and c)]. If not stopped in time, the proof of the root cause disappears [d)].

Figure 1 — Progression of bearing damage

The classification of bearing failure established in this document is based primarily upon the features visible on rolling contact surfaces and other functional surfaces. Consideration of each feature is required for reliable determination of the root cause of bearing failure. Since more than one failure mechanism may cause similar effects to these surfaces, a description of appearance alone is often inadequate for determining the cause of the failure. In such cases, the operating conditions need to be considered. In some cases, the analysed damage is too advanced, and can be originated from different primary causes. In these cases, it is interesting to look for simultaneous presence of indications to determine the primary cause of the failure.

This document covers rolling bearings having steel rings and rolling elements. Damage to the rings of bearings with ceramic rolling elements shows similar failure modes.

In this document, bearing life is as described in ISO 281[1], which provides formulae to calculate bearing life taking a number of factors into consideration, such as bearing load carrying capacity, bearing load, type of bearing, material, bearing fatigue load limit, lubrication conditions and degree of contamination.

Rolling bearings — Damage and failures — Terms, characteristics and causes

1 Scope

This document classifies different modes of failure occurring in service for rolling bearings made of standard bearing steels. For each failure mode, it defines and describes the characteristics, appearance and possible root causes of failure. It will assist in the identification of failure modes based on appearance.

For the purposes of this document, the following terms are explained:

- failure of a rolling bearing: the result of a damage that prevents the bearing meeting the intended design performance or marks the end of service life;
- in service: as soon as the bearing has left the manufacturer's factory;
- visible features: those that are possible to observe directly or with magnifiers or optical microscopes, also those from pictures, but only with the use of non-destructive methods.

Consideration is restricted to characteristic forms of change in appearance and failure that have well-defined appearance and which can be attributed to particular causes with a high degree of certainty. The features of particular interest for explaining changes and failures are described. The various forms are illustrated with photographs and the most frequent causes are indicated.

If the root cause cannot be reliably assessed by the examination and characterization of visual features against the information in this document, then additional investigations are to be considered. These methods are summarized in [A.3](#) and may involve, for example, the use of invasive methods possibly including taking of cross sections, metallurgical structural analysis by visual and electronic microscopes, chemical and spectrographic analysis. These specialized methods are outside the scope of this document.

The failure mode terms shown in the subclause titles are recommended for general use. Where appropriate, alternative expressions or synonyms used to describe the submodes are given and explained in [A.4](#).

Examples of rolling bearing failures are given in [A.2](#), together with a description of the causes of failure and proposed corrective actions.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 5593, *Rolling bearings — Vocabulary*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 5593 and the following apply.

NOTE Explanations for terms for damage and failures are listed in [A.4](#).