INTERNATIONAL STANDARD

ISO 8178-1

Third edition 2017-04

Reciprocating internal combustion engines — Exhaust emission measurement —

Part 1:

Test-bed measurement systems of gaseous and particulate emissions

Moteurs alternatifs à combustion interne — Mesurage des émissions de gaz d'échappement —

Partie 1: Mesurage des émissions de gaz et de particules au banc d'essai





© ISO 2017, Published in Switzerland

roduced or utilized c
'te internet or an '
'nr ISO's memb All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Ch. de Blandonnet 8 • CP 401 CH-1214 Vernier, Geneva, Switzerland Tel. +41 22 749 01 11 Fax +41 22 749 09 47 copyright@iso.org www.iso.org

Co	ntent	S	Page				
Fore	eword		vi				
Intr	oductio	on	vii				
1		ne					
2		Normative references					
3		ns and definitions					
4		bols and abbreviated terms					
	4.1	Quantities and units – Number and temperature					
	4.2 4.3	General symbols Symbols for fuel consumption					
	4.3 4.4	Symbols and abbreviated terms for the chemical components	1 11				
	4.5	Abbreviated terms					
5		eral measurement principles					
3	5.1	Principle of emission measurement					
	5.1	5.1.1 Mass of constituent					
	5.2	Exhaust sampling and dilution					
	0.2	5.2.1 General sampling requirements					
		5.2.2 Gas sampling					
		5.2.3 Raw sampling for gaseous emissions					
		5.2.4 Dilute sampling for gaseous emissions					
		5.2.5 Dilution system	20				
		5.2.6 Dilute sampling for particulate emissions	22				
	5.3	Performance specifications for measurement instruments	23				
		5.3.1 Overview					
		5.3.2 Component requirements					
		5.3.3 Data recording and control					
6	Engine and ambient related measurement equipment						
	6.1	Dynamometer specification	25				
	6.2	Speed and torque sensors					
		6.2.1 Shaft work					
		6.2.2 Speed sensors					
		6.2.3 Torque sensors					
	6.3	S .					
	6.4	Pressure transducers, temperature sensors, and dew point sensors					
	0.4	6.4.1 Fuel flow					
		6.4.2 Intake air flow					
		6.4.3 Raw exhaust flow					
		6.4.4 Indirect exhaust flow					
		6.4.5 Dilution air and diluted exhaust flow meters					
		6.4.6 Sample flow meter for batch sampling					
7	Dete	rmination of the gaseous components	31				
-	7.1	General specifications	31				
	7.2	Gas drying					
	7.3	Analysers	31				
		7.3.1 General	31				
		7.3.2 Carbon monoxide (CO) and carbon dioxide (CO ₂) analysis					
		7.3.3 Oxygen (O ₂) analysis					
		7.3.4 Hydrocarbon (HC) analysis					
		7.3.5 Non-methane hydrocarbon (NMHC) analysis					
		7.3.6 Oxides of nitrogen (NO _x) analysis					
		7.3.7 Sulphur dioxide (SO ₂) analysis					
		7.3.8 Ammonia (NH ₃) analysis	34				

ISO 8178-1:2017(E)

		7.3.9 Dinitrogen oxide (N ₂ O) analysis	.34
		7.3.10 Formaldehyde (HCHO) analysis	.34
		7.3.11 Methanol (CH ₃ OH) analysis	.35
		7.3.12 Air-to-fuel measurement	
	7.4	Measurement system	
		7.4.1 General	
		7.4.2 Analytical system	
		7.4.3 Ammonia analysis	
		7.4.4 Methane analysis	
		7.4.5 Methanol analysis	
		7.4.6 Formaldehyde analysis	
8	Parti	culate determination	
	8.1	Particulate mass	.47
		8.1.1 Particulate Sampling probes (PSP)	.47
		8.1.2 Transfer tubes	.47
		8.1.3 Pre-classifier	.48
		8.1.4 Particulate sampling filters	.48
		8.1.5 Weighing chamber and analytical balance specifications	
	8.2	Particle number	
	0.2	8.2.1 Sampling	
		8.2.2 Compensating for particle number sample flow – full flow dilution systems	
		8.2.3 Compensating for particle number sample flow – partial flow dilution systems	
		8.2.4 Correction of PM measurement	
		8.2.5 Proportionality of partial flow dilution sampling	
	8.3	Particulate dilution sampling system equipment	52
	0.5	8.3.1 General	.34
		8.3.2 Partial flow dilution system	.54
			.54
		8.3.3 Full-flow dilution system	.54
	0.4	8.3.4 Particulate sampling system	
	8.4	Particle number measurement equipment	
		8.4.1 Particle number measurement system	
9	Calib	ration and verification	.66
	9.1	Calibration and performance checks	.66
		9.1.1 Introduction	
		9.1.2 Summary of calibration and verification	.66
		9.1.3 Verifications for accuracy, repeatability, and noise	
		9.1.4 Linearity check	
		9.1.5 Continuous gas analyser system-response and updating-recording verification	
		9.1.6 Response time verification for compensation type analysers	
	9.2	Calibration gases	
	9.2	9.2.1 Analytical gases	
		· ·	
	0.2	9.2.3 Use of gas dividers	
	9.3	Vacuum-side leak verification	
		9.3.1 Scope and frequency	
		9.3.2 Measurement principles	
		9.3.3 Low-flow leak test	
		9.3.4 Dilution-of-span-gas leak test	
		9.3.5 Vacuum-decay leak test	
	9.4	NO ₂ -to-NO converter conversion verification	
		9.4.1 Scope and frequency	
		9.4.2 Measurement principles	
		9.4.3 System requirements	.79
		9.4.4 Procedure	.79
	9.5	Flame ionization detector (FID) optimization and verification	.80
		9.5.1 Scope and frequency	
		952 Calibration	81

		9.5.3	HC FID response optimization	
		9.5.4	HC FID CH ₄ response factor determination	
		9.5.5	HC FID methane (CH ₄) response verification	
3		9.5.6	Non-stoichiometric raw exhaust FID O ₂ interference verification	
		9.5.7	Efficiency of the Non-Methane Cutter (NMC)	
		9.5.8	CO and CO ₂ Measurements	
		9.5.9	NO _x Measurement	
	9'	9.5.10	Methanol response factor	
•	9.6		tion of the particulate mass measuring system	
		9.6.1	General	
		9.6.2	Checking the partial flow conditions	
,	0.7	9.6.3	PM balance verifications and weighing process verification	100
`	9.7		tion of the particle number measuring system	
		9.7.1	Calibration of the particle number counter	
		9.7.2	Calibration/Validation of the volatile particle remover	
,	0.0	9.7.3	Particle number system check procedures	
`	9.8		tion of the CVS full flow dilution system	
		9.8.1	General Calibration of the Positive Displacement Duman (DDD)	
		9.8.2 9.8.3	Calibration of the Positive Displacement Pump (PDP) Calibration of the Critical Flow Venturi (CFV)	
		9.8.4	Calibration of the Subsonic Venturi (SSV)	
		9.8.5	CVS and batch sampler verification (propane check)	
		9.8.6	Periodic calibration of the partial flow PM and associated raw exhaust gas	112
		9.0.0	measurement systems	116
	9.9	Calibra	tion of the dynamometer	
	,,,	9.9.1	Torque calibration	
	9.10		tion of temperature, pressure and dew point sensors	
	9.11		elated measurements	
			Fuel flow calibration	
		9.11.2		
		9.11.3	Exhaust flow calibration	
Annex	A (nor	mative)	Heat calculation (transfer tube)	120
	_	_	Determination of system equivalence	
Annex	C (info	rmative) Carbon flow check	125
			e) Statistical equations	
Annex	E (info	rmative) Examples of Partial Flow Dilution Systems	134
) Examples of exhaust gas analysis system	
Bibliog	raphy			148
			0.	

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

The committee responsible for this document is ISO/TC 70, *Internal combustion engines*, Subcommittee SC 8, *Exhaust emission measurement*.

This third edition cancels and replaces the second edition (ISO 8178-1:2006) which has been technically revised.

A list of all the parts in the ISO 8178- series, can be found on the ISO website.

Introduction

This document is intended for use as a measurement procedure to determine the gaseous and particulate emission levels of reciprocating internal combustion (RIC) engines for non-automotive use. Its purpose is to provide an engine's emissions characteristics which, through use of proper weighting factors and test cycles, can be used as an indication of that engine's emission levels under various applications and for different fuels. The emission results are expressed in units of grams per kilowatthour and represent the rate of emissions per unit of work accomplished.

Many of the procedures described in this document are detailed accounts of laboratory methods, since determining an emissions value requires performing a complex set of individual measurements, rather than obtaining a single measured value. Thus, the results obtained depend as much on the process of performing the measurements as they depend on the engine and test method.

Evaluating emissions from non-road engines is more complicated than the same task for on-road engines due to the diversity of non-road applications. For example, on-road applications primarily consist of moving a load from one point to another on a paved roadway. The constraints of the paved roadways, maximum acceptable pavement loads and maximum allowable grades of fuel, narrow the scope of on-road vehicle and engine sizes. Non-road engines and vehicles include a wider range of size, including the engines that power the equipment. Many of the engines are large enough to preclude the ods t possi. application of test equipment and methods that were acceptable for on-road purposes. In cases where the application of dynamometers is not possible, testing at site or under appropriate conditions can be a viable alternative.

This document is a previous general ded by tills

Reciprocating internal combustion engines — Exhaust emission measurement —

Part 1:

Test-bed measurement systems of gaseous and particulate emissions

1 Scope

This document specifies the measurement methods for gaseous and particulate exhaust emissions from reciprocating internal combustion (RIC) engines on a test bed, necessary for determining one weighted value for each exhaust gas pollutant. Various combinations of engine load and speed reflect different engine applications (see ISO 8178-4).

This document is applicable to RIC engines for mobile, transportable and stationary use, excluding engines for motor vehicles primarily designed for road use. This document can be applied to engines used, for example, for earth-moving machines, generating sets and for other applications.

In limited instances, the engine can be tested on the test bed in accordance with ISO 8178-2, to test in field conditions. This can only occur with the agreement of the parties involved. It should be recognized that data obtained under these circumstances may not agree completely with previous or future data obtained under the auspices of this document.

For engines used in machinery covered by additional requirements (e.g. occupational health and safety regulations, regulations for power plants), additional test conditions and special evaluation methods may apply.

Where it is not possible to use a test bed or where information is required on the actual emissions produced by an in-service engine, the site test procedures and calculation methods specified in ISO 8178-2 are appropriate.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 5725-2, Accuracy (trueness and precision) of measurement methods and results — Part 2: Basic method for the determination of repeatability and reproducibility of a standard measurement method

ISO 8178-4, Reciprocating internal combustion engines — Exhaust emission measurement — Part 4: Test cycles for different engine applications

ISO 9000, Quality management systems — Fundamentals and vocabulary

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

• IEC Electropedia: available at http://www.electropedia.org/