

**Mullatöömasinad. Ohutus. Osa 5: Hüdraulilistele
ekskavaatoritele esitatavad nõuded KONSOLIDEERITUD
TEKST**

**Earth-moving machinery - Safety - Part 5: Requirements
for hydraulic excavators CONSOLIDATED TEXT**

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 474-5:2007+A2:2012 sisaldab Euroopa standardi EN 474-5:2006+A2:2012 ingliskeelset teksti.	This Estonian standard EVS-EN 474-5:2007+A2:2012 consists of the English text of the European standard EN 474-5:2006+A2:2012.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 11.01.2012.	Date of Availability of the European standard is 11.01.2012.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 53.100

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:
Aru 10, 10317 Tallinn, Eesti; www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:
Aru 10, 10317 Tallinn, Estonia; www.evs.ee; phone 605 5050; e-mail info@evs.ee

English Version

**Earth-moving machinery - Safety - Part 5: Requirements for
hydraulic excavators**

Engins de terrassement - Sécurité - Partie 5: Prescriptions
applicables aux pelles hydrauliques

Erdbaumaschinen - Sicherheit - Teil 5: Anforderungen für
Hydraulikbagger

This European Standard was approved by CEN on 17 April 2006 and includes Amendment 1 approved by CEN on 20 December 2008 and Amendment 2 approved by CEN on 22 November 2011.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

	Page
Foreword	3
Introduction	4
1 Scope	5
2 Normative references	5
3 Terms and definitions	6
4 List of additional significant hazards	7
5 Safety requirements and/or measures	7
5.1 General	7
5.2 Access	7
5.3 Operator's station	7
5.4 Controls for driving and steering	8
5.5 Swing brakes	8
5.6 Stability and safety devices	8
5.7 Parking brake for compact crawler excavator	10
5.8 Specific requirements for walking excavators	10
6 Information for use	14
Annex A (informative) List of additional significant hazards – Hydraulic excavators	15
Annex B (informative) Rated lift capacity tables for object handling	17
Annex C (normative) Requirements for excavator swing brakes	21
Annex D (informative) Illustrations	25
Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 2006/42/EC	29
Bibliography	30
 Figures	
Figure 1 — Tipping lines of walking excavators.....	13
Figure 2 — Measurement of the tipping load to front/rear.....	13
Figure 3 — Measurement of tipping load to the side.....	14
Figure C.1 — Swing service brake.....	22
Figure D.1 — Crawler excavator.....	25
Figure D.2 — Compact crawler excavator.....	25
Figure D.3 — Wheel excavator.....	26
Figure D.4 — Compact wheel excavator.....	26
Figure D.5 — Walking excavator.....	27
 Tables	
Table A.1 — List of additional significant hazards.....	15
Table B.1 — Example of rated lift capacity table for crawler excavators.....	19
Table B.2 — Example of rated lift capacity table for wheel excavators.....	20

Foreword

This document (EN 474-5:2006+A2:2012) has been prepared by Technical Committee CEN/TC 151 "Construction equipment and building material machines — Safety", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by July 2012, and conflicting national standards shall be withdrawn at the latest by July 2012.

This document includes Amendment 1, approved by CEN on 2008-12-20 and Amendment 2, approved by CEN on 2011-11-22.

This document supersedes A_2 EN 474-5:2006+A1:2009 A_2 .

The start and finish of text introduced or altered by amendment is indicated in the text by tags A_1 A_1 and A_2 A_2 .

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive.

A_2 For relationship with EU Directive(s), see informative Annex ZA, which is an integral part of this document. A_2

For bibliographic references, see A_1 EN 474-1:2006+A1:2009 A_1 .

EN 474 "Earth-moving machinery — Safety" comprises the following parts:

- Part 1: General requirements
- Part 2: Requirements for tractor-dozers
- Part 3: Requirements for loaders
- Part 4: Requirements for backhoe-loaders
- Part 5: Requirements for hydraulic excavators
- Part 6: Requirements for dumpers
- Part 7: Requirements for scrapers
- Part 8: Requirements for graders
- Part 9: Requirements for pipelayers
- Part 10: Requirements for trenchers
- Part 11: Requirements for earth and landfill compactors
- Part 12: Requirements for cable excavators

This European Standard is intended for use in combination with Part 1 of the series.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

Introduction

This part of EN 474 is a type C standard as stated in EN ISO 12100-1:2003.

The machinery concerned and the extent to which hazards, hazardous situations and events are covered are indicated in the scope of this European Standard.

When provisions of this type C standard are different from those which are stated in type A or B standards, the provisions of this type C standard take precedence over the provisions of the other standards, for machines that have been designed and built according to the provisions of this type C standard.

1 Scope

This part of EN 474 deals with all specific significant hazards, hazardous situations and events relevant to hydraulic excavators as defined in EN ISO 6165:2006, when they are used as intended and under conditions of misuse which are reasonably foreseeable by the manufacturer (see Clause 4).

This part also deals with object handling application, shovel application and log application.

The requirements of this part are complementary to the common requirements formulated in **EN 474-1:2006+A1:2009**, **A1**.

This part does not repeat the requirements from **EN 474-1:2006+A1:2009**, **A1**, but adds or replaces the requirements for application for hydraulic excavators.

This part specifies the appropriate technical measures to eliminate or reduce risks arising from the significant hazards, hazardous situations and events during commissioning, operation and maintenance of hydraulic excavators.

This European Standard is not applicable to hydraulic excavators manufactured before the date of publication of this European Standard by CEN.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 474-1:2006+A1:2009, **A1**, *Earth-moving machinery — Safety — Part 1: General requirements*

EN 12643:1997, *Earth-moving machinery — Rubber-tyred machines — Steering requirements (ISO 5010:1992, modified)*

A1 *deleted text* **A1**

EN 13531:2001, *Earth-moving machinery — Tip-over protection structure (TOPS) for compact excavators — Laboratory tests and performance requirements (ISO 12117:1997 modified)*

EN ISO 2867:2008, **A1**, *Earth-moving machinery — Access systems* **A1** (ISO 2867:2006, including Cor 1:2008) **A1**

EN ISO 3449:2008, **A1**, *Earth-moving machinery - Falling-object protective structures - Laboratory tests and performance requirements (ISO 3449:2005)*

EN ISO 3471:2008, *Earth-moving machinery - Roll-over protective structures - Laboratory tests and performance requirements (ISO 3471:2008)* **A1**

EN ISO 6165:2006, *Earth-moving machinery — Basic types —* **A1** *deleted text* **A1** *Identification and terms and definitions (ISO 6165:2006)*

EN ISO 6682:2008, **A1**, *Earth-moving machinery — Zones of comfort and reach for controls (ISO 6682:1986 including Amendment 1:1989)*

EN ISO 6683:2008, **A1**, *Earth-moving machinery — Seat belts and seat belt anchorages — Performance requirements and tests (ISO 6683:2005)*

EN ISO 7096:2008 ^{A1}, *Earth-moving machinery — Laboratory evaluation of operator seat vibration (ISO 7096:2000)*

EN ISO 12100-1:2003, *Safety of machinery — Basic concepts, general principles for design — Part 1: Basic terminology, methodology (ISO 12100-1:2003)*

ISO 6014:1986, *Earth-moving machinery — Determination of ground speed*

ISO 7451:2007 ^{A1}, *Earth-moving machinery — Volumetric ratings for hydraulic excavator buckets and backhoe loader buckets*

ISO 7546:1983, *Earth-moving machinery — Loader and front loading excavator buckets — Volumetric ratings*

ISO 8643:1997, *Earth-moving machinery — Hydraulic excavator and backhoe loader boom-lowering control device — Requirements and tests*

ISO 10262:1998, *Earth-moving machinery — Hydraulic excavators — Laboratory tests and performance requirements for operator protective guards*

ISO 10567:2007 ^{A1}, *Earth-moving machinery — Hydraulic excavators — Lift capacity*

3 Terms and definitions

For the purposes of this European Standard, the terms and definitions given in EN 474-1:2006+A1:2009 ^{A1}, EN ISO 12100-1:2003 and the following apply.

NOTE 1 Terminology for hydraulic excavators are specified in ISO 7135:1993 and illustrated in Annex D (Figures D.1 to D.5) of this European Standard.

NOTE 2 Definitions used in EN and ISO standards referred to in this European Standard are also valid for this document.

3.1

hydraulic excavator

self-propelled machine on crawler, wheels or legs, having an upper structure normally capable of 360° swing with mounted equipment, primarily designed for excavating with bucket, without moving the undercarriage during the work cycle

NOTE 1 An excavator work cycle normally comprises excavating, elevating, swinging and discharging material (see EN ISO 6165:2006).

NOTE 2 Hydraulic excavators may also be used for material handling/transportation.

3.1.1

minimal swing radius excavator (MSRX)

excavator for operation in confined space having an upper structure with a short swing radius (equipment and attachment swing within 120 % of the width of the undercarriage)

3.1.2

compact excavator

excavator and minimal swing radius excavator with an operating mass (see ISO 6016:2008 ^{A1}) of less than or equal to 6 000 kg

3.2

walking excavator

excavator with three or more supporting legs which may be articulated, telescopic or both and which can be fitted with wheels