Liikuvad tee-ehitusmasinad. Ohutus. Osa 4: Erinõuded tihendusmasinatele

Mobile road construction machinery - Safety - Part 4: TI. Or co. Specific requirements for compaction machines



FESTI STANDARDI FESSÕNA

NATIONAL FOREWORD

Käesolev Eesti standard EVS-EN 500-4:2011 sisaldab Euroopa standardi EN 500-4:2011 ingliskeelset teksti.

Standard on kinnitatud Eesti Standardikeskuse 28.02.2011 käskkirjaga ja jõustub sellekohase teate avaldamisel EVS Teatajas.

Euroopa standardimisorganisatsioonide poolt rahvuslikele liikmetele Euroopa standardi teksti kättesaadavaks tegemise kuupäev on 16.02.2011.

Standard on kättesaadav Eesti standardiorganisatsioonist.

This Estonian standard EVS-EN 500-4:2011 consists of the English text of the European standard EN 500-4:2011.

This standard is ratified with the order of Estonian Centre for Standardisation dated 28.02.2011 and is endorsed with the notification published in the official bulletin of the Estonian national standardisation organisation.

Date of Availability of the European standard text 16.02.2011.

The standard is available from Estonian standardisation organisation.

ICS 93.080.10

Standardite reprodutseerimis- ja levitamisõigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonilisse süsteemi või edastamine ükskõik millises vormis või millisel teel on keelatud ilma Eesti Standardikeskuse poolt antud kirjaliku loata.

Kui Teil on küsimusi standardite autorikaitse kohta, palun võtke ühendust Eesti Standardikeskusega: Aru 10 Tallinn 10317 Eesti; www.evs.ee; Telefon: 605 5050; E-post: info@evs.ee

Right to reproduce and distribute belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without permission in writing from Estonian Centre for Standardisation.

If you have any questions about standards copyright, please contact Estonian Centre for Standardisation: Aru str 10 Tallinn 10317 Estonia; www.evs.ee; Phone: 605 5050; E-mail: info@evs.ee

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN 500-4

February 2011

ICS 93.080.10

Supersedes EN 500-4:2006+A1:2009

English Version

Mobile road construction machinery - Safety - Part 4: Specific requirements for compaction machines

Machines mobiles pour la construction de routes - Sécurité - Partie 4: Prescriptions spécifiques pour compacteurs

Bewegliche Straßenbaumaschinen - Sicherheit - Teil 4: Besondere Anforderungen an Verdichtungsmaschinen

This European Standard was approved by CEN on 9 January 2011.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Cont		Page
Forow	ord	6
	iction	
mirout		
1	Scope	8
2	Normative references	8
3	Terms and definitions	9
4	List of significant hazards	11
5	Safety requirements and/or protective measures	11
5.1	Lighting, signalling and marking lights and reflex-reflector devices	
5.2	Operation and handling	
5.2.1	Retrieval transportation and towing	
5.2.2	Pedestrian-controlled rollers	11
5.3	Operator's station	
5.4	Operator's seat	
5.5	Controls and indicators	
5.5.1	General	13
5.5.2	Travel control of pedestrian-controlled machines with handle bar	
5.5.3	Controls for towed machines	13
5.5.4	Remote control of pedestrian-controlled rollers	
5.6	Starting	14
5.7	Stopping	
5.7.1	General	
5.7.2	Stopping device	
5.7.3	Braking systems	
5.8	Access system to operator's station and to maintenance points	
5.9	Roll-over protective structure (ROPS)	
5.10	Noise and vibration	
5.10.1	Noise measurement of vibratory plates and vibratory rammers	
5.10.2	Noise measurement of rollers	16
5.10.3	Vibration measurement of hand-guided machines	16
6	Verification of safety requirements and/or protective measures	17
7	Information for the user	17
7.1	Warning signals and devices	
7.2	Instruction handbook	
7.3	Marking	
-		
	A (normative) Remote infrared controls for rollers with attending operator	
A.1	General	_
A.2	Scope	
A.3	Terms and definitions	
A.4	Safety requirements and measures	
A.5	Components and equipment	21
Annex	B (normative) Noise-test-code for vibratory plates and vibratory rammers	23
B.1	Scope	
B.2	Determination of the A-weighted sound power level	
B.2.1	General	
B.2.2	Measurement surface	
B.2.3	Test procedure	
B 2 1	Poporition of the test and calculation of the sound newer level	28

B.3	Determination of the A-weighted emission sound pressure level at the operator's position	
B.3.1	General	.29
B.3.2	Operator's position	.29
B.3.3	Test procedure	
B.3.4	Repetition of the test and calculation of the emission sound pressure level	
B.3.5	Determination of emission sound pressure spectra	
B.3.6	Sound pressure level as a function of time	
B.4	Installation and mounting conditions	
B.4.1	General	
B.4.2	Design of the test surface	
B.4.2	Design of the test site	
_		
B.5	Operating conditions	
B.6	Uncertainty	
B.7	Information to be recorded	
B.8	Information to be reported	
B.9	Declaration and verification of noise emission values	. 35
Annex	C (normative) Measurement of the hand-arm vibration of hand-guided vibratory ground	
AIIIICA	compaction machines	36
C.1	General	
C.1 C.2	Terminology	
C.3	Quantities to be measured	
C.3.1	R.m.s. value of the weighted acceleration	
C.3.2	Frequency analysis	
C.3.3	Time records	
C.3.4	Other quantities to be measured	
C.4	Measuring equipment	.37
C.4.1	Requirements for the acceleration transducers	.37
C.4.2	Fastening of the acceleration transducers	.37
C.4.3	Frequency weighting filter	
C.4.4	R.m.s. detector	.37
C.4.5	Calibration	
C.5	Measurement direction and measurement location	
C.5.1	Measurement direction	
C.5.2	Measurement location	
C.6	Specification of working procedure	
C.6.1	Operator	
	Other quantities to be determined (forces)	
C.6.2		
C.6.3	Operating conditions	
C.6.4	Requirements for the test site	
C.6.5	Measurement procedure	
C.7	Test report	
C.7.1	Reference	
C.7.2	Description of the object to be measured	
C.7.3	List of measuring equipment	.41
C.7.4	Fastening of the acceleration transducers	.41
C.7.5	Operating conditions	.41
C.7.6	Further specifications	
C.7.7	Results	
C.8	Report of results	
C.9	Measurement uncertainty	
_		
Annex	D (normative) Noise test code for vibratory rollers	.43
D.1	Scope	
D.2	Determination of the A-weighted sound power level	
D.2.1	General	
D.2.2	Measurement surface	.43
D.2.3	Positioning of the machine	
D.2.4	Repetition of the test	.49

D.3	Determination of the A-weighted emission sound pressure level at the operators	40		
D 0 4	positions for vibratory rollers			
D.3.1 D.3.2	General Operator's positions			
D.3.2 D.3.3	Enclosed operator's positions			
D.3.4	Quantities to be determined			
D.3. 5	Microphone position(s)			
D.3.6	Test procedure			
D.3.7	Repetition of the test			
D.4	Test conditions			
D.4.1	Installation and mounting conditions			
D.4.2	Operating conditions			
D.5	Uncertainty			
D.6	Information to be recorded			
D.7	Information to be reported			
D.8	Declaration and verification of noise emission values			
Annex	E (normative) Noise test code for non-vibrating rollers	53		
E.1	Scope			
E.2	Determination of the A-weighted sound power level			
E.2.1	General			
E.2.2	Measurement surface	53		
E.2.3	Positioning of the machine			
E.2.4	Repetition of the test	56		
E.3	Determination of the A-weighted emission sound pressure level at operator's positions			
- 0 4	for non-vibrating rollers			
E.3.1	General			
E.3.2	Operators positions Enclosed operator's positions			
E.3.3 E.3.4	Quantities to be determined			
E.3.4 E.3.5	Microphone position(s)	50		
E.3.5 E.3.6	Test procedure			
E.3.6 E.3.7	Repetition of the test			
E.3. <i>1</i> E.4	Test conditions			
E.4.1	Installation and mounting conditions.			
E.4.1 E.4.2	Operating conditions			
E.4.2 E.5	Uncertainty			
E.6	Information to be recorded			
E.7	Information to be recorded			
E. <i>1</i> E.8	Declaration and verification of noise emission values			
		55		
Annex	ZA (informative) Relationship between this European Standard and the Essential			
	Requirements of EU Directive 2006/42/EC			
Biblioa	raphy	61		
9		•		
Figures				
•				
Figure '	I — Vertical swinging of single-drum walk-behind rollers	12		
Figure :	2 — Position of the stopping device at pedestrian-controlled rollers	13		
	- 15.55. 1. S.			
Figure 3 $\stackrel{\cdot}{-}$ Minimum clearance of lower limbs at access to the operator's station on machines with artic				
ste	ering	15		
		()		
Figure 4	4 — Deflection-limiting volume, front view, side view	16		
F!	- Manaina danal	<i>4</i> ¬		
-iaure (5 — Warning decal	17		

Figure B.1 — Arrangement of test positions for hand-guided vibratory plates and hand-guided rammers	
Figure B.2 — Arrangement of test positions for remote controlled vibratory plates	27
Figure B.3 — Grading-size diagram of the material to be compacted (gravel)	31
Figure B.4 — Test site and arrangement with test track	32
Figure C.1 — Directions of measurement and examples for attachment of the acceleration transducer.	39
Figure C.2 — Arrangement of the coupling device on the drawbar	40
Figure D.1 — Basic length <i>L</i>	44
Figure D.2 — Arrangement of test positions for ride-on vibratory rollers	45
Figure D.3 — Arrangement of test positions for hand-guided vibratory rollers	46
Figure D.4 — Arrangement of test positions for remote controlled vibratory rollers	47
Figure D.5 — Arrangement of test positions for towed vibratory rollers	48
Figure E.1 — Basic length <i>L</i>	54
Figure E.2 — Microphone positions	55
Tables	
Table B.1 — Coordinates of microphones	28
Table B.2 — Operating conditions	33
Table B.3 — Uncertainties applicable to gravel course	33
Table D.2 — Uncertainties applicable to cushion mounted machines	
Table E.1 — Coordinates of microphone positions	
Table E.2 — Uncertainties	57

Foreword

This document (EN 500-4:2011) has been prepared by Technical Committee CEN/TC 151 Building material construction machinery and equipment — Safety", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by August 2011, and conflicting national standards shall be withdrawn at the latest by August 2011.

This document supersedes EN 500-4:2006+A1:2009.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive.

For relationship with EU Directive, see informative Annex ZA which is an integral part of this document.

The following changes have been introduced during the revision of EN 500-4:2006+A1:2009:

- exclusion of machines for seated ride-on operated rollers with a drum width less than nominal 0,8 m;
- addition of warnings and instructions regarding use of machines with a drum width less than nominal 1 m;
- vibrating rollers, irrespective whether they are intended for ride-on operation, pedestrian- or remotecontrolled are measured on a cushion/elastic underlay;
- non-vibrating rollers, irrespective whether they are intended for ride-on operation, pedestrian- or remotecontrolled are measured on a rigid reflecting plane without load and engine operating at nominal poweroutput;
- vibratory rammers are measured on the gravel-track;
- vibratory plates are measured on the gravel-track;
- for pragmatic reasons the deletion of explosion rammers and non-vibrating towed rollers/equipment is suggested ancillary, because today explosion-rammers cannot be found in the market any longer and non-vibrating towed rollers/equipment represent a passive attachment without any power-source and a function based on static-load only.

EN 500 "Mobile road construction machinery — Safety" comprise the following parts:

- Part 1: Common requirements;
- Part 2: Specific requirements for road-milling machines;
- Part 3: Specific requirements for soil-stabilising machines and recycling machines;
- Part 4: Specific requirements for compaction machines;
- Part 6: Specific requirements for paver-finishers.

the bould Dennant Luxembou Switzerland a. According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain,

Introduction

This European Standard is a type C standard as stated in EN ISO 12100.

The machinery concerned and the extent to which hazards, hazardous situations and events are covered are indicated in the scope of this European Standard.

When provisions of this type C standard are different from those which are stated in type A or B standards, the provisions of this type C standard take precedence over the provisions of the other standards, for machines that have been designed and built according to the provisions of this type C standard.

1 Scope

This part of EN 500 specifies the safety requirements for compaction machines as defined in Clause 3 and deals with all significant hazards, hazardous situations and events relevant to compaction machines, when they are used as intended and under conditions of misuse which are reasonably foreseeable.

This document specifies additional requirements to and/or exceptions from EN 500-1 "Common requirements".

This part of EN 500 is not applicable for seated ride-on operated rollers with a drum width less than nominal 0,8 m.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 500-1:2006+A1:2009, Mobile road construction machinery — Safety — Part 1: Common requirements

EN 954-1:1996, Safety of machinery — Safety-related parts of control systems — Part 1: General principles for design

EN 60204-1:2006, Safety of machinery — Electrical equipment of machines — Part 1: General requirements (IEC 60204-1:2005, modified)

EN 60664 (all parts), Insulation coordination for equipment within low-voltage systems

EN ISO 3164:2008, Earth-moving machinery — Laboratory evaluations of protective structures — Specifications for deflection-limiting volume (ISO 3164:1995)

EN ISO 3450:2008, Earth-moving machinery — Braking systems of rubber-tyred machines — Systems and performance requirements and test procedures (ISO 3450:1996)

EN ISO 3471:2008, Earth-moving machinery — Roll-over protective structures — Laboratory tests and performance requirements (ISO 3471:2008)

EN ISO 3744:2010 Acoustics — Determination of sound power levels and sound energy levels of noise sources using sound pressure — Engineering methods for an essentially free field over a reflecting plane (ISO 3744:2010)

EN ISO 6683:2008, Earth-moving machinery — Seat belts and seat belt anchorages — Performance requirements and tests (ISO 6683:2005)

EN ISO 11201:2010, Acoustics — Noise emitted by machinery and equipment — Determination of emission sound pressure levels at a work station and at other specified positions in an essentially free field over a reflecting plane with negligible environmental corrections (ISO 11201:2010)

EN ISO 12100:2010, Safety of machinery — General principles for design — Risk assessment and risk reduction (ISO 12100:2010))

EN ISO 20643:2008, Mechanical vibration — Hand-held and hand-guided machinery — Principles for evaluation of vibration emission (ISO 20643:2005)

ISO 17063:2003, Earth-moving machinery — Braking systems of pedestrian-controlled machines — Performance requirements and test procedures

3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN ISO 12100:2010 and the following apply.

3.1

compaction machine

machine which compacts materials, e.g. rock fills, soil or asphalt surfacing, through a rolling, tamping, percussive or vibrating action of the working tool or a combination of the latter. It may be self-propelled, towed or carried as attachment to a carrying machine. A compaction machine may be controlled by direct control of an operator in physical contact with the machine (seated or standing on the machine, or walking behind operating the controls directly mounted on the machine), or indirect control without physical contact of an operator with the machine (remote controlled by wire or wireless in accordance with Annex A)

NOTE ISO 8811:2000; Clause 4 provides a methodology for a further sub-classification of vibratory and non-vibrating rollers.

Compaction machines are subdivided as follows:

3.1.1

vibratory roller

self-propelled or towed compaction machine with one or more metallic cylindrical bodies (drums), rubber tyres or a combination of the latter

NOTE The compaction of materials is performed through a rolling and directional oscillating action of the working tool.

3.1.1.1

vibratory roller for ride-on operations

self-propelled and direct controlled machine as defined in 3.1.1, where a seated or standing operator rides on the machine present at a machine integrated operator's station

3.1.1.1.1

vibratory single-drum roller

self-propelled and direct controlled compaction machine as defined in 3.1.1.1 with one vibrating metallic cylindrical body (drum) and two rubber tyres

3.1.1.1.2

vibratory tandem roller

self-propelled and direct controlled compaction machine as defined in 3.1.1.1 with one metallic cylindrical body (drum) in the front and one in the rear

NOTE The drums can be split.