INTERNATIONAL **STANDARD**

ISO/IEC 9594-5

> Eighth edition 2017-05

Information technology — Open **Systems Interconnection** — The Directory —

Part 5:

Protocol specifications

Technologies de l'information — Interconnexion de systèmes ouverts if re—
fications a (OSI) — L'annuaire —

Partie 5: Spécifications du protocole





© ISO/IEC 2017, Published in Switzerland

voduced or utilized of the internet or an internet All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Ch. de Blandonnet 8 • CP 401 CH-1214 Vernier, Geneva, Switzerland Tel. +41 22 749 01 11 Fax +41 22 749 09 47 copyright@iso.org www.iso.org

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

This eighth edition cancels and replaces the seventh edition (ISO/IEC 9594-5:2014), which has been technically revised.

This document was prepared by ISO/IEC JTC 1, *Information technology*, SC 6, *Telecommunications and information exchange between systems*, in collaboration with ITU-T. The identical text is published as ITU-T X.519 (10/2016).

A list of all parts in the ISO/IEC 9594 series, published under the general title *Information technology* — *Open Systems Interconnection* — *The Directory*, can be found on the ISO website.

This document is a previous general ded by tills

CONTENTS

1	Scope	·		
2	Refer	ences		
	2.1	Normative references		
	2.2	Non-normative references		
3	Defin	itions		
2	3.1	Basic Directory definitions		
	3.2	Distributed Operation Definitions		
	3.3	Protocol specification definitions		
Ļ		eviations		
		entions		
5		non protocol specification		
	6.1	Directory associations and operations		
	6.2	Specification for Directory operations		
	6.3	Directory protocol overview		
	6.4	Operation codes		
	6.5	Error codes		
	6.6	Abstract syntaxes		
		tory protocols using the OSI stack		
	7.1	OSI-PDUs		
	7.2	Directory PDU structure		
	7.3	Session PDUs		
	7.4	OSI addressing		
	7.5	Procedure and sequencing		
	7.6	Directory PDU specifications		
	Direc	tory protocol mapping onto OSI services		
	8.1	Abstract syntaxes and transfer syntaxes		
	8.2	Application-context		
	8.3	Session Layer specification		
	8.4	Use of transport service		
	8.5	OSI Transport Layer on top of TCP		
	IDM protocol			
	9.1	IDM-PDUs		
	9.2	Sequencing requirements		
	9.3	Protocols		
	9.4	Reject reasons		
	9.5	Abort reasons		
	9.6	Mapping onto TCP/IP		
	9.7	Addressing		
	9.8	Use of TLS		
10	Directory protocol mapping onto the IDM protocol			
	10.1	DAP-IP protocol		
	10.2	DSP-IP protocol		
	10.3	DISP-IP protocol		
	10.4	DOP-IP protocol		
1		col stack coexistence		
1	11.1	Coexistence between OSI and IDM stacks		
	11.1			
		Coexistence in the presence of LDAP		
	11.3	Defining network addresses for Internet Protocol, version 4 support		
_	11.4	Definition of NSAP-like address for long addressing information		
12		ons and the rules for extensibility		
	12.1	Use of extension markers		

		Pag
	12.2 DUA to DSA	5 5
	12.3 DSA to DSA	5
	12.5 Rules of extensibility for object classes	6
	12.6 Rules of extensibility for user attribute types	6
3	Conformance	6
	13.1 Conformance by DUAs	6
	13.2 Conformance by DSAs	6
	13.3 Conformance by a shadow supplier	6
	13.4 Conformance by a shadow consumer	6
	A – Common protocol specifications in ASN.1	6
	B – OSI Protocol in ASN.1	6
	C – Directory OSI Protocols in ASN.1	7
nnex	D – IDM Protocol in ASN.1	7
nnex	E – Directory IDM Protocols in ASN.1	8
nnex	F – Directory operational binding types	8
nnex	G – Amendments and corrigenda	8
	(n)	
	4	
		•
	Rec. ITU-T X.519 (10/2016)	

Introduction

This Recommendation | International Standard, together with other Recommendations | International Standards, has been produced to facilitate the interconnection of information processing systems to provide directory services. A set of such systems, together with the directory information that they hold, can be viewed as an integrated whole, called the *Directory*. The information held by the Directory, collectively known as the Directory Information Base (DIB), is typically used to facilitate communication between, with or about objects such as application entities, people, terminals and distribution lists.

The Directory plays a significant role in Open Systems Interconnection, whose aim is to allow, with a minimum of technical agreement outside of the interconnection standards themselves, the interconnection of information processing systems:

- from different manufacturers;
- under different managements;
- of different levels of complexity; and
- of different ages.

This Recommendation | International Standard specifies the application service elements and application contexts for two protocols – the Directory Access Protocol (DAP) and the Directory System Protocol (DSP). The DAP provides for access to the Directory to retrieve or modify Directory information. The DSP provides for the chaining of requests to retrieve or modify Directory information to other parts of the distributed Directory System where the information may be held.

In addition, this Recommendation | International Standard specifies the application service elements and application contexts for the Directory Information Shadowing Protocol (DISP) and the Directory Operational Binding Management Protocol (DOP). The DISP provides for the shadowing of information held in one DSA to another DSA. The DOP provides for the establishment, modification and termination of bindings between pairs of DSAs for the administration of relationships between the DSAs (such as for shadowing or hierarchical relationships).

This Recommendation | International Standard provides the foundation frameworks upon which industry profiles can be defined by other standards groups and industry forums. Many of the features defined as optional in these frameworks may be mandated for use in certain environments through profiles. This eighth edition technically revises and enhances the seventh edition of this Recommendation | International Standard.

This eighth edition specifies versions 1 and 2 of the Directory protocols.

The first and second editions specified only version 1. Most of the services and protocols specified in this edition are designed to function under version 1. However some enhanced services and protocols, e.g., signed errors, will not function unless all Directory entities involved in the operation have negotiated version 2. Whichever version has been negotiated, differences between the services and between the protocols defined in the eight editions, except for those specifically assigned to version 2, are accommodated using the rules of extensibility defined in this edition of Rec. ITU-T X.519 | ISO/IEC 9594-5.

Annex A, which is an integral part of this Recommendation | International Standard, provides the ASN.1 module for the common specifications for the Directory protocols.

Annex B, which is an integral part of this Recommendation | International Standard, provides the ASN.1 module for the OSI protocol specification.

Annex C, which is an integral part of this Recommendation | International Standard, provides the ASN.1 module for the Directory OSI protocols.

Annex D, which is an integral part of this Recommendation | International Standard, provides the ASN.1 module for the IDM protocol specification.

Annex E, which is an integral part of this Recommendation | International Standard, provides the ASN.1 module for the Directory IDM protocols.

Annex F, which is an integral part of this Recommendation | International Standard, provides the ASN.1 module which contains all the ASN.1 object identifiers assigned to identify operational binding types in this series of Recommendations | International Standards.

Annex G, which is not an integral part of this Recommendation | International Standard, lists the amendments and defect reports that have been incorporated to form this edition of this Recommendation | International Standard.

This document is a previous general ded by tills

INTERNATIONAL STANDARD RECOMMENDATION ITU-T

Information technology – Open Systems Interconnection – The Directory: Protocol specifications

1 Scope

This Recommendation | International Standard specifies the Directory Access Protocol, the Directory System Protocol, the Directory Information Shadowing Protocol, and the Directory Operational Binding Management Protocol which fulfil the abstract services specified in Rec. ITU-T X.511 | ISO/IEC 9594-3, Rec. ITU-T X.518 | ISO/IEC 9594-4, Rec. ITU-T X.525 | ISO/IEC 9594-9, and Rec. ITU-T X.501 | ISO/IEC 9594-2.

2 References

2.1 Normative references

The following Recommendations and International Standards contain provisions which, through reference in this text, constitute provisions of this Recommendation | International Standard. At the time of publication, the editions indicated were valid. All Recommendations and Standards are subject to revision, and parties to agreements based on this Recommendation | International Standard are encouraged to investigate the possibility of applying the most recent edition of the Recommendations and Standards listed below. Members of IEC and ISO maintain registers of currently valid International Standards. The Telecommunication Standardization Bureau of the ITU maintains a list of currently valid ITU-T Recommendations.

2.1.1 Identical Recommendations | International Standards

- Recommendation ITU-T X.200 (1994) | ISO/IEC 7498-1:1994, Information technology Open Systems Interconnection – Basic Reference Model: The basic model.
- Recommendation ITU-T X.213 (2001) | ISO/IEC 8348:2002, Information technology Open Systems Interconnection Network service definition.
- Recommendation ITU-T X.214 (1995) | ISO/IEC 8072:1996, Information technology Open Systems Interconnection – Transport service definition.
- Recommendation ITU-T X.500 (2016) | ISO/IEC 9594-1:2017, Information technology Open Systems Interconnection The Directory: Overview of concepts, models and services.
- Recommendation ITU-T X.501 (2016) | ISO/IEC 9594-2:2017, Information technology Open Systems Interconnection – The Directory: Models.
- Recommendation ITU-T X.509 (2016) | ISO/IEC 9594-8:2017, Information technology Open Systems Interconnection – The Directory: Public-key and attribute certificate frameworks.
- Recommendation ITU-T X.511 (2016) | ISO/IEC 9594-3:2017, Information technology Open Systems Interconnection – The Directory: Abstract service definition.
- Recommendation ITU-T X.518 (2016) | ISO/IEC 9594-4:2017, Information technology Open Systems Interconnection – The Directory: Procedures for distributed operation.
- Recommendation ITU-T X.520 (2016) | ISO/IEC 9594-6:2017, Information technology Open Systems Interconnection The Directory: Selected attribute types.
- Recommendation ITU-T X.521 (2016) | ISO/IEC 9594-7:2017, Information technology Open Systems Interconnection – The Directory: Selected object classes.
- Recommendation ITU-T X.525 (2016) | ISO/IEC 9594-9:2017, Information technology Open Systems Interconnection – The Directory: Replication.
- Recommendation ITU-T X.690 (2015) | ISO/IEC 8825-1:2015, Information technology ASN.1 encoding rules: Specification of Basic Encoding Rules (BER), Canonical Encoding Rules (CER) and Distinguished Encoding Rules (DER).

2.1.2 ISO/IEC Standards

ISO/IEC 10646:2014, Information technology – Universal Multiple-Octet Coded Character Set (UCS).

2.1.3 Other references

- Recommendation ITU-T E.164 (2010), *International operation Numbering plan of the international telephone service*.
- Recommendation ITU-T X.121 (2000), International numbering plan for public data networks.
- Recommendation ITU-T X.680 (2015) | ISO/IEC 8824-1:2015, Information technology Abstract Syntax Notation One (ASN.1): Specification of basic notation.
- Recommendation ITU-T X.681 (2015) | ISO/IEC 8824-2:2015, Information technology Abstract Syntax Notation One (ASN.1): Information object specification.
- Recommendation ITU-T X.682 (2015) | ISO/IEC 8824-3:2015, Information technology Abstract Syntax Notation One (ASN.1): Constraint specification.
- Recommendation ITU-T X.683 (2015) | ISO/IEC 8824-4:2015, Information technology Abstract Syntax Notation One (ASN.1): Parameterization of ASN.1 specifications.
- IETF RFC 793 (1981), Transmission Control Protocol DARPA Internet Program Protocol Specification.
- IETF RFC 1738 (1994), Uniform Resource Locators (URL).
- IETF RFC 2246 (1999), The TLS Protocol Version 1.0.
- IETF RFC 3546 (2003), Transport Layer Security (TLS) Extensions.
- IETF RFC 3986 (2005), Uniform Resource Identifier (URI): Generic Syntax.

2.2 Non-normative references

- Recommendation ITU-T X.217 (1995) | ISO/IEC 8649:1996, Information technology Open Systems Interconnection – Service definition for the Association Control Service Element.
- Recommendation ITU-T X.224 (1995) | ISO/IEC 8073:1997, Information technology Open Systems Interconnection – Protocol for providing the connection-mode transport service.
- Recommendation ITU-T X.225 (1995) | ISO/IEC 8327-1:1996, Information technology Open Systems Interconnection – Connection-oriented Session protocol: Protocol specification.
- Recommendation ITU-T X.226 (1994) | ISO/IEC 8823-1:1994, Information technology Open Systems Interconnection – Connection-oriented Presentation protocol: Protocol specification.
- Recommendation ITU-T X.227 (1995) | ISO/IEC 8650-1:1996, Information technology Open Systems Interconnection – Connection-oriented protocol for the Association Control Service Element: Protocol specification.
- Recommendation ITU-T X.650 (1996) | ISO/IEC 7498-3:1997, Information technology Open Systems Interconnection Basic Reference Model: Naming and addressing.
- Recommendation ITU-T X.881 (1994) | ISO/IEC 13712-2:1995, Information technology Remote Operations: OSI realizations - Remote Operations Service Element (ROSE) service definition.
- IETF RFC 896 (1984), Congestion Control in IP/TCP Internetworks.
- IETF RFC 1006 (1987), ISO Transport Service on top of the TCP Version: 3.
- IETF RFC 1277 (1991), Encoding Network Addresses to Support Operation over Non-OSI Lower Layers.
- IETF RFC 2126 (1997), ISO Transport Service on top of TCP (ITOT).
- IETF RFC 4511 (2006), Lightweight Directory Access Protocol (LDAP): The Protocol.

3 Definitions

For the purposes of this Recommendation \mid International Standard, the following definitions apply:

3.1 Basic Directory definitions

The following terms are defined in Rec. ITU-T X.501 | ISO/IEC 9594-2:

- a) the Directory;
- b) (Directory) user;
- c) Directory System Agent (DSA);