INTERNATIONAL STANDARD

ISO 10115

Second edition 2013-02-01

Essential oil of tarragon (*Artemisia dracunculus* L.)

Huile essentielle d'estragon (Artemisia dracunculus L.)





nroduced or utilized 'se internet or an or ISO's mem' All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org

Published in Switzerland

Foreword 1 Scope 2 Normative references 3 Terms and definitions 4 Specifications 4.1 Appearance 4.2 Colour 4.3 Odour 4.4 Relative density d \frac{20}{20} 4.5 Refractive index at 20 °C 4.6 Optical rotation at 20 °C 4.7 Miscibility in ethanol 90 % (volume fraction) at 20 °C 4.8 Acid value 4.9 Chromatographic profile 4.10 Flashpoint 5 Sampling 6 Test methods 6.1 Relative density d \frac{20}{20} 6.2 Refractive index at 20 °C 6.3 Optical rotation at 20 °C 6.4 Miscibility in 90 % (volume fraction) ethanol at 20 °C 6.5 Acid value 6.6 Chromatographic profile 7 Packaging, labelling, marking and storage Annex A (informative) Typical chromatograms of the analysis by gas chromatography of the essential oil of tarragon (Artemisia dracunculus L.) Annex B (informative) Flashpoint Bibliography	Page
2 Normative references 3 Terms and definitions 4 Specifications 4.1 Appearance 4.2 Colour 4.3 Odour. 4.4 Relative density d 20/20 4.5 Refractive index at 20 °C 4.6 Optical rotation at 20 °C 4.7 Miscibility in ethanol 90 % (volume fraction) at 20 °C 4.8 Acid value 4.9 Chromatographic profile 4.10 Flashpoint 5 Sampling. 6 Test methods 6.1 Relative density d 20/20 6.2 Refractive index at 20 °C 6.3 Optical rotation at 20 °C 6.4 Miscibility in 90 % (volume fraction) ethanol at 20 °C 6.5 Acid value 6.6 Chromatographic profile 7 Packaging, labelling, marking and storage Annex A (informative) Typical chromatograms of the analysis by gas chromatography of the essential oil of tarragon (Artemisia dracunculus L.) Annex B (informative) Flashpoint	iv
Terms and definitions 4	1
4.1 Appearance 4.2 Colour. 4.3 Odour. 4.4 Relative density d_{20}^{20} . 4.5 Refractive index at 20 °C. 4.6 Optical rotation at 20 °C. 4.7 Miscibility in ethanol 90 % (volume fraction) at 20 °C. 4.8 Acid value. 4.9 Chromatographic profile. 4.10 Flashpoint. 5 Sampling. 6 Test methods. 6.1 Relative density d_{20}^{20} . 6.2 Refractive index at 20 °C. 6.3 Optical rotation at 20 °C. 6.4 Miscibility in 90 % (volume fraction) ethanol at 20 °C. 6.5 Acid value. 6.6 Chromatographic profile. 7 Packaging, labelling, marking and storage. Annex A (informative) Typical chromatograms of the analysis by gas chromatography of the essential oil of tarragon (Artemisia dracunculus L.) Annex B (informative) Flashpoint.	1
4.1 Appearance 4.2 Colour 4.3 Odour 4.4 Relative density d_{20}^{20} 4.5 Refractive index at 20 °C 4.6 Optical rotation at 20 °C 4.7 Miscibility in ethanol 90 % (volume fraction) at 20 °C 4.8 Acid value 4.9 Chromatographic profile 4.10 Flashpoint 5 Sampling 6 Test methods 6.1 Relative density d_{20}^{20} 6.2 Refractive index at 20 °C 6.3 Optical rotation at 20 °C 6.4 Miscibility in 90 % (volume fraction) ethanol at 20 °C 6.5 Acid value 6.6 Chromatographic profile 7 Packaging, labelling, marking and storage Annex A (informative) Typical chromatograms of the analysis by gas chromatography of the essential oil of tarragon (Artemisia dracunculus L.) Annex B (informative) Flashpoint	1
6 Test methods. 6.1 Relative density d_{20}^{20} . 6.2 Refractive index at 20 °C. 6.3 Optical rotation at 20 °C. 6.4 Miscibility in 90 % (volume fraction) ethanol at 20 °C. 6.5 Acid value. 6.6 Chromatographic profile. 7 Packaging, labelling, marking and storage Annex A (informative) Typical chromatograms of the analysis by gas chromatography of the essential oil of tarragon (Artemisia dracunculus L.) Annex B (informative) Flashpoint.	
6.1 Relative density d_{20}^{20} 6.2 Refractive index at 20 °C. 6.3 Optical rotation at 20 °C. 6.4 Miscibility in 90 % (volume fraction) ethanol at 20 °C. 6.5 Acid value. 6.6 Chromatographic profile. 7 Packaging, labelling, marking and storage. Annex A (informative) Typical chromatograms of the analysis by gas chromatography of the essential oil of tarragon (Artemisia dracunculus L.) Annex B (informative) Flashpoint.	
7 Packaging, labelling, marking and storage Annex A (informative) Typical chromatograms of the analysis by gas chromatography of the essential oil of tarragon (Artemisia dracunculus L.) Annex B (informative) Flashpoint	3 3 3 3
Annex A (informative) Typical chromatograms of the analysis by gas chromatography of the essential oil of tarragon (Artemisia dracunculus L.) Annex B (informative) Flashpoint	
essential oil of tarragon (Artemisia dracunculus L.) Annex B (informative) Flashpoint	
	4
Bibliography	
	8

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 10115 was prepared by Technical Committee ISO/TC 54, Essential oils.

che fin This second edition cancels and replaces the first edition (ISO 10115:1997) which has been technically revised.

Essential oil of tarragon (Artemisia dracunculus L.)

1 Scope

This International Standard specifies certain characteristics of the essential oil of tarragon (*Artemisia dracunculus* L.), intended to facilitate the assessment of its quality.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/TR 210, Essential oils — General rules for packaging, conditioning and storage

ISO/TR 211, Essential oils — General rules for labelling and marking of containers

ISO 212, Essential oils — Sampling

ISO 279, Essential oils — Determination of relative density at 20 degrees C — Reference method

ISO 280, Essential oils — Determination of refractive index

ISO 592, Essential oils — Determination of optical rotation

ISO 875, Essential oils — Evaluation of miscibility in ethanol

ISO 11024 (all parts), Essential oils — General guidance on chromatographic profiles

ISO 1242, Essential oils — Determination of acid value

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

essential oil of tarragon

essential oil obtained by steam distillation of the leaves of tarragon (*Artemisia dracunculus* L.), of the Asteraceae family

Note 1 to entry: For information on the CAS number, see ISO/TR 21092[2].

4 Specifications

4.1 Appearance

Mobile, clear liquid.

4.2 Colour

Colourless to pale yellow.

2/1/2