

Plastics - Test specimens (ISO 20753:2018)

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN ISO 20753:2018 sisaldab Euroopa standardi EN ISO 20753:2018 ingliskeelset teksti.	This Estonian standard EVS-EN ISO 20753:2018 consists of the English text of the European standard EN ISO 20753:2018.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 28.11.2018.	Date of Availability of the European standard is 28.11.2018.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 83.080.01

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:
Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

English Version

Plastics - Test specimens (ISO 20753:2018)

Plastiques - Éprouvettes (ISO 20753:2018)

Kunststoffe - Probekörper (ISO 20753:2018)

This European Standard was approved by CEN on 9 June 2018.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

European foreword

This document (EN ISO 20753:2018) has been prepared by Technical Committee ISO/TC 61 "Plastics" in collaboration with Technical Committee CEN/TC 249 "Plastics" the secretariat of which is held by NBN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by May 2019, and conflicting national standards shall be withdrawn at the latest by May 2019.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 20753:2014.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 20753:2018 has been approved by CEN as EN ISO 20753:2018 without any modification.

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	2
3 Terms and definitions	2
4 Symbols	2
5 Preparation of test specimens	3
5.1 General.....	3
5.2 Injection moulding of test specimens.....	3
5.3 Compression moulding of test specimens.....	3
5.4 Preparation of test specimens by machining.....	3
6 Types of test specimen and their dimensions	4
6.1 Types of test specimen.....	4
6.2 Tensile test specimens with parallel-sided central section.....	5
6.2.1 Tensile test specimens type A1 and type A2.....	5
6.2.2 Reduced-scale test specimens.....	6
6.3 Bar test specimens (type B).....	7
6.4 Small tensile specimens (type C).....	7
6.5 Square plate specimens (type D).....	9
6.6 Rectangular plate specimens (type F).....	9
7 Report on preparation of test specimens	10
Annex A (informative) Recommended applications for multipurpose test specimens or parts thereof	11
Annex B (normative) Designation system for test specimens	12
Bibliography	14

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 61, *Plastics*, Subcommittee SC 2, *Mechanical behaviour*.

This second edition cancels and replaces the first edition (ISO 20753:2008) which has been technically revised.

The main changes compared to the previous edition are as follows:

- updating and amending the normative references in [Clause 2](#);
- introducing the plate with dimensions 120 mm × 80 mm × 2 mm.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

Information on plastics test specimens has been specified in several different locations: in test method standards (e.g. ISO 527-2), in ISO 3167 (for multipurpose test specimens) and in ISO 294-1, ISO 294-2, ISO 294-3 and ISO 294-5 (for moulding conditions). The aim of this document is to give the designations and dimensions of test specimens used for the acquisition of comparable data, and also of other frequently used specimens, in one document for ease of reference. Other International Standards that have hitherto used different designations for the same specimen type will also be revised to bring the designations into line with those in this document.

ISO 3167 is intended to be withdrawn after reference to ISO 3167 in International Standards is gradually replaced with the appropriate test specimen defined in this document.

Plastics — Test specimens

1 Scope

This document specifies dimensional requirements relating to test specimens prepared from plastics materials intended for processing by moulding, as well as to test specimens prepared by machining from sheets or shaped articles. It compiles the designations and dimensions of test specimens used for the acquisition of comparable data and also of other frequently used specimens.

The following types of test specimen are specified:

- a) Type A1 and type A2 specimens (1 = injection moulded, 2 = machined from a sheet or shaped article)

These are tensile test specimens from which, with simple machining, specimens for a variety of other tests can be taken (see [Annex A](#)).

The type A1 specimen is a multipurpose test specimen. The principal advantage of a multipurpose test specimen is that it allows all the test methods mentioned in [Annex A](#) to be carried out by all test laboratories on the basis of comparable mouldings. Consequently, the properties measured are coherent as all are measured using similar specimens prepared in the same way. In other words, it can be expected that test results for a given set of specimens will not vary appreciably due to unintentionally different moulding conditions. On the other hand, if desired, the influence of moulding conditions and/or different states of the specimens can be assessed without difficulty for all of the properties measured.

Also described are reduced-scale test specimens designated type A_{xy}, where *x* is the number indicating the method of specimen preparation (1 = injection moulded, 2 = machined from a sheet or shaped article) and *y* is a number indicating the scale factor (1:*y*). These can be used e.g. when full-sized test specimens are not convenient or when sample material exists in small quantities only.

- b) Type B specimens

These are bar specimens which can be directly moulded or can be machined from the central section of type A1 specimens or from sheets or shaped articles.

- c) Type C specimens

These are small tensile test specimens which can be directly moulded or machined, e.g. from plates (Type D or type F specimens), from the central section of type A1 specimens or from sheets or shaped articles.

- d) Type D1 and type D2 specimens

These are square plates of thickness 1 mm and 2 mm, respectively.

- e) Type F specimens

These are rectangular plates intended for use in the analysis of mechanical anisotropy.

If a particular type of test specimen is not mentioned in this document, this does not mean that there is any intention to exclude the use of the specimen. Additional specimen types can be added in future if they are commonly used.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 293, *Plastics — Compression moulding of test specimens of thermoplastic materials*

ISO 294-1, *Plastics — Injection moulding of test specimens of thermoplastic materials — Part 1: General principles, and moulding of multipurpose and bar test specimens*

ISO 294-2, *Plastics — Injection moulding of test specimens of thermoplastic materials — Part 2: Small tensile bars*

ISO 294-3, *Plastics — Injection moulding of test specimens of thermoplastic materials — Part 3: Small plates*

ISO 294-5, *Plastics — Injection moulding of test specimens of thermoplastic materials — Part 5: Preparation of standard specimens for investigating anisotropy*

ISO 295, *Plastics — Compression moulding of test specimens of thermosetting materials*

ISO 2818, *Plastics — Preparation of test specimens by machining*

ISO 10350-1, *Plastics — Acquisition and presentation of comparable single-point data — Part 1: Moulding materials*

ISO 10350-2, *Plastics — Acquisition and presentation of comparable single-point data — Part 2: Long-fibre-reinforced plastics*

ISO 10724-1, *Plastics — Injection moulding of test specimens of thermosetting powder moulding compounds (PMCs) — Part 1: General principles and moulding of multipurpose test specimens*

ISO 11403-1, *Plastics — Acquisition and presentation of comparable multipoint data — Part 1: Mechanical properties*

ISO 11403-2, *Plastics — Acquisition and presentation of comparable multipoint data — Part 2: Thermal and processing properties*

ISO 11403-3, *Plastics — Acquisition and presentation of comparable multipoint data — Part 3: Environmental influences on properties*

3 Terms and definitions

No terms and definitions are listed in this document.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

4 Symbols

l_1	length of the narrow parallel-sided section (central section) of the type A and type CP tensile test specimens, length of the type B bar specimen and length of the type D (square) and type F (rectangular) plate specimens
l_2	distance between the broad parallel-sided sections (tabs) of the type A and type CP tensile test specimens
l_3	overall length of the type A and type C tensile test specimens