

Railway applications - Railway rolling stock power and control cables having special fire performance -- Part 2-1: Cables with crosslinked elastomeric insulation - Single core cables

Railway applications - Railway rolling stock power and control cables having special fire performance -- Part 2-1: Cables with crosslinked elastomeric insulation - Single core cables

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

Käesolev Eesti standard EVS-EN 50264-2-1:2008 sisaldab Euroopa standardi EN 50264-2-1:2008 ingliskeelset teksti.

Standard on kinnitatud Eesti Standardikeskuse 19.08.2008 käskkirjaga ja jõustub sellekohase teate avaldamisel EVS Teatajas.

Euroopa standardimisorganisatsioonide poolt rahvuslikele liikmetele Euroopa standardi teksti kättesaadavaks tegemise kuupäev on 27.06.2008.

Standard on kättesaadav Eesti standardiorganisatsioonist.

This Estonian standard EVS-EN 50264-2-1:2008 consists of the English text of the European standard EN 50264-2-1:2008.

This standard is ratified with the order of Estonian Centre for Standardisation dated 19.08.2008 and is endorsed with the notification published in the official bulletin of the Estonian national standardisation organisation.

Date of Availability of the European standard text 27.06.2008.

The standard is available from Estonian standardisation organisation.

ICS 13.220.20, 29.060.20, 45.060.01

Võtmesõnad: color codes, designation, designations, electrical testing, electrical tests, equipment specifications, fire tests, marking, product specification, protectors, safety devices, sheaths, testing, tests, thickness

Standardite reprodutseerimis- ja levitamiseõigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonilisse süsteemi või edastamine ükskõik millises vormis või millisel teel on keelatud ilma Eesti Standardikeskuse poolt antud kirjaliku loata.

Kui Teil on küsimusi standardite autorikaitse kohta, palun võtke ühendust Eesti Standardikeskusega:
Aru 10 Tallinn 10317 Eesti; www.evs.ee; Telefon: 605 5050; E-post: info@evs.ee

English version

**Railway applications -
Railway rolling stock power and control cables
having special fire performance -
Part 2-1: Cables with crosslinked elastomeric insulation -
Single core cables**

Applications ferroviaires -
Câbles de puissance et de contrôle
à comportement au feu spécifié
pour matériel roulant ferroviaire -
Partie 2-1: Câbles à enveloppe
isolante réticulée -
Câbles monoconducteurs

Bahnanwendungen -
Starkstrom- und Steuerleitungen
für Schienenfahrzeuge
mit verbessertem Verhalten im Brandfall -
Teil 2-1: Leitungen mit vernetzter
elastomerer Isolierung -
Einadrige Leitungen

This European Standard was approved by CENELEC on 2008-03-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

Foreword

This European Standard was prepared by Working Group 12, Railway cables, of the Technical Committee CENELEC TC 20, Electric cables, as part of the overall programme of work in the Technical Committee CENELEC TC 9X, Electrical and electronic applications for railways.

The text of the draft was submitted to the formal vote and was approved by CENELEC as EN 50264-2-1 on 2008-03-01.

This European Standard supersedes EN 50264-2:2002.

The following dates were fixed:

- | | | |
|--|-------|------------|
| – latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement | (dop) | 2009-03-01 |
| – latest date by which the national standards conflicting with the EN have to be withdrawn | (dow) | 2011-03-01 |
-

Contents

	Page
Introduction	5
1 Scope	6
2 Normative references	6
3 Definitions	7
4 Rated voltage	7
5 Marking and identification	7
5.1 Marking of cable	7
5.2 Core identification	8
5.3 Sheath	8
6 Construction of cables	8
6.1 General	8
6.2 Conductor	8
6.3 Conductor screening	8
6.4 Separator	8
6.5 Insulation system	8
6.6 Sheath	9
6.7 Constructional components	9
7 Tests	15
7.1 Definitions relating to tests	15
7.2 Conductor resistance	15
7.3 Voltage test	15
7.4 Insulation resistance	15
7.5 Dielectric strength	15
7.6 Spark test	16
7.7 DC stability	16
7.8 Surface resistance	16
7.9 Ageing test	16
7.10 Hot set test	17
7.11 Compatibility	17
7.12 Water absorption on sheath	17
7.13 Ozone resistance	17
7.14 Mineral oil resistance	18
7.15 Fuel resistance	18
7.16 Acid and alkali resistance	19
7.17 Bending test at low temperature (cables with OD ≤ 12,5 mm)	19
7.18 Cold elongation test (cables with OD > 12,5 mm)	19
7.19 Impact test at low temperature	20
7.20 Reaction to fire – Cable	20
7.21 Reaction to fire – Components	20
Annex A (normative) Code designation	24
Bibliography	25

Tables

Table 1 – General data – Cable type (0,6/1 kV unsheathed)11

Table 2 – General data – Cable type (1,8/3 kV unsheathed)12

Table 3 – General data – Cable type (1,8/3 kV sheathed)13

Table 4 – General data – Cable type (3,6/6 kV sheathed)14

Table 5 – Schedule of tests for cables21

This document is a preview generated by EVS

Introduction

The EN 50264 series covers a range of cables, based upon halogen free materials, for use in railway rolling stock. It is divided into 5 parts under the generic title *“Railway applications - Railway rolling stock power and control cables having special fire performance”*:

- Part 1 General requirements;
- Part 2-1 Cables with crosslinked elastomeric insulation – Single core cables;
- Part 2-2 Cables with crosslinked elastomeric insulation – Multicore cables;
- Part 3-1 Cables with crosslinked elastomeric insulation with reduced dimensions – Single core cables;
- Part 3-2 Cables with crosslinked elastomeric insulation with reduced dimensions – Multicore cables.

Information regarding selection and installation of cables, including current ratings can be found in EN 50355 and EN 50343. The procedure for selection of cable cross-sectional area, including reduction factors for ambient temperature and installation type, is described in EN 50343.

Special test methods referred to in EN 50264 are given in EN 50305.

The cables in EN 50264-2-1 may also be used in EN 50264-2-2 to build up multicore sheathed cables.

Part 1, *“General requirements”*, contains a more extensive introduction to EN 50264, and should be read in conjunction with this Part 2-1.

1 Scope

EN 50264-2-1 specifies requirements for, and constructions and dimensions of, single core cables of the following types and voltage ratings:

- 0,6/1 kV unscreened, unsheathed (1 mm² to 400 mm²);
- 1,8/3 kV unscreened, unsheathed (1,5 mm² to 400 mm²);
- 1,8/3 kV unscreened, sheathed (1,5 mm² to 400 mm²);
- 3,6/6 kV unscreened, sheathed (2,5 mm² to 400 mm²).

All cables have class 5 tinned copper conductors to EN 60228, halogen-free insulation and halogen-free sheath. They are for use in railway rolling stock as fixed wiring, or wiring where limited flexing in operation is encountered. The requirements provide for a continuous conductor temperature not exceeding 90 °C and a maximum temperature for short circuit conditions of 200 °C based on a duration of 5 s.

Under fire conditions the cables exhibit special performance characteristics in respect of maximum permissible flame propagation (flame spread) and maximum permissible emission of smoke and toxic gases.

EN 50264-2-1 should be read in conjunction with Part 1 “*General requirements*”.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 10002-1	Metallic materials – Tensile testing – Methods of test at ambient temperature
EN 50264-1:2008	Railway applications – Railway rolling stock power and control cables having special fire performance – Part 1: General requirements
EN 50266-2-4	Common test methods for cables under fire conditions – Test for vertical flame spread of vertically-mounted bunched wires or cables – Part 2-4: Procedures – Category C
EN 50266-2-5	Common test methods for cables under fire conditions – Test for vertical flame spread of vertically-mounted bunched wires or cables – Part 2-5: Procedures – Small cables – Category D
EN 50305:2002	Railway applications – Railway rolling stock cables having special fire performance – Test methods
EN 60228	Conductors of insulated cables (IEC 60228)
EN 60332-1-2	Tests on electric and optical fibre cables under fire conditions – Part 1-2: Test for vertical flame propagation for a single insulated wire or cable – Procedure for 1 kW pre-mixed flame (IEC 60332-1-2)
EN 60811-1-1:1995	Insulating and sheathing materials of electric and optical cables – Common test methods – Part 1-1: General application – Measurement of thickness and overall dimensions – Tests for determining the mechanical properties (IEC 60811-1-1:1993)

EN 60811-1-2:1995	Insulating and sheathing materials of electric cables – Common test methods – Part 1-2: General application – Thermal ageing methods (IEC 60811-1-2:1985 + A1:1989 + corr. May 1986)
EN 60811-1-3:1995	Insulating and sheathing materials of electric and optical cables – Common test methods – Part 1-3: General application – Methods for determining the density – Water absorption tests – Shrinkage test (IEC 60811-1-3:1993)
EN 60811-1-4:1995	Insulating and sheathing materials of electric and optical cables – Common test methods – Part 1-4: General application – Tests at low temperature (IEC 60811-1-4:1985 + A1:1993 + corr. May 1986)
EN 60811-2-1:1998	Insulating and sheathing materials of electric and optical cables – Common test methods – Part 2-1: Methods specific to elastomeric compounds – Ozone resistance, hot set and mineral oil immersion tests (IEC 60811-2-1:1998)
EN 61034-2	Measurement of smoke density of cables burning under defined conditions – Part 2: Procedure and requirements (IEC 61034-2)
HD 308	Identification of cores in cables and flexible cords

3 Definitions

For the purposes of this document, the terms and definitions given in EN 50264-1 apply.

4 Rated voltage

The rated voltage for single-core insulated cables shall be as follows:

- a) unsheathed: 0,6/1 kV; 1,8/3 kV;
- b) sheathed: 1,8/3 kV; 3,6/6 kV.

5 Marking and identification

5.1 Marking of cable

Cables shall be marked with the following:

- manufacturer's name;
- EN reference;
- voltage rating (U_0);
- conductor size;
- a code designation according to Annex A.

An example of a complete mark is:

XYZ EN 50264-2-1 1800 V 400 FF

The marking shall conform to the requirements of EN 50264-1, Clause 5.