

Edition 2.0 2017-05

INTERNATIONAL STANDARD

Fixed capacitors for use in electronic equipment –
Part 15: Sectional specification: Fixed tantalum capacitors with non-solid or solid electrolyte





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2017 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office Tel.: +41 22 919 02 11 3, rue de Varembé Fax: +41 22 919 03 00

CH-1211 Geneva 20 info@iec.ch Switzerland www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.



Edition 2.0 2017-05

INTERNATIONAL STANDARD

Fixed capacitors for use in electronic equipment –
Part 15: Sectional specification: Fixed tantalum capacitors with non-solid or solid electrolyte

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ISBN 978-2-8322-4319-0

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

F	OREWO	RD	5
1	Gene	eral	7
	1.1	Scope	7
	1.2	Object	
	1.3	Normative references	
	1.4	Information to be given in a detail specification	
	1.4.1		
	1.4.2		
	1.4.3		
	1.4.4		
	1.4.5	V /	
	1.5	Terms and definitions	
	1.6	Marking	9
	1.6.1		
	1.6.2		
	1.6.3	Marking on capacitors	10
	1.6.4	Marking on packaging	10
2	Prefe	erred ratings and characteristics	10
	2.1	Preferred characteristics	10
	2.2	Preferred values of ratings	
	2.2.1		
	2.2.2	Tolerance on nominal capacitance	11
	2.2.3	Rated voltage (U_{R})	11
	2.2.4		11
	2.2.5		
	2.2.6	0 0 1 1/3 (3)	
	2.2.7		
	2.2.8		
3	Quali	ity assessment procedures	
	3.1	Primary stage of manufacture	12
	3.2	Structurally similar components	12
	3.3	Certified test records of released lots	12
	3.4	Qualification approval procedures	12
	3.4.1		
	3.4.2	Qualification approval on the basis of the fixed sample size procedure	12
	3.4.3	Tests	13
	3.5	Quality conformance inspection	20
	3.5.1	Formation of inspection lots	20
	3.5.2	Test schedule	21
	3.5.3	Delayed delivery	21
	3.5.4	Assessment levels	21
4	Test	and measurement procedures	22
	4.1	Visual inspection and check of dimensions	22
	4.2	Electrical tests	22
	4.2.1	Leakage current	22
	4.2.2	•	
	4.2.3	Tangent of loss angle (tan δ)	23

4.2.4	Impedance (if required)	23
4.2.5	Insulation resistance of the external insulation (if required)	24
4.2.6	Voltage proof of the external insulation (if required)	24
4.3 Ro	bustness of terminations	25
4.3.1	General	25
4.3.2	Initial inspection	25
4.3.3	Test Ua1, Ub and Uc applicable	25
4.3.4	Special bending test	25
4.4 Re	sistance to soldering heat	26
4.4.1	General	
4.4.2	Conditions	26
4.4.3	Final inspections and requirements	26
4.5 So	lderability	
4.5.1	General	
4.5.2	Test conditions	26
4.5.3	Final inspections and requirements	26
4.6 Ra	pid change of temperature	
4.6.1	General	
4.6.2	Initial inspection	
4.6.3	Test conditions	
4.6.4	Recovery	
4.6.5	Final inspections and requirements	
	pration	
4.7.1	General	
4.7.2	Test condition	
4.7.3	Final inspections and requirements	
	mp	
4.8.1	General	
4.8.2	Mounting	
4.8.3	Test conditions	
4.8.4	Final inspections and requirements	
	ock	
4.9.1	General	28
4.9.2	Mounting	
4.9.3	Test conditions	
4.9.4	Final inspections and requirements	
	matic sequence	
4.10.1	General	
4.10.2	Initial inspection	
4.10.3	Dry heat	
4.10.4	Damp heat, cyclic, Test Db, first cycle	
4.10.5	Cold	
4.10.6	Low air pressure (if required)	
4.10.7	Damp heat, cyclic, Test Db, remaining cycles	
4.10.7	Recovery	
4.10.9	Sealing (if required)	
4.10.10	Final inspections and requirements	
	mp heat, steady state	
4.11 Da	·	30 30

4.11.2	Initial inspection	30
4.11.3	Final inspections and requirements	30
4.12 E	ndurance	30
4.12.1	General	30
4.12.2	Initial inspection	30
4.12.3	Test conditions	30
4.12.4	Recovery	31
4.12.5	Final inspections and requirements	31
4.13 S	urge voltage	31
4.13.1	General	31
4.13.2	Initial inspection	31
4.13.3	Test conditions	31
4.13.4	Final inspections and requirements	31
4.14 R	everse voltage (if required)	
4.14.1	General	32
4.14.2	Initial inspection	
4.14.3	Test conditions	32
4.14.4	Final inspections and requirements	32
4.15 C	haracteristics at high and low temperature	32
4.15.1	General	32
4.15.2	Final inspections and requirements	32
4.16 C	harge and discharge (if required)	32
4.16.1	General	32
4.16.2	Initial inspection	
4.16.3	Test conditions	33
4.16.4	Recovery	
4.16.5	Final inspections and requirements	33
	omponent solvent resistance	
	olvent resistance of the marking	
4.19 H	igh surge current (if required)	
4.19.1	General	
4.19.2	Initial inspection	33
4.19.3	Final inspections and requirements	33
Bibliograph	y	34
Figure 1 – A	Apparatus of special bending test	25
J		
Table 1 P	ated, category and surge voltages	11
Table 1 - K	areu, caregory and surge voltages	1
	ampling plan for qualification approval tests	
	est schedule for qualification approval	
Table 4 – L	ot-by-Lot inspection	21
Table 5 – P	eriodic Inspection	22
Table 6 – V	ibration test frequencies	27
	hock peak acceleration/pulse duration	
	est temperature	
1 4515 0	out tomporatoro	טו

INTERNATIONAL ELECTROTECHNICAL COMMISSION

FIXED CAPACITORS FOR USE IN ELECTRONIC EQUIPMENT -

Part 15: Sectional specification: Fixed tantalum capacitors with non-solid or solid electrolyte

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60384-15 has been prepared by IEC technical committee 40: Capacitors and resistors for electronic equipment.

This second edition cancels and replaces the first edition published in 1982, Amendment 1:1987 and Amendment 2:1992, and constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) Revision of the structure in accordance with ISO/IEC Directives, Part 2:2016 (seventh edition) to the extent practicable, and harmonization between other similar kinds of documents.
- b) In addition, Clause 4 and all the tables have been reviewed in order to prevent duplications and contradictions.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
40/2523/FDIS	40/2535/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

The list of all parts of the IEC 60384 series, under the general title *Fixed capacitors for use in electronic equipment*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- · replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

FIXED CAPACITORS FOR USE IN ELECTRONIC EQUIPMENT -

Part 15: Sectional specification: Fixed tantalum capacitors with non-solid or solid electrolyte

1 General

1.1 Scope

This part of IEC 60384 applies to through-hole/leaded polar and bipolar tantalum electrolyte capacitors with solid and non-solid electrolyte for use in electronic equipment.

It includes capacitors for long-life applications and capacitors for general-purpose applications.

Capacitors for special purpose application may need additional requirements.

This document covers two basic sub-families:

- Sub-family 1: Fixed non-solid electrolyte tantalum capacitors with porous anode.
- Sub-family 2: Fixed solid electrolyte tantalum capacitors with porous anode.

1.2 Object

The object of this document is to prescribe preferred ratings and characteristics and to select from IEC 60384-1:2016 the appropriate quality assessment procedures, tests and measuring methods and to give general performance requirements for this type of capacitor. Test severities and requirements prescribed in detail specifications referring to this sectional specification shall be of equal or higher performance level, because lower performance levels are not permitted.

1.3 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60063, Preferred number series for resistors and capacitors

IEC 60068-1:2013, Environmental testing – Part 1: General and guidance

IEC 60068-2-6, Environmental testing – Part 2-6: Tests – Test Fc: Vibration (sinusoidal)

IEC 60068-2-14, Environmental testing – Part 2-14: Tests – Test N: Change of temperature

IEC 60384-1:2016, Fixed capacitors for use in electronic equipment – Part 1: Generic specification

IEC 60417, Graphical symbols for use on equipment

IEC 61193-2:2007, Quality assessment system – Part 2: Selection and use of sampling plans for inspection of electronic components and packages