
International Standard



4849

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION

Personal eye-protectors — Specifications

Protecteurs individuels de l'œil — Spécifications

First edition — 1981-12-15

UDC 614.893

Ref. No. ISO 4849-1981 (E)

Descriptors : accident prevention, eyes, safety devices, transmittance, designations, classifications, specifications.

Price based on 8 pages

Preis: E

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards institutes (ISO member bodies). The work of developing International Standards is carried out through ISO technical committees. Every member body interested in a subject for which a technical committee has been set up has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work.

Draft International Standards adopted by the technical committees are circulated to the member bodies for approval before their acceptance as International Standards by the ISO Council.

International Standard ISO 4849 was developed by Technical Committee ISO/TC 94, *Personal safety — Protective clothing and equipment*, and was circulated to the member bodies in July 1978.

It has been approved by the member bodies of the following countries:

Australia	Iran	Poland
Austria	Ireland	Romania
Belgium	Israel	South Africa, Rep. of
Czechoslovakia	Italy	Spain
France	Mexico	Switzerland
Germany, F. R.	Netherlands	
Hungary	New Zealand	

The member bodies of the following countries expressed disapproval of the document on technical grounds:

Denmark
United Kingdom
USA
USSR

Contents

0	Introduction	1
1	Scope	1
2	Field of application	1
3	References	1
4	Numbering of filters	1
5	Classification	2
6	Design and manufacture	2
7	Requirements	3
7.1	General requirements	3
7.2	Particular requirements	5
8	Sampling	6
9	Identification	6

This document is a preview generated by EVS