INTERNATIONAL **STANDARD**

ISO 1346

Fourth edition 2012-08-01

Fibre ropes — Polypropylene split film, monofilament and multifilament (PP2) and polypropylene high-tenacity multifilament (PP3) — 3-, 4-, 8- and 12-strand ropes

***Ibres** — Film fibrillé, monofilament et multifilament (PP3) et multifilament de polypropylène haute tén 1 8 et 12 torons

fibres ane (PP2) Cordages à . Cordages en fibres — Film fibrillé, monofilament et multifilament de polypropylène (PP2) et multifilament de polypropylène haute ténacité





© ISO 2012

tuced or utilized in any for All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org

Published in Switzerland

CO	intents	Page
Fore	éword	iv
1	Scope	1
2	Normative references	
3	Terms and definitions	1
4	Designation	1
5	General requirements	2
6	Physical properties	
6 7	Physical properties Marking	
© ISO	O 2012 – All rights reserved	ii

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 1346 was prepared by Technical Committee ISO/TC 38, Textiles.

aird e. This fourth edition cancels and replaces the third edition (ISO 1346:2004), which has been technically revised.

Fibre ropes — Polypropylene split film, monofilament and multifilament (PP2) and polypropylene high-tenacity multifilament (PP3) — 3-, 4-, 8- and 12-strand ropes

1 Scope

This International Standard specifies requirements for 3-strand hawser-laid and 4-strand shroud-laid ropes, 8-strand braided ropes and 12-strand braided ropes for general service made of polypropylene, and gives rules for their designation.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 1968, Fibre ropes and cordage — Vocabulary

ISO 2307, Fibre ropes — Determination of certain physical and mechanical properties

ISO 9554, Fibre ropes — General specifications

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 1968 apply.

4 Designation

Fibre ropes shall be designated by

- the words "fibre rope",
- the number of this International Standard,
- the construction or type of rope (see Clause 5),
- the reference number of the rope,
- the material from which the rope is made:
 - PP2: polypropylene split film, monofilament and multifilament,
 - PP3: polypropylene high-tenacity multifilament.

EXAMPLE

Designation of an 8-strand braided rope (type L) with a linear density of 1 630 ktex, corresponding to the reference number 60 and made of polypropylene monofilament (PP2):

Fibre rope ISO 1346 - L - 60 - PP2