Outdoor hydrogen refuelling points dispensing gaseous filling and the second of the hydrogen and incorporating filling protocols



EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

	This Estonian standard EVS-EN 17127:2018 consists of the English text of the European standard EN 17127:2018.		
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.		
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 07.11.2018.	Date of Availability of the European standard is 07.11.2018.		
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.		

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile <u>standardiosakond@evs.ee</u>.

ICS 27.075, 71.100.20

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega: Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

EUROPEAN STANDARD NORME EUROPÉENNE

EN 17127

EUROPÄISCHE NORM

November 2018

ICS 27.075; 71.100.20

English Version

Outdoor hydrogen refuelling points dispensing gaseous hydrogen and incorporating filling protocols

Points de ravitaillement en hydrogène en extérieur distribuant de l'hydrogène gazeux et intégrant des protocoles de remplissage Gasförmiger Wasserstoff - Betankungsanlagen - Teil 1: Allgemeine Anforderungen

This European Standard was approved by CEN on 25 June 2018.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Cont	tents	age
Furon	ean foreword	2
-	duction	
11111 00 1	Scope	
2	Normative references	
2	Terms and definitions	
3		
4	Abbreviated terms	
5 5.1	Characteristics and properties of hydrogen refuelling points	
5.1 5.2	Fuel Quality	
5.2 5.3	Dispenser process control	
5.3.1	General requirements for the fuelling protocol	
5.3.2	Fueling protocol process	
5.3.3	Fuelling protocol process limits for other vehicles	
5.3.4	Vehicle to station communications	
5.3.5	Dispenser Pressure Control Faults and over-pressure protection	
5.3.6	Dispenser temperature control faults	
6	Safety of hydrogen refuelling points	
6.1	General	12
6.2	Permitting process	12
7	Inspection and validation of hydrogen refuelling points	
7.1 7.2	Inspection prior putting into service and periodical inspection Minimum Site Acceptance Testing to ensure interoperability	
Annex	x A (informative) Anticipated minimum vehicle characteristics	14
Annex	B (informative) Counter Measures for Unknown Hydrogen Refuelling Protocols	15
B.1	General	
B.2	Countermeasure examples	15
Biblio	graphy	16
	· A	
		0
		J'

European foreword

This document (EN 17127:2018) has been prepared by Technical Committee CEN/TC 268 "Cryogenic vessels and specific hydrogen technologies applications", the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by May 2019, and conflicting national standards shall be withdrawn at the latest by May 2019.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under Mandate M/533 given to CEN by the European Commission and the European Free Trade Association.

It applies to vehicles covered by GTR13.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, a, and, a sia, Slov. Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

The European Commission in its standardization request M/533 of March 12th, 2015, aims to ensure that technical specifications for interoperability of refuelling points are specified in European Standards compatible with the relevant International Standards. These specifications aim to meet the European needs, be compatible and aligned as much as possible with relevant International Standards and as far as possible with existing refuelling infrastructure already in place and leave room to accommodate the adopted standard to local technical, analytical and regulatory needs. The requested European Standards aim to be technologically and commercially neutral and based on the know-how currently in possession of the EU industry and of the public sector on a fair, reasonable and non-discriminatory basis.

According to the legal requirements given in the Alternative Fuels Infrastructure Directive (AFID) and M/533, European Standards specifying only the required specifications for ensuring the interoperability of refuelling points have to be provided. European standards and common requirements with respect to "interoperability" mean the capacity of an infrastructure to supply energy that is compatible with all vehicle technologies and allows seamless EU-wide mobility and a clear definition of fuel pressure and temperature levels and connector designs¹.

The European Standardization Organizations (ESOs) should adopt European Standards in accordance with Article 10 of Regulation (EU) No 1025/2012 of the European Parliament and of the Council, and those standards should be based on current International Standards or ongoing international standardization work, where applicable.

Direction from the standardization request M/533 for European Standards for hydrogen supply are to develop European Standards containing technical solutions for interoperability with technical specifications in regard to Article 5 and point 2 of Annex II, in particular for:

- outdoor hydrogen refuelling points dispensing gaseous hydrogen;
- hydrogen purity dispensed by hydrogen refuelling points; b)
- fuelling algorithms and equipment of hydrogen refuelling points; c)
- connectors for vehicles for the refuelling of gaseous hydrogen.

This document specifies Items a) and c). Item b) is covered by EN 17124 and Item d) by EN ISO 17268.

4

[,] q, s' The energy to be supplied is hydrogen as a fuel and this fuel is dispensed in a hydrogen refuelling station meeting interoperability requirements.

1 Scope

This document defines the minimum requirements to ensure the interoperability of public hydrogen refuelling points including refuelling protocols that dispense gaseous hydrogen to road vehicles (e.g. Fuel Cell Electric Vehicles) complying with applicable regulations.

The safety and performance requirements for the entire hydrogen refuelling station (HRS), addressed in accordance with existing relevant European and national legislation, are not included in this document.

NOTE Guidance on considerations for hydrogen refuelling stations (HRS) is provided in ISO/TS 19880-1.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 17124, Hydrogen fuel — Product specification and quality assurance — Proton exchange membrane (PEM) fuel cell applications for road vehicles

EN ISO 17268, Gaseous hydrogen land vehicle refuelling connection devices (ISO 17268)

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at http://www.electropedia.org/
- ISO Online browsing platform: available at http://www.iso.org/obp

NOTE Units used in this document follow SI (International System of Units).

3.1

compressed Hydrogen Storage System

CHSS

hydrogen storage on-board vehicle, as defined in the GTR#13

3.2

hydrogen refuelling station

HRS

facility for the dispensing of compressed hydrogen vehicle fuel and includes the supply of hydrogen compression, storage and dispensing systems

3.3

HRS Interoperability

capacity of an infrastructure to supply hydrogen at the HRS/vehicle interface that is compatible with road vehicles and allows seamless EU-wide mobility through applying clear definitions of connector designs, fuel quality, pressure levels and temperatures