### **INTERNATIONAL STANDARD**

First edition 2012-05-15

# Thermal insulating products for building applications — Determination of freezethaw resistance

uits . Produits isolants thermiques destinés aux applications du bâtiment — Détermination de la résistance aux effets du gel-dégel



Reference number ISO 16546:2012(E)



#### © ISO 2012

<text> All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

Case postale 56 • CH-1211 Geneva 20 . Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org

Published in Switzerland

Page

### **Contents**

Introduction volume in the image is a second	Fore	word	iv
2 Normative references 1   3 Definitions 1   4 Principle 1   5 Apparatus 2   6 Test specimens 2   6.1 Dimensions of test specimens 2   6.2 Number of test specimens 2   6.3 Proparation of test specimens 2   6.4 Conditioning of test specimens 2   7 Procedure 2   8 Calculation and expression of results 4   8.1 Water absorption 4   8.2 Changes in the compression behaviour 5   9 Accuracy of measurement 5   10 Test report 5	Intro	duction	v
3 Definitions 1   4 Principle 1   5 Apparatus 2   6 Test specimens 2   6.1 Dimensions of test specimens 2   6.2 Number of test specimens 2   6.3 Preparation of test specimens 2   6.4 Conditioning of test specimens 2   7 Procedure 2   8 Calculation and expression of results 4   8.1 Water absorption 4   8.2 Changes in the compression behaviour 5   9 Accuracy of measurement 5   10 Test report 5	1	Scope	1
4 Principle 1   5 Apparatus 2   6 Test specimens 2   6.1 Dimensions of test specimens 2   6.2 Number of test specimens 2   6.3 Preparation of test specimens 2   6.4 Conditioning of test specimens 2   7 Procedure 2   8 Calculation and expression of results 4   8.1 Water absorption 4   8.2 Changes in the compression behaviour 5   9 Accuracy of measurement 5   10 Test report 5	2	Normative references	1
5 Apparatus 2   6 Test specimens 2   6.1 Dimensions of test specimens 2   6.2 Number of test specimens 2   6.3 Preparation of test specimens 2   6.4 Conditioning of test specimens 2   7 Procedure 2   8 Calculation and expression of results 4   8.1 Water absorption 4   8.2 Changes in the compression behaviour 4   9 Accuracy of measurement 5   10 Test report 5	3	Definitions	1
6 Test specimens 2   6.1 Dimensions of test specimens 2   6.2 Number of test specimens 2   6.3 Preparation of test specimens 2   6.4 Conditioning of test specimens 2   7 Procedure 2   8 Calculation and expression of results 4   8.1 Water absorption 4   8.2 Changes in the compression behaviour 5   9 Accuracy of measurement 5   10 Test report 5	4	Principle	1
6.1 Dimensions of test specimens 2   6.2 Number of test specimens 2   6.3 Proparation of test specimens 2   6.4 Conditioning of test specimens 2   7 Procedure 2   8 Calculation and expression of results 4   8.1 Watter absorption 4   8.2 Changes in the compression behaviour 5   9 Accuracy of measurement 5   10 Test report 5	5	Apparatus	2
8 Calculation and expression of results 4   8.1 Water absorption 4   8.2 Changes in the compression behaviour 5   9 Accuracy of measurement 5   10 Test report 5	6.1 6.2 6.3	Dimensions of test specimens Number of test specimens Preparation of test specimens Conditioning of test specimens	2 2 2 2
8.1 Water absorption 4   8.2 Changes in the compression behaviour 5   9 Accuracy of measurement 5   10 Test report 5	7		
10 Test report	8.1	Water absorption	4
review ornerated by TTLS	9	Accuracy of measurement	5
	10	Test report	5
© ISO 2012 All rights record	0.00		

### Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 16546 was prepared by Technical Committee ISO/TC 163, Thermal performance and energy use in the built environment, Subcommittee SC 1, Test and measurement methods.

ISO 16546 includes the original EN 12091 prepared by Technical Committee CEN/TC 88 "Thermal insulating materials and products", with the following clauses modified to reflect the conditions for tropical countries:

- Clause 6.4: Conditioning of test specimens;
- Clause 10: Test report.

### Introduction

ISO 16546 is one of a series of existing European Standards on test methods which were adopted by ISO. This group of International Standards comprises the following group of interrelated standards:

iso	Title	Respective
J.		EN standard
12344	Thermal insulating products for building applications — Determination of bending behaviour	EN 12089
12968	Thermal insulation products for building applications — Determination of the pull-off resistance of external thermal insulation composite systems (ETICS) (foam block test)	EN 13495
29465	Thermal insulating products for building applications — Determination of length and width	EN 822
29466	Thermal insulating products for building applications — Determination of thickness	EN 823
29467	Thermal insulating products for building applications — Determination of squareness	EN 824
29468	Thermal insulating products for building applications — Determination of flatness	EN 825
29469	Thermal insulating products for building applications — Determination of compression behaviour	EN 826
29470	Thermal insulating products for building applications — Determination of the apparent density	EN 1602
29471	Thermal insulating products for building applications — Determination of dimensional stability under constant normal laboratory conditions (23 degrees C/50 % relative humidity)	EN 1603
29472	Thermal insulating products for building applications — Determination of dimensional stability under specified temperature and humidity conditions	EN 1604
29764	Thermal insulating products for building applications — Determination of deformation under specified compressive load and temperature conditions	EN 1605
29765	Thermal insulating products for building applications — Determination of tensile strength perpendicular to faces	EN 1607
29766	Thermal insulating products for building applications — Determination of tensile strength parallel to faces	EN 1608
29767	Thermal insulating products for building applications — Determination of short- term water absorption by partial immersion	EN 1609
29768	Thermal insulating products for building applications — Determination of linear dimensions of test specimens	EN 12085
29769	Thermal insulating products for building applications — Determination of behaviour under point load	EN 12430
29770	Thermal insulating products for building applications — Determination of thickness for floating-floor insulating products	EN 12431

### ISO 16546:2012(E)

29771	Thermal insulating materials for building applications — Determination of organic content	EN 13820		
29803	Thermal insulation products for building applications — Determination of the resistance to impact of external thermal insulation composite systems (ETICS)	EN 13497		
29804	Thermal insulation products for building applications — Determination of the tensile bond strength of the adhesive and of the base coat to the thermal insulation material	EN 13494		
29805	Thermal insulation products for building applications — Determination of the mechanical properties of glass fibre meshes	EN 13496		
16534	Thermal insulating products for building applications — Determination of compressive creep	EN 1606		
16535	Thermal insulating products for building applications — Determination of long- term water absorption by immersion	EN 12087		
16536	Thermal insulating products for building applications — Determination of long- term water absorption by diffusion	EN 12088		
16537	Thermal insulating products for building applications — Determination of shear behaviour	EN 12090		
16546	Thermal insulating products for building applications — Determination of freeze- thaw resistance	EN 12091		
16544	Thermal insulating products for building applications — Conditioning to moisture equilibrium under specified temperature and humidity conditions	EN 12429		
16545	Thermal insulating products for building applications — Determination of behaviour under cyclic loading	EN 13793		
A further group of existing European Standards on test methods for products used to insulate building equipment and industrial installations comprises the following group of interrelated International Standards:				
ISO 12623	Thermal insulating products for building equipment and industrial installations — Determination of short-term water absorption by partial immersion of preformed pipe insulation	EN 13472		
ISO 12624	Thermal insulating products for building equipment and industrial installations — Determination of trace quantities of water soluble chloride, fluoride, silicate, sodium ions and pH	EN 13468		
ISO 12628	Thermal insulating products for building equipment and industrial installations — Determination of dimensions, squareness and linearity of preformed pipe insulation	EN 13467		
ISO 12629	Thermal insulating products for building equipment and industrial installations – Determination of water vapour transmission properties of preformed pipe insulation	EN 13469		
		Ľ.		
		С,		

## Thermal insulating products for building applications — Determination of freeze-thaw resistance

### 1 Scope

This International Standard specifies the equipment and procedures for determining the effects of successive cycling from dry conditions at -20 °C to wet conditions at 20 °C on the mechanical properties and moisture content of the product. It is applicable to thermal insulating products.

It is intended to simulate freeze-thaw effects on thermal insulating products which are frequently exposed to water and low temperature conditions, e.g. inverted roofs and unprotected ground insulation.

This test method is not recommended for all thermal insulating products. If relevant, the product standards will state for which products this International Standard is applicable.

### 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 29469, Thermal insulating products for building applications — Determination of compression behaviour

ISO 16535 (EN 12087), Thermal insulating products for building applications — Determination of long-term water absorption by immersion

ISO 16536 (EN 12088), Thermal insulating products for building applications — Determination of long-term water absorption by diffusion

### 3 Definitions

For the purposes of this document, the following definition applies:

### 3.1

### freeze-thaw resistance

ability of a product to withstand repeated wetting followed by freezing conditions, quantified by water absorption and change in compression behaviour

### 4 Principle

The freeze-thaw resistance is determined as the change in the amount of water absorbed and the change in compression strength or stress of a test specimen which is subjected to 300 successive cycles from dry conditions at -20 °C to wet conditions at 20 °C. Testing is carried out in conjunction with either one of the following long-term water absorption tests:

- a) Water absorption by diffusion, according to ISO 16536 (EN 12088);
- b) Water absorption by total immersion, according to ISO 16535 (EN 12087).

The chosen long-term water absorption test a) and/or b) is given in the relevant product standard in accordance with the application. Freezing takes place in the air; thawing in the water.