

Fibre organisers and closures to be used in optical fibre communication systems - Product specifications - Part 6-1: Unprotected microduct for category S and A

This document is a preview generated by EVS

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

Käesolev Eesti standard EVS-EN 50411-6-1:2011 sisaldab Euroopa standardi EN 50411-6-1:2011 ingliskeelset teksti.

Standard on kinnitatud Eesti Standardikeskuse 29.07.2011 käskkirjaga ja jõustub sellekohase teate avaldamisel EVS Teatajas.

Euroopa standardimisorganisatsioonide poolt rahvuslikele liikmetele Euroopa standardi teksti kättesaadavaks tegemise kuupäev on 17.06.2011.

Standard on kättesaadav Eesti standardiorganisatsioonist.

This Estonian standard EVS-EN 50411-6-1:2011 consists of the English text of the European standard EN 50411-6-1:2011.

This standard is ratified with the order of Estonian Centre for Standardisation dated 29.07.2011 and is endorsed with the notification published in the official bulletin of the Estonian national standardisation organisation.

Date of Availability of the European standard text 17.06.2011.

The standard is available from Estonian standardisation organisation.

ICS 33.180.20

Standardite reprodutseerimis- ja levitamiseõigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonilisse süsteemi või edastamine ükskõik millises vormis või millisel teel on keelatud ilma Eesti Standardikeskuse poolt antud kirjaliku loata.

Kui Teil on küsimusi standardite autorikaitse kohta, palun võtke ühendust Eesti Standardikeskusega:
Aru 10 Tallinn 10317 Eesti; www.evs.ee; Telefon: 605 5050; E-post: info@evs.ee

Right to reproduce and distribute belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without permission in writing from Estonian Centre for Standardisation.

If you have any questions about standards copyright, please contact Estonian Centre for Standardisation:
Aru str 10 Tallinn 10317 Estonia; www.evs.ee; Phone: 605 5050; E-mail: info@evs.ee

**Fibre organisers and closures to be used in optical fibre communication systems -
Product specifications -
Part 6-1: Unprotected microduct for category S and A**

LWL-Spleißkassetten und -Muffen für die
Anwendung in LWL-
Kommunikationssystemen -
Produktnormen -
Teil 6-1: Ungeschützte Mikrorohre für die
Kategorien S und A

This European Standard was approved by CENELEC on 2011-03-21. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

Foreword

This European Standard was prepared by the Technical Committee CENELEC TC 86BXA, Fibre optic interconnects, passive and connectorised components.

The text of the draft was submitted to the Unique Acceptance Procedure and was approved by CENELEC as EN 50411-6-1 on 2011-03-21.

The following dates were fixed:

- latest date by which the EN has to be implemented
at national level by publication of an identical
national standard or by endorsement (dop) 2012-03-21
 - latest date by which the national standards conflicting
with the EN have to be withdrawn (dow) 2014-03-21
-

This document is a preview generated by EVS

Contents

	Page
1 Scope	4 -
2 Normative references	4 -
3 Terms, definitions and abbreviations	5 -
3.1 Terms and definitions	5 -
3.2 Abbreviations	5 -
4 Description	6 -
4.1 Unprotected microduct	6 -
4.2 Microduct functions.....	6 -
5 Dimensions unprotected microduct	6 -
5.1 Outer and inner diameters.....	6 -
5.2 Unprotected microduct ovality	7 -
6 Materials	7 -
7 Tests	8 -
7.1 Dimensional and marking requirements.....	8 -
7.2 Burst pressure	8 -
7.3 Performance requirements.....	8 -
Annex A (normative) Methods to determine microduct dimensions	11 -
Annex B (normative) Test methods – High pressure resistance – Safety	13 -

preview generated by EVS

1 Scope

Product definition

This specification contains the initial, start of life dimensional, mechanical and environmental performance requirements which an unprotected microduct must meet. It does not address the installation capability of these products which must be agreed between the user and supplier.

Operating environment

The tests selected combined with the severities and duration are representative of an outside plant for subterranean and/or aerial environment defined by:

- ETS 300 019 : class 8.1: underground locations (without earthquake requirement)
- EN 61753-1 : category S: subterranean environment, category A: aerial environment

Quality assurance

Compliance with this specification does not guarantee the manufacturing consistency of the product. This should be maintained using a recognised quality assurance programme.

Allowed product types

This standard covers all European Standard on optical fibre unprotected microducts. This includes, but is not limited to, EN 60794-5, *Optical fibre cables - Part 5: Sectional specification - Microduct cabling for installation by blowing*.

Allowed microduct connector types

This microduct standard allows the use of all European Standard on microduct connectors, including: straight, reducer/enlarger stem, reducer/enlarger, close down, liquid block, liquid block with barb end, and end stop connectors. This includes EN 50411-2-8, *Fibre organisers and closures to be used in optical fibre communication systems - Product specifications - Part 2-8: Microduct connectors, for air blown optical fibres, Type 1*.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

- | | |
|---------------|--|
| EN 60793-1-51 | Optical fibres - Part 1-51: Measurement methods and test procedures - Dry heat (IEC 60793-1-51) |
| EN 60794-1-2 | Optical fibre cables - Part 1-2: Generic specification - Basic optical cable test procedures (IEC 60794-1-2) |
| EN 61300-2-34 | Part 2-34: Tests - Resistance to solvents and contaminating fluids of interconnecting components and closures (IEC 61300-2-34) |
| EN 61300-3-1 | Part 3-1: Examinations and measurements - Visual examination (IEC 61300-2-31) |