## Raudteealased rakendused. Energiamõõtmised rongides. Osa 4: Kommunikatsioon

Railway applications - Energy measurement on board trains On a problem of the partition of the par - Part 4: Communication



#### **FESTI STANDARDI FESSÕNA**

#### **NATIONAL FOREWORD**

Käesolev Eesti standard EVS-EN 50463-4:2013 sisaldab Euroopa standardi EN 50463-4:2012 ingliskeelset teksti.

This Estonian standard EVS-EN 50463-4:2013 consists of the English text of the European standard EN 50463-4:2012.

Standard on kinnitatud Eesti Standardikeskuse 31.01.2013 käskkirjaga ja jõustub sellekohase teate avaldamisel EVS Teatajas.

This standard is ratified with the order of Estonian Centre for Standardisation dated 31.01.2013 and is endorsed with the notification published in the official bulletin of the Estonian national standardisation organisation.

Euroopa standardimisorganisatsioonide poolt rahvuslikele liikmetele Euroopa standardi teksti kättesaadavaks tegemise kuupäev on 21.12.2012.

Date of Availability of the European standard text 21.12.2012.

Standard on kättesaadav Eesti standardiorganisatsioonist.

The standard is available from Estonian standardisation organisation.

ICS 45,060,10

#### Standardite reprodutseerimis- ja levitamisõigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonilisse süsteemi või edastamine ükskõik millises vormis või millisel teel on keelatud ilma Eesti Standardikeskuse poolt antud kirjaliku loata.

Kui Teil on küsimusi standardite autorikaitse kohta, palun võtke ühendust Eesti Standardikeskusega: Aru 10 Tallinn 10317 Eesti; www.evs.ee; Telefon: 605 5050; E-post: info@evs.ee

#### Right to reproduce and distribute belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without permission in writing from Estonian Centre for Standardisation.

If you have any questions about standards copyright, please contact Estonian Centre for Standardisation: Aru str 10 Tallinn 10317 Estonia; <a href="www.evs.ee">www.evs.ee</a>; Phone: 605 5050; E-mail: <a href="mailto:info@evs.ee">info@evs.ee</a>

## **EUROPEAN STANDARD**

## EN 50463-4

# NORME EUROPÉENNE EUROPÄISCHE NORM

December 2012

ICS 45.060.10

Supersedes EN 50463:2007 (partially)

English version

# Railway applications Energy measurement on board trains Part 4: Communication

Applications ferroviaires Mesure d'énergie à bord des trains Partie 4: Communications

Bahnanwendungen -Energiemessung auf Bahnfahrzeugen -Teil 4: Kommunikation

This European Standard was approved by CENELEC on 2012-10-15. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

## CENELEC

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

### **Contents**

For	eword		4
Intr	oduct	ion	5
1	Scop	e	7
2	Norn	native references	7
3	Term	s, definitions and abbreviations	8
	3.1 3.2	Terms and definitions  Abbreviations	
4		irements	
	4.1	General	
	4.2	On board communication subsystem	14
	4.3	On board to ground communication subsystem	
_	4.4	Access security	
5	Conformity assessment		
	5.1 5.2	General PIXIT	
	5.3	Design review	
	5.4	Type test procedure	
Anr	nex A	(normative) On board to ground communication preferred solution	
	A.1	Communication services	
	A.2 A.3	EMS data transferAccess security	
Δnr		(informative) VEI–VMF/CMF to ECF interface implementation example	
AIII	B.1	General	
	B.2	Payload format	36
	B.3	Encryption	37
Anr	nex C	(informative) PICS structure and instruction	38
	C.1	Structure	38
	C.2 C.3	Instructions for completing the PICS pro-forma	38
Λ m =		PICS pro-forma examples(informative) Access security	
		(informative) Access security	
		phyphy	
טוט	iiogra	priy	43
Fig	ures		
_		EMS functional structure and dataflow diagram	6
_		Example of energy index value	
Figu	ure 3 –	Communication interface between function/sub-function	14
Figu	ure 4 –	EMS block diagram and interfaces	15
Figu	ıre 5 –	On board to ground communication stack	20
_		Test bench for on board interface	
Figu	ure 7 –	On board to ground test bench 1	24
Figu	ıre 8 –	On board to ground test bench 2	24
Figu	ure A.1	- Communication components	26
Ei~·	Iro D 1	Dayload format	26

#### **Tables**

Table A.1 – Preferred solution communication services	
	29
Table A.2 – Preferred solution application services	30
Table A.3 – Record format	32
Table C.1 – PICS table format	38
Table C.2 - PICS identification table	40
Table C.3 – IUA identification table	41
Table C.4 – IUA supplier identification table	41
Table C.5 – Applicable standards identification table	42
Table C.6 – Global statement table	42
Table C.7 – Level of conformity	

#### **Foreword**

This document (EN 50463-4:2012) has been prepared by CLC/TC9X "Electrical and electronic applications for railways".

The following dates are proposed:

be withdrawn

latest date by which this document has to be implemented at national level by publication of an identical national standard or by endorsement
 latest date by which the national standards conflicting with this document have to

This document (EN 50463-4:2012), together with parts 1, 2, 3 and 5, supersedes EN 50463:2007.

EN 50463-4:2012 includes the following significant technical changes with respect to EN 50463:2007:

- the series is based on and supersedes EN 50463:2007;
- the scope is extended, new requirements are introduced and conformity assessment arrangements are added.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CENELEC by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For relationship with EU Directive 2008/57/EC amended by Commission Directive 2011/18/EU, see informative Annex ZZ, which is an integral part of this document.

This document is Part 4 of the EN 50463 series which consists of the following parts, under the title Railway applications - Energy measurement on board trains:

Part 1, General;

Part 2, Energy measuring;

Part 3, Data handling;

Part 4, Communication;

Part 5, Conformity assessment.

This series of European Standards follows the functional guidelines description in Annex A "Principles of conformity assessment" of EN ISO/IEC 17000 tailored to the Energy Measurement System (EMS).

The requirements for Energy Measurement Systems in the relevant Technical Specifications for Interoperability are supported by this series of European Standards.

#### Introduction

The Energy Measurement System provides measurement and data suitable for billing and may also be used for energy management, e.g. energy saving.

This series of European Standards uses the functional approach to describe the Energy Measurement System. These functions are implemented in one or more physical devices. The user of this series of standards is free to choose the physical implementation arrangements.

#### Structure and main contents of the EN 50463 series

This series of European Standards is divided into five parts. The titles and brief descriptions of each part are given below:

#### EN 50463-1 - General

The scope of EN 50463-1 is the Energy Measurement System (EMS).

EN 50463-1 provides system level requirements for the complete EMS and common requirements for all devices implementing one or more functions of the EMS.

#### EN 50463-2 - Energy measuring

The scope of EN 50463-2 is the Energy Measurement Function (EMF).

The EMF provides measurement of the consumed and regenerated active energy of a railway traction unit. If the traction unit is designed for use on a.c. traction supply systems the EMF also provides measurement of reactive energy. The EMF provides the measured quantities via an interface to the Data Handling System.

The EMF consists of the three functions: Voltage Measurement Function, Current Measurement Function and Energy Calculation Function. For each of these functions, accuracy classes are specified and associated reference conditions are defined. EN 50463-2 also defines all specific requirements for all functions of the EMF.

The Voltage Measurement Function measures the voltage of the Contact Line system and the Current Measurement Function measures the current taken from and returned to the Contact Line system. These functions provide signal inputs to the Energy Calculation Function.

The Energy Calculation Function inputs the signals from the Current and Voltage Measurement Functions and calculates a set of values representing the consumed and regenerated energies. These values are transferred to the Data Handling System and are used in the creation of Compiled Energy Billing Data.

The standard has been developed taking into account that in some applications the EMF may be subjected to legal metrological control. All relevant metrological aspects are covered in EN 50463-2.

EN 50463-2 also defines the conformity assessment of the EMF.

#### EN 50463-3 - Data handling

The scope of EN 50463-3 is the Data Handling System (DHS).

The on board DHS receives, produces and stores data, ready for transmission to any authorised receiver of data on board or on ground. The main goal of the DHS is to produce Compiled Energy Billing Data and transfer it to an on ground Data Collection Service (DCS). The DHS can support other functionality on board or on ground with data, as long as this does not conflict with the main goal.

EN 50463-3 also defines the conformity assessment of the DHS.

#### EN 50463-4 - Communication

The scope of EN 50463-4 is the communication services.

This part of the EN 50463 gives requirements and guidance regarding the data communication between the functions implemented within EMS as well as between such functions and other on board units where data are exchanged using a communications protocol stack over a dedicated physical interface or a shared network.

It includes the on board to ground communication service and covers the requirements necessary to support data transfer between DHS and DCS.

EN 50463-4 also defines the conformity assessment of the communications services.

#### EN 50463-5 - Conformity assessment

The scope of EN 50463-5 is the conformity assessment procedures for the EMS.

EN 50463-5 also covers re-verification procedures and conformity assessment in the event of the replacement of a device of the EMS.

#### **EMS** functional structure and dataflow

Figure 1 illustrates the functional structure of the EMS, the main sub-functions and the structure of the dataflow and is informative only. Only the main interfaces required by this standard are displayed by arrows.

Since the communication function is distributed throughout the EMS, it has been omitted for clarity. Not all interfaces are shown.




Figure 1 - EMS functional structure and dataflow diagram

#### 1 Scope

This European Standard applies to the on board and on board to ground communication services, i.e. it covers the data communication using digital interfaces:

- a) between functions implemented within the EMS;
- b) between EMS function and other on board subsystems;
- c) between EMS and ground communication services.

The on board data communication services of the EMS are covering the data exchange between functions of the EMS and the data exchange between EMS and other on board units, where data is exchanged using a communications protocol stack over a dedicated physical interface or a shared communication network.

The on board to ground communication services are covering the wireless data communication between the DHS and the on ground server.

Furthermore, this document includes conformity assessment requirements.

#### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 50463-1:2012, Railway applications — Energy measurement on board trains — Part 1: General

EN 50463-2:2012, Railway applications — Energy measurement on board trains — Part 2: Energy measuring

EN 50463-3:2012, Railway applications — Energy measurement on board trains — Part 3: Data handling

EN 50463-5, Railway applications — Energy measurement on board trains — Part 5: Conformity assessment

EN 60870-5 (all parts), Telecontrol equipment and systems — Part 5: Transmission protocols (IEC 60870-5 series)

EN 61158-2, Industrial communication networks — Fieldbus specifications — Part 2: Physical layer specification and service definition (IEC 61158-2)

IEC 61375 (all parts), Electronic railway equipment — Train communication network (TCN)

ISO 11898-1:2003, Road vehicles — Controller area network (CAN) — Part 1: Data link layer and physical signalling

ISO 11898-2:2003, Road vehicles — Controller area network (CAN) — Part 2: High-speed medium access unit

ISO/IEC 8482, Information technology — Telecommunications and information exchange between systems — Twisted pair multipoint interconnections

ISO/IEC 8825 (all parts), Information technology — ASN.1 encoding rules

ISO/IEC 8802-3:2000, Information technology — Telecommunications and information exchange between systems — Local and metropolitan area networks — Specific requirements — Part 3: Carrier sense multiple access with collision detection (CSMA/CD) access method and physical layer specifications

ISO/IEC 9646-1:1994, Information technology — Open Systems Interconnection — Conformance testing methodology and framework — Part 1: General concepts 1)

ITU-T Recommendation V.24, List of definitions for interchange circuits between data terminal equipment (DTE) and data circuit-terminating equipment (DCE)

RFC 1035, Domain names: implementation and specification

RFC 1123, Requirements for Internet Hosts – Application and Support

RFC 1535, A Security Problem and Proposed Correction With Widely Deployed DNS Software

RFC 2181, Clarifications to the DNS specification

TIA/EIA-422-B, May 1994, Electrical Characteristics of Balanced Voltage Digital Interface Circuits

#### 3 Terms, definitions and abbreviations

#### 3.1 Terms and definitions

For the purposes of this document, the terms and definitions given in EN 50463-1:2012 and the following apply.

NOTE When possible, the following definitions have been taken from the relevant chapters of the International Electrotechnical Vocabulary (IEV), IEC 60050. In such cases, the appropriate IEV reference is given. Certain new definitions or modifications of IEV definitions have been added in this standard in order to facilitate understanding. Expression of the performance of electrical and electronic measuring equipment has been taken from EN 60359.

#### 3.1.1

#### **Board to Ground Interface**

#### BGI

interface used for the communication between the train and the ground

#### 3.1.2

#### consist

single vehicle or group of vehicles that are not separated during normal operation; train set and rake of coaches are synonyms

Note 1 to entry: A consist may contain one or more traction units.

#### 3.1.3

#### consist network

#### CN

communication network interconnecting communication devices in one consist

Note 1 to entry: It is possible that more than one CN is installed in the same consist.

#### 3.1.4

#### **Consist Network Interface**

#### CNI

interface to an on board consist network used by the EMS and by other on board devices interfacing with the EMS

<sup>1)</sup> Also available as ITU-T Recommendation X.290 (04/95), OSI conformance testing methodology and framework for protocol Recommendations for ITU-T applications – General concepts