Fixed capacitors for use in electronic equipment - Part 26: Sectional specification - Fixed aluminium electrolytic capacitors with conductive polymer solid electrolyte



EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

| See Eesti standard EVS-EN IEC 60384-26:2018 sisaldab Euroopa standardi EN IEC 60384-26:2018 ingliskeelset teksti. | This Estonian standard EVS-EN IEC 60384-26:2018 consists of the English text of the European standard EN IEC 60384-26:2018. |
|---|--|
| Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas. | This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation. |
| Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 17.08.2018. | Date of Availability of the European standard is 17.08.2018. |
| Standard on kättesaadav Eesti Standardikeskusest. | The standard is available from the Estonian Centre for Standardisation. |

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile <u>standardiosakond@evs.ee</u>.

ICS 31.060.50

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega: Koduleht <u>www.evs.ee</u>; telefon 605 5050; e-post <u>info@evs.ee</u>

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN IEC 60384-26

August 2018

ICS 31.060.50

Supersedes EN 60384-26:2010

English Version

Fixed capacitors for use in electronic equipment Part 26: Sectional specification - Fixed aluminium electrolytic
capacitors with conductive polymer solid electrolyte
(IEC 60384-26:2018)

Condensateurs fixes utilisés dans les équipements électroniques - Partie 26: Spécification intermédiaire -Condensateurs fixes électrolytiques en aluminium à électrolyte solide en polymère conducteur (IEC 60384-26:2018) Festkondensatoren zur Verwendung in Geräten der Elektronik - Teil 26: Rahmenspezifikation - Aluminium-Elektrolyt-Kondensatoren mit leitfähigem Polymerfestkörper-Elektrolyten (IEC 60384-26:2018)

This European Standard was approved by CENELEC on 2018-06-21. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

European foreword

The text of document 40/2599/FDIS, future edition 2 of IEC 60384-26, prepared by IEC/TC 40 "Capacitors and resistors for electronic equipment" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 60384-26:2018.

The following dates are fixed:

| • | latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement | (dop) | 2019-03-21 |
|---|--|-------|------------|
| • | latest date by which the national standards conflicting with the | (dow) | 2021-06-21 |

This document supersedes EN 60384-26:2010.

document have to be withdrawn

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 60384-26:2018 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

| official version, for Piblic | graphy the fall | owing notes have to be added for the standards indicated: |
|---------------------------------------|-----------------|--|
| | NOTE | |
| IEC 60384-4:2016 IEC 60384-25:2015 | NOTE | Harmonized as EN 60384-4:2016 (not modified). Harmonized as EN 60384-25:2015 (not modified). |
| | | 4 |
| | | |
| | | |
| | | |
| | | 6 |
| | | |
| | | S |
| | | |
| | | |

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

| Publication | <u>Year</u> | <u>Title</u> | EN/HD | <u>Year</u> |
|----------------|-------------|--|--------------------|-------------|
| IEC 60063 | - | Preferred number series for resistors and capacitors | EN 60063 | - |
| IEC 60068-1 | 2013 | Environmental testing - Part 1: General and guidance | EN 60068-1 | 2014 |
| IEC 60068-2-20 | 2008 | Environmental testing - Part 2-20: Tests - Test T: Test methods fo solderability and resistance to soldering heat of devices with leads | EN 60068-2-20 r | 2008 |
| IEC 60384-1 | 2016 | Fixed capacitors for use in electronic equipment - Part 1: Generic specification | EN 60384-1 | 2016 |
| IEC 60417-DB | - | Graphical symbols for use on equipment | - | - |
| IEC 61193-2 | 2007 | Quality assessment systems - Part 2: Selection and use of sampling plans for inspection of electronic components and packages | EN 61193-2 | 2007 |
| ISO 3 | - | Preferred numbers - Series of preferred numbers | 0 | - |
| | | | 2 | |
| | | | | 2 |
| | | | | S |

CONTENTS

| Ε(| SKEMO | RD | 5 |
|----|-------|--|----|
| 1 | Gene | eral | 7 |
| | 1.1 | Scope | 7 |
| | 1.2 | Object | 7 |
| | 1.3 | Normative references | 7 |
| | 1.4 | Information to be given in a detail specification | 8 |
| | 1.4.1 | General | 8 |
| | 1.4.2 | Outline drawings and dimensions | 8 |
| | 1.4.3 | Mounting | 8 |
| | 1.4.4 | Rating and characteristics | 8 |
| | 1.4.5 | Marking | 9 |
| | 1.5 | Terms and definitions | 9 |
| | 1.6 | Marking | |
| | 1.6.1 | General | 9 |
| | 1.6.2 | Information for marking | 9 |
| | 1.6.3 | Marking on capacitors | 10 |
| | 1.6.4 | Marking on packaging | 10 |
| 2 | Prefe | erred ratings and characteristics | 10 |
| | 2.1 | Preferred characteristics | 10 |
| | 2.2 | Preferred values of ratings | 10 |
| | 2.2.1 | Nominal capacitance (C_{N}) | 10 |
| | 2.2.2 | Tolerance on nominal capacitance | 10 |
| | 2.2.3 | Rated voltage (U_{R}) | 10 |
| | 2.2.4 | Category voltage ($U_{ m C}$) | 11 |
| | 2.2.5 | Surge voltage | 11 |
| | 2.2.6 | | |
| 3 | Quali | ity assessment procedures | |
| | 3.1 | Primary stage of manufacture | 11 |
| | 3.2 | Structurally similar components | 11 |
| | 3.3 | Certified test records of released lots | |
| | 3.4 | Qualification approval (QA) procedures | 11 |
| | 3.4.1 | General | 11 |
| | 3.4.2 | Qualification approval on the basis of the fixed sample size procedure | 11 |
| | 3.4.3 | Tests | 12 |
| | 3.5 | Quality conformance inspection | 19 |
| | 3.5.1 | Formation of inspection lots | 19 |
| | 3.5.2 | The schedule | 20 |
| | 3.5.3 | , | |
| | 3.5.4 | Assessment levels | 20 |
| 4 | Test | and measurement procedures | 21 |
| | 4.1 | Pre-conditioning (if required) | 21 |
| | 4.2 | Measuring conditions | 21 |
| | 4.3 | Visual examination and check of dimensions | |
| | 4.3.1 | General | 21 |
| | 4.3.2 | Visual examination and check of dimensions | 21 |
| | 4.3.3 | Requirements | 22 |
| | 4.4 | Electrical tests | 22 |

| | 4.4.1 | Leakage current | 22 |
|---|---------|--|----|
| | 4.4.2 | Capacitance | 22 |
| | 4.4.3 | Tangent of loss angle (tan δ) | 23 |
| | 4.4.4 | Equivalent series resistance (ESR) | 23 |
| 4 | .5 Rob | ustness of terminations | 23 |
| | 4.5.1 | General | 23 |
| | 4.5.2 | Initial inspection | 23 |
| | 4.5.3 | Final inspections and requirements | 23 |
| 4 | .6 Resi | stance to soldering heat | 23 |
| | 4.6.1 | General | 23 |
| | 4.6.2 | Initial inspection | 24 |
| | 4.6.3 | Test conditions | 24 |
| | 4.6.4 | Final inspections and requirements | 24 |
| 4 | .7 Sold | erability | 24 |
| | 4.7.1 | General | |
| | 4.7.2 | Test conditions | 24 |
| | 4.7.3 | Final inspections and requirements | |
| 4 | .8 Rap | id change of temperature | |
| | 4.8.1 | General | |
| | 4.8.2 | Initial inspection | |
| | 4.8.3 | Test conditions | |
| | 4.8.4 | Recovery | |
| | 4.8.5 | Final inspections and requirements | |
| 4 | | ation | |
| • | 4.9.1 | General | |
| | 4.9.2 | Test conditions | |
| | 4.9.3 | Final inspections and requirements | |
| 4 | | | |
| | 4.10.1 | General | |
| | 4.10.2 | Test conditions | |
| | 4.10.3 | Final inspections and requirements | |
| 1 | | | |
| _ | 4.11.1 | General | 2c |
| | 4.11.2 | Test conditions | |
| | 4.11.3 | Final inspections and requirements | |
| 1 | | atic sequence | |
| 4 | 4.12.1 | General | |
| | 4.12.1 | Initial inspection. | |
| | 4.12.2 | Dry heat | |
| | 4.12.3 | Damp heat, cyclic, Test Db, first cycle | |
| | 4.12.4 | Cold | |
| | 4.12.6 | Damp heat, cyclic, Test Db, remaining cycles | |
| | 4.12.7 | Recovery | |
| | | | |
| 1 | 4.12.8 | Final inspections and requirements | |
| 4 | | Constal | |
| | 4.13.1 | General | |
| | 4.13.2 | Initial inspection | |
| | 4.13.3 | Test conditions | |
| | 4.13.4 | Recovery | ∠/ |

| 4.13.5 | Final inspections and requirements | 27 |
|--------------|---|----|
| 4.14 Er | durance | 27 |
| 4.14.1 | General | 27 |
| 4.14.2 | Initial inspection | 27 |
| 4.14.3 | Test conditions | 27 |
| 4.14.4 | Recovery | 27 |
| 4.14.5 | Final inspections and requirements | 27 |
| 4.15 Su | irge | 27 |
| 4.15.1 | General | 27 |
| 4.15.2 | Initial inspection | 28 |
| 4.15.3 | Test conditions | 28 |
| 4.15.4 | Recovery | 28 |
| 4.15.5 | Final inspections and requirements | 28 |
| 4.16 Re | everse voltage (if required) | 28 |
| 4.16.1 | Initial inspection | 28 |
| 4.16.2 | Test conditions | 28 |
| 4.16.3 | Recovery | 28 |
| 4.16.4 | Final inspections and requirements | 28 |
| 4.17 Co | emponent solvent resistance (if required) | 29 |
| 4.18 Sc | lvent resistance of the marking (if required) | 29 |
| 4.19 St | orage at high temperature | 29 |
| 4.19.1 | General | 29 |
| 4.19.2 | Initial inspection | 29 |
| 4.19.3 | Test conditions | 29 |
| 4.19.4 | Recovery | 29 |
| 4.19.5 | Final inspections and requirements | 29 |
| 4.20 Ch | naracteristics at high and low temperature | 29 |
| 4.20.1 | General | 29 |
| 4.20.2 | Inspections and requirements | 29 |
| 4.21 Ch | narge and discharge (if required) | 29 |
| 4.21.1 | General | 29 |
| 4.21.2 | Initial inspection | 29 |
| 4.21.3 | Test conditions | 30 |
| 4.21.4 | Final inspections and requirements | 30 |
| 4.22 Hi | gh surge current (if required) | |
| 4.22.1 | General | 30 |
| 4.22.2 | Initial inspection | 30 |
| 4.22.3 | Final inspections and requirements | 30 |
| Bibliography | <u> </u> | 31 |
| | | |
| Table 1 – Su | rge voltages | 11 |
| | mpling plan for qualification approval, assessment level EZ | |
| | | |
| | st schedule for qualification approval | |
| Table 4 – Lo | t-by-lot inspection | 20 |
| Table 5 – Pe | riodic inspection | 21 |

INTERNATIONAL ELECTROTECHNICAL COMMISSION

FIXED CAPACITORS FOR USE IN ELECTRONIC EQUIPMENT -

Part 26: Sectional specification – Fixed aluminium electrolytic capacitors with conductive polymer solid electrolyte

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60384-26 has been prepared by IEC technical committee 40: Capacitors and resistors for electronic equipment.

This second edition cancels and replaces the first edition published in 2010. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) revision of the structure in accordance with ISO/IEC Directives, Part 2:2016 to the extent practicable, and harmonization between other similar kinds of documents;
- b) in addition, Clause 4 and all the tables have been reviewed in order to prevent duplications and contradictions.

The text of this International Standard is based on the following documents:

| FDIS | Report on voting |
|--------------|------------------|
| 40/2599/FDIS | 40/2605/RVD |

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 60384 series can be found, under the general title Fixed capacitors for use in electronic equipment, on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- Occupied School replaced by a revised edition, or
- amended.