

METALLIST TÖÖSTUSTORUSTIK. OSA 3: KAVANDAMINE
JA ARVUTAMINE

Metallic industrial piping - Part 3: Design and
calculation

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

| | |
|---|--|
| See Eesti standard EVS-EN 13480-3:2017 sisaldab Euroopa standardi EN 13480-3:2017 ingliskeelset teksti. | This Estonian standard EVS-EN 13480-3:2017 consists of the English text of the European standard EN 13480-3:2017. |
| Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas. | This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation. |
| Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 28.06.2017. | Date of Availability of the European standard is 28.06.2017. |
| Standard on kättesaadav Eesti Standardikeskusest. | The standard is available from the Estonian Centre for Standardisation. |

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 23.040.01

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:

Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

English Version

Metallic industrial piping - Part 3: Design and calculation

Tuyauteries industrielles métalliques - Partie 3 :
Conception et calcul

Industrielle metallische Rohrleitungen - Teil 3:
Konstruktion und Berechnung

This European Standard was approved by CEN on 21 June 2017.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

| | Page |
|---|-----------|
| European foreword..... | 10 |
| 1 Scope | 12 |
| 2 Normative references | 12 |
| 3 Terms, definitions, symbols and units | 13 |
| 3.1 Terms and definitions | 13 |
| 3.2 Symbols and units | 13 |
| 4 Basic design criteria | 15 |
| 4.1 General | 15 |
| 4.2 Loadings | 15 |
| 4.2.1 General | 15 |
| 4.2.2 Combination of loads | 16 |
| 4.2.3 Loads for dimensioning | 16 |
| 4.2.4 Other loads to be taken into account | 18 |
| 4.2.5 Design conditions | 19 |
| 4.3 Thickness | 22 |
| 4.4 Tolerances | 25 |
| 4.5 Joint coefficient | 25 |
| 4.6 Dimensioning of piping components subject to pressure | 26 |
| 5 Design stresses | 26 |
| 5.1 General | 26 |
| 5.2 Time-independent nominal design stress | 27 |
| 5.2.1 Steels other than austenitic steels | 27 |
| 5.2.2 Austenitic steels | 27 |
| 5.2.3 Nickel and / or chromium alloy steels | 28 |
| 5.2.4 Steels castings | 28 |
| 5.2.5 Additional requirements for steels with no specific control | 28 |
| 5.3 Time-dependent nominal design stress | 29 |
| 5.3.1 General | 29 |
| 5.3.2 Steels | 29 |
| 5.3.3 Nickel and/or chromium alloy steels | 30 |
| 6 Design of piping components under internal pressure | 30 |
| 6.1 Straight pipes | 30 |
| 6.2 Pipe bends and elbows | 30 |
| 6.2.1 General | 30 |
| 6.2.2 Symbols | 31 |
| 6.2.3 Required wall thicknesses | 31 |
| 6.3 Mitre bends | 32 |
| 6.3.1 General | 32 |
| 6.3.2 Symbols | 32 |
| 6.3.3 Effective radius of mitre bend | 33 |
| 6.3.4 Multiple mitre bends | 33 |
| 6.3.5 Single mitre bends | 34 |

| | | |
|--------|--|----|
| 6.3.6 | Adjacent straight pipe sections of mitre bends | 34 |
| 6.4 | Reducers | 34 |
| 6.4.1 | Conditions of applicability | 34 |
| 6.4.2 | Specific definitions | 35 |
| 6.4.3 | Specific symbols and abbreviations..... | 35 |
| 6.4.4 | Conical shells..... | 36 |
| 6.4.5 | Junctions - general..... | 37 |
| 6.4.6 | Junction between the large end of a cone and a cylinder without a knuckle..... | 37 |
| 6.4.7 | Junction between the large end of a cone and a cylinder with a knuckle | 40 |
| 6.4.8 | Junction between the small end of a cone and a cylinder | 41 |
| 6.4.9 | Offset reducers | 43 |
| 6.4.10 | Special forged reducers..... | 43 |
| 6.5 | Flexible piping components..... | 44 |
| 6.5.1 | General | 44 |
| 6.5.2 | Expansion joints..... | 44 |
| 6.5.3 | Corrugated metal hose assemblies | 46 |
| 6.6 | Bolted flange connections | 47 |
| 6.6.1 | General | 47 |
| 6.6.2 | Symbols | 47 |
| 6.6.3 | Standard flange | 47 |
| 6.6.4 | Non-standard flange | 48 |
| 7 | Design of ends under internal pressure..... | 48 |
| 7.1 | Dished ends..... | 48 |
| 7.1.1 | Symbols | 48 |
| 7.1.2 | Hemispherical ends | 49 |
| 7.1.3 | Torispherical ends | 50 |
| 7.1.4 | Ellipsoidal ends | 51 |
| 7.1.5 | Calculation of β | 52 |
| 7.2 | Circular flat ends..... | 56 |
| 7.2.1 | General | 56 |
| 7.2.2 | Symbols | 56 |
| 7.2.3 | Unstayed flat circular ends welded to cylindrical shells/pipes..... | 58 |
| 7.2.4 | Unstayed flat circular bolted ends..... | 65 |
| 7.2.5 | Reinforcements of openings in unstayed flat ends | 71 |
| 8 | Openings and branch connections | 74 |
| 8.1 | General | 74 |
| 8.2 | Symbols | 74 |
| 8.3 | Limitations | 75 |
| 8.3.1 | Thickness ratio | 75 |
| 8.3.2 | Openings in the vicinity of discontinuities | 77 |
| 8.3.3 | Types of reinforcement | 79 |
| 8.3.4 | Calculation method..... | 80 |
| 8.3.5 | Elliptical openings and oblique branch connections..... | 80 |
| 8.3.6 | Reinforcing pads..... | 82 |
| 8.3.7 | Dissimilar material of shell and reinforcements | 82 |
| 8.3.8 | Extruded outlets..... | 82 |
| 8.3.9 | Forged tee..... | 82 |
| 8.3.10 | Branches in bends or elbows..... | 83 |
| 8.3.11 | Screwed-in branches | 83 |
| 8.4 | Isolated openings..... | 84 |
| 8.4.1 | General | 84 |
| 8.4.2 | Unreinforced openings..... | 87 |

| | | |
|--------|--|-----|
| 8.4.3 | Reinforced openings with $d_i/D_i < 0,8$ | 87 |
| 8.4.4 | Reinforced single openings with $0,8 < d/D \leq 1,0$ | 93 |
| 8.5 | Adjacent openings..... | 93 |
| 8.5.1 | Unreinforced openings..... | 93 |
| 8.5.2 | Reinforced openings with $d/D \leq 0,8$ | 93 |
| 8.6 | Design of special piping components..... | 94 |
| 8.6.1 | Cylindrical Y-pieces | 94 |
| 8.6.2 | Spherical Y-pieces | 95 |
| 8.6.3 | Triform reinforced branches | 96 |
| 9 | Design of piping components under external pressure..... | 97 |
| 9.1 | General..... | 97 |
| 9.2 | Symbols and elastic stress limits..... | 99 |
| 9.2.1 | Symbols..... | 99 |
| 9.2.2 | Elastic stress limits..... | 101 |
| 9.3 | Cylindrical pipes, elbows and mitre bends | 101 |
| 9.3.1 | Determination of lengths | 101 |
| 9.3.2 | Interstiffener collapse | 103 |
| 9.3.3 | Overall collapse of stiffened pipes | 105 |
| 9.3.4 | Stiffener stability..... | 106 |
| 9.3.5 | Heating/cooling channels | 109 |
| 9.4 | Reducers (conical shells) | 110 |
| 9.5 | Dished ends | 112 |
| 9.5.1 | Hemispherical ends..... | 112 |
| 9.5.2 | Torispherical ends..... | 113 |
| 9.5.3 | Ellipsoidal ends..... | 113 |
| 10 | Design for cyclic loading..... | 113 |
| 10.1 | General..... | 113 |
| 10.2 | Exemption from detailed fatigue analysis | 113 |
| 10.3 | Fatigue design for cyclic pressure..... | 114 |
| 10.3.1 | Equivalent full load cycles..... | 114 |
| 10.3.2 | Simplified fatigue analysis..... | 114 |
| 10.4 | Fatigue design for thermal gradients | 129 |
| 10.4.1 | General..... | 129 |
| 10.4.2 | Design guidance..... | 129 |
| 10.5 | Fatigue design for combined loads | 130 |
| 11 | Integral attachments..... | 130 |
| 11.1 | General..... | 130 |
| 11.2 | Allowable stresses | 130 |
| 11.3 | Symbols..... | 131 |
| 11.4 | Hollow circular attachments..... | 133 |
| 11.4.1 | Limitations..... | 133 |
| 11.4.2 | Preliminary calculations | 133 |
| 11.4.3 | Analysis of attachments welded to pipe with a full penetration weld..... | 135 |
| 11.4.4 | Analysis of attachments welded to pipe with fillet or partial penetration weld | 136 |
| 11.5 | Rectangular attachments | 136 |
| 11.5.1 | Limitations..... | 136 |
| 11.5.2 | Preliminary calculations | 136 |
| 11.5.3 | Analysis of attachments welded to pipe with a full penetration weld..... | 138 |
| 11.5.4 | Analysis of attachments welded to pipe with fillet or partial penetration weld | 139 |
| 11.6 | Stress analysis of the run pipe..... | 139 |
| 11.7 | Shear stress analysis in attachment..... | 141 |

| | | |
|---------|--|-----|
| 11.7.1 | Hollow circular attachments | 141 |
| 11.7.2 | Rectangular attachments..... | 141 |
| 11.8 | Alternative calculation methods | 141 |
| 12 | Flexibility analysis and acceptance criteria..... | 141 |
| 12.1 | Basic conditions | 141 |
| 12.1.1 | General | 141 |
| 12.1.2 | Loading conditions..... | 142 |
| 12.1.3 | Allowable stresses..... | 142 |
| 12.2 | Piping flexibility..... | 144 |
| 12.2.1 | General | 144 |
| 12.2.2 | Basic conditions | 144 |
| 12.2.3 | Displacement strains..... | 144 |
| 12.2.4 | Displacement stresses | 145 |
| 12.2.5 | Stress range | 146 |
| 12.2.6 | Cold pull | 146 |
| 12.2.7 | Properties for flexibility analysis | 147 |
| 12.2.8 | Supporting conditions | 147 |
| 12.2.9 | Expansion joints..... | 149 |
| 12.2.10 | Flexibility analysis..... | 149 |
| 12.3 | Flexibility analysis | 151 |
| 12.3.1 | General | 151 |
| 12.3.2 | Stress due to sustained loads | 152 |
| 12.3.3 | Stress due to sustained and occasional or exceptional loads..... | 152 |
| 12.3.4 | Stress range due to thermal expansion and alternating loads | 153 |
| 12.3.5 | Additional conditions for the creep range..... | 154 |
| 12.3.6 | Stresses due to a single non-repeated support movement | 154 |
| 12.3.7 | Determination of resultant moments | 155 |
| 12.3.8 | Alternative method for stress calculation..... | 157 |
| 12.3.9 | Reactions | 157 |
| 12.4 | Fatigue analysis..... | 157 |
| 12.5 | Vibration | 157 |
| 13 | Pipe Supports..... | 158 |
| 13.1 | General requirements..... | 158 |
| 13.1.1 | General | 158 |
| 13.1.2 | Classification of supports..... | 158 |
| 13.1.3 | Additional definitions | 159 |
| 13.1.4 | Boundaries | 161 |
| 13.1.5 | Pipe supports welded to the pipe | 163 |
| 13.2 | Selection of pipe supports | 164 |
| 13.2.1 | General | 164 |
| 13.2.2 | Detail design of pipe supports | 165 |
| 13.2.3 | Support location..... | 166 |
| 13.3 | Constant hangers/base mounted (pedestal) constant supports..... | 166 |
| 13.3.1 | General | 166 |
| 13.3.2 | Load deviation from calibrated load | 166 |
| 13.3.3 | Site adjustment of the calibrated load | 166 |
| 13.3.4 | Travel reserve (Overtravel)..... | 166 |
| 13.3.5 | Blocking..... | 167 |
| 13.3.6 | Identification Marking/Name plate | 167 |
| 13.4 | Variable load spring hangers and base mounted (pedestal) variable load spring supports | 167 |
| 13.4.1 | General | 167 |

| | | |
|----------|--|-----|
| 13.4.2 | Tolerance on spring rate | 168 |
| 13.4.3 | Travel reserve (Overtravel) | 168 |
| 13.4.4 | Blocking | 168 |
| 13.4.5 | Name plate | 168 |
| 13.5 | Rigid struts | 169 |
| 13.6 | Shock arrestors (shock absorber, snubber) | 169 |
| 13.7 | Sliding supports | 170 |
| 13.8 | Anchors | 170 |
| 13.9 | Documentation of supports | 170 |
| 13.10 | Marking of supports | 170 |
| 13.11 | Manufacturing of pipe supports | 170 |
| 13.11.1 | Material requirements | 170 |
| 13.11.2 | Design temperatures for support components | 171 |
| 13.11.3 | Design details | 172 |
| 13.11.4 | Determination of component sizes | 173 |
| 13.11.5 | Welded connections | 174 |
| 13.11.6 | Threaded connections | 176 |
| 13.11.7 | Additional requirements on springs | 177 |
| 13.11.8 | Design details for rigid struts | 177 |
| 13.11.9 | Design details for shock arrestors (shock absorbers, snubbers) | 178 |
| 13.11.10 | Design details for shock arrestors (shock absorbers, snubbers) | 179 |
| Annex A | (informative) Dynamic analysis | 180 |
| A.1 | General | 180 |
| A.2 | Analysis by calculation | 180 |
| A.2.1 | Seismic events | 180 |
| A.2.2 | Rapid valve closure | 184 |
| A.2.3 | Flow induced vibration | 187 |
| A.2.4 | Safety valve discharge | 189 |
| A.2.5 | Allowable stresses | 192 |
| A.3 | Alternative means of design verification | 192 |
| A.3.1 | Comparative studies | 192 |
| A.3.2 | Full scale testing | 192 |
| A.3.3 | Reduced scale testing | 192 |
| Annex B | (normative) More accurate calculation of bends and elbows | 193 |
| B.1 | General | 193 |
| B.2 | Symbols and units | 193 |
| B.3 | Required wall thickness | 194 |
| B.4 | Calculation | 195 |
| B.4.1 | Calculation of wall thickness | 195 |
| B.4.2 | Stress calculation | 197 |
| Annex C | (informative) Expansion joints | 201 |
| C.1 | Incorporation of expansion joints into piping systems | 201 |
| C.1.1 | General | 201 |
| C.1.2 | Types of expansion joints | 202 |
| C.1.3 | Design of expansion joints | 202 |
| C.1.4 | Designing with expansion joints | 203 |
| C.1.5 | Analyses and calculation | 205 |
| C.1.6 | Cold pull | 206 |
| C.2 | Maximum spacing for unrestrained axially compensated straight runs | 206 |
| C.2.1 | General | 206 |
| C.2.2 | Calculation rules | 206 |

| | | |
|---------|--|-----|
| C.2.3 | Maximum spacing for defined conditions | 207 |
| C.3 | Indication for the design of expansion joints | 209 |
| C.3.1 | General | 209 |
| C.3.2 | Information for the system analyst..... | 209 |
| Annex D | (normative) Flanges..... | 210 |
| D.1 | Purpose | 210 |
| D.2 | Specific terms and definitions..... | 210 |
| D.3 | Specific symbols and abbreviations..... | 211 |
| D.4 | General | 212 |
| D.4.1 | Introduction | 212 |
| D.4.2 | Use of standard flanges without calculation..... | 212 |
| D.4.3 | Bolting..... | 213 |
| D.4.4 | Flange construction | 215 |
| D.4.5 | Machining | 215 |
| D.4.6 | Gaskets | 215 |
| D.5 | Narrow face gasketed flanges | 216 |
| D.5.1 | General | 216 |
| D.5.2 | Bolt loads and areas..... | 219 |
| D.5.3 | Flange moments | 220 |
| D.5.4 | Flange stresses and stress limits..... | 220 |
| D.5.5 | Narrow face flanges subject to external pressure | 226 |
| D.5.6 | Lap joints | 226 |
| D.5.7 | Split ring flanges | 229 |
| D.6 | Full face flanges with soft ring type gaskets | 230 |
| D.6.1 | Specific symbols and abbreviations..... | 231 |
| D.6.2 | Bolt loads and areas..... | 231 |
| D.6.3 | Flange design..... | 232 |
| D.6.4 | Full face flanges subject to external pressure..... | 233 |
| D.7 | Seal welded flanges..... | 233 |
| D.8 | Reverse narrow face flanges..... | 234 |
| D.8.1 | Internal pressure..... | 234 |
| D.8.2 | External pressure | 236 |
| D.9 | Reverse full face flanges..... | 236 |
| D.9.1 | General | 236 |
| D.9.2 | Design following method of D.5..... | 236 |
| D.9.3 | Design following method of D.6..... | 238 |
| D.10 | Full face flanges with metal to metal contact | 240 |
| D.10.1 | General | 240 |
| D.10.2 | Specific symbols and abbreviations..... | 240 |
| D.10.3 | Design | 241 |
| Annex E | (normative) Design of branch connections in piping accessories | 243 |
| E.1 | Scope | 243 |
| E.1.1 | General | 243 |
| E.2 | Reinforcement | 245 |
| E.2.1 | Angles and areas | 245 |
| E.2.2 | The following condition shall be satisfied:..... | 245 |
| E.3 | Flexibility analysis | 246 |
| Annex F | (informative) Testing during operation in the case of cyclic loading..... | 248 |
| F.1 | Testing during operation..... | 248 |
| F.2 | Measures to be taken when the calculated fatigue life has been reached | 248 |
| Annex G | (informative) Physical properties of steels | 250 |

| | | |
|----------------|--|------------|
| G.1 | General | 250 |
| G.2 | Physical properties | 250 |
| G.2.1 | Density | 250 |
| G.2.2 | Differential coefficient of linear expansion | 251 |
| G.2.3 | Specific thermal capacity | 251 |
| G.2.4 | Thermal diffusivity | 251 |
| G.2.5 | Poisson's ratio | 251 |
| G.3 | Physical properties of steels | 251 |
| Annex H | (normative) Flexibility characteristics, flexibility and stress intensification factors and section moduli of piping components and geometrical discontinuities | 257 |
| Annex I | (informative) Production testing of spring supports and shock arrestors (shock absorbers) | 267 |
| I.1 | Constant load supports | 267 |
| I.2 | Variable spring supports | 267 |
| I.3 | Shock arrestors | 267 |
| Annex J | (normative) Type testing of support components | 272 |
| Annex K | (informative) Attachment of supports to structures | 274 |
| K.1 | Attachment of supports to concrete structures | 274 |
| K.2 | Attachment to metallic structures | 275 |
| K.2.1 | Standard bolts | 275 |
| K.2.2 | Friction grip bolts | 275 |
| K.2.3 | Welding | 275 |
| Annex L | (informative) Buckling of linear type supports | 276 |
| L.1 | General | 276 |
| L.2 | Symbols | 276 |
| L.3 | Basic formulae | 277 |
| L.4 | Allowable compressive stress | 277 |
| L.5 | Buckling length | 278 |
| Annex M | (informative) Design guidance for structural components | 280 |
| M.1 | Linear type components subjected to bending | 280 |
| M.1.1 | General | 280 |
| M.1.2 | Supplementary verifications for linear type supports | 280 |
| M.2 | Stability of plate type supports | 282 |
| M.3 | Anchorage plates or equivalent anchorage components | 282 |
| M.3.1 | General | 282 |
| M.3.2 | Design of simple anchorage plates | 282 |
| M.3.3 | Fixing plates with stiffening gussets | 283 |
| M.3.4 | Load calculations for anchorages fixed in concrete | 283 |
| Annex N | (normative) Documentation of supports | 284 |
| Annex O | (normative) Alternative method for checking branch connections | 286 |
| O.1 | Scope | 286 |
| O.2 | Symbols | 286 |
| O.3 | Design and checking of the branch connection | 288 |
| O.3.1 | Limit value for the load due to pressure only for straight pipes without opening | 288 |
| O.3.2 | Determination of the minimum thicknesses under loading due to pressure only | 289 |
| O.3.3 | Checking of the thicknesses selected for the combination of pressure loading and loadings due to external loads | 289 |
| Annex P | (informative) Recommended gaskets for industrial piping | 340 |

| | |
|---|------------|
| Annex Q (informative) Simplified pipe stress analysis | 342 |
| Q.1 General | 342 |
| Q.2 Simplified procedure | 342 |
| Q.2.1 General | 342 |
| Q.2.2 Specification of allowable spacing of supports | 342 |
| Q.2.3 Check of elasticity | 342 |
| Q.3 Explanatory notes for Table Q.1 | 344 |
| Q.4 Symbols | 346 |
| Q.5 Indices f_L | 346 |
| Q.6 Explanatory notes to Q.2.2 | 347 |
| Q.6.1 Specification of allowable spacing of supports | 347 |
| Q.7 Conversion of the allowable lengths | 348 |
| Q.7.1 Other support conditions | 348 |
| Q.7.2 Other parameters | 348 |
| Q.8 Additional single loads | 349 |
| Q.8.1 General | 349 |
| Q.9 Explanatory note on Figure Q.2 | 352 |
| Q.9.1 General | 352 |
| Q.9.2 Required pipe leg length L_1, for f_1 from the nomogram | 354 |
| Q.9.3 Required pipe leg length L_2, for f_2 from the nomogram | 354 |
| Annex Y (informative) History of EN 13480-3 | 359 |
| Y.1 Differences between EN 13480-3:2012 and EN 13480-3:2017 | 359 |
| Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 2014/68/EU aimed to be covered | 361 |
| Bibliography | 362 |

European foreword

This document (EN 13480-3:2017) has been prepared by Technical Committee CEN/TC 267 "Industrial piping and pipelines", the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by December 2017, and conflicting national standards shall be withdrawn at the latest by December 2017.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For relationship with EU Directive(s), see informative Annex ZA, which is an integral part of this document.

This European Standard EN 13480 for metallic industrial piping consists of eight interdependent and not dissociable Parts which are:

- *Part 1: General;*
- *Part 2: Materials;*
- *Part 3: Design and calculation;*
- *Part 4: Fabrication and installation;*
- *Part 5: Inspection and testing;*
- *Part 6: Additional requirements for buried piping;*
- *CEN/TR 13480-7, Guidance on the use of conformity assessment procedures;*
- *Part 8: Additional requirements for aluminium and aluminium alloy piping.*

Although these Parts may be obtained separately, it should be recognised that the Parts are inter-dependant. As such the manufacture of metallic industrial piping requires the application of all the relevant Parts in order for the requirements of the Standard to be satisfactorily fulfilled.

This European Standard will be maintained by a Maintenance MHD working group whose scope of working is limited to corrections and interpretations related to EN 13480.

The contact to submit queries can be found at <http://www.unm.fr> (en13480@unm.fr). A form for submitting questions can be downloaded from the link to the MHD website. After subject experts have agreed an answer, the answer will be communicated to the questioner. Corrected pages will be given specific issue number and issued by CEN according to CEN Rules. Interpretation sheets will be posted on the website of the MHD.

This document supersedes EN 13480-3:2012. This new edition incorporates the Amendments which have been approved previously by CEN members, and the corrected pages up to Issue 5 without any further technical change. Annex Y provides details of significant technical changes between this European Standard and the previous edition.

Amendments to this new edition may be issued from time to time and then used immediately as alternatives to rules contained herein.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

1 Scope

This Part of this European Standard specifies the design and calculation of industrial metallic piping systems, including supports, covered by EN 13480.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 1515-2:2001, *Flanges and their joints — Bolting — Part 2: Combination of flange and bolting materials for steel flanges PN designated*

EN 1515-3:2005, *Flanges and their joints — Bolting — Part 3: Classification of bolt materials for steel flanges, Class designated*

EN 1515-4:2010, *Flanges and their joints — Bolting — Part 4: Selection of bolting for equipment subject to the Pressure Equipment Directive 97/23/EC*

EN 1591-1:2013, *Flanges and their joints — Design rules for gasketed circular flange connections — Part 1: Calculation method*

EN 1591-2:2008, *Flanges and their joints — Design rules for gasketed circular flange connections — Part 2: Gasket parameters*

EN 1993 (all parts), *Eurocode 3: Design of steel structures*

EN 10204:2004, *Metallic products — Types of inspection documents*

EN 10216-2:2013, *Seamless steel tubes for pressure purposes — Technical delivery conditions — Part 2: Non-alloy and alloy steel tubes with specified elevated temperature properties*

EN 13445-3:2014, *Unfired pressure vessels — Part 3: Design*

EN 13480-1:2017, *Metallic industrial piping — Part 1: General*

EN 13480-2:2017, *Metallic industrial piping — Part 2: Materials*

EN 13480-4:2017, *Metallic industrial piping — Part 4: Fabrication and installation*

EN 13480-5:2017, *Metallic industrial piping — Part 5: Inspection and testing*

EN ISO 5817:2007, *Welding — Fusion-welded joints in steel, nickel, titanium and their alloys (beam welding excluded) — Quality levels for imperfections (ISO 5817:2003, corrected version:2005, including Technical Corrigendum 1:2006)*