# INTERNATIONAL **STANDARD**

ISO 8217

Fifth edition 2012-08-15

## Petroleum products — Fuels (class F) — Specifications of marine fuels

rodun.
zombustu. Produits pétroliers — Combustibles (classe F) — Spécifications des



Reference number ISO 8217:2012(E)



© ISO 2012

duced or utilized in any form g from either ISO at the # All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org

Published in Switzerland

Contents		Page
Forev	vord	iv
Introduction		v
1	Scope	1
2	Normative references	1
3	Application	2
4	Sampling	2
5	General requirements	3
6 6.1 6.2 6.3	Specification requirements  Requirements for distillate and residual fuels  Requirements for distillate fuels  Requirements for residual fuels	3 3
7 7.1 7.2 7.3 7.4 7.5 7.6 7.7 7.8 7.9 7.10 7.11	Test methods Density Sulfur content Flash point Total sediment by hot filtration Total sediment — Aged Appearance Vanadium Sodium Aluminium plus silicon Used lubricating oil (ULO) Hydrogen sulfide	
8	Precision and interpretation of test results	
Annex A (informative) Bio-derived products and fatty acid methyl esters  Annex B (informative) Deleterious materials		
	x C (informative) Sulfur content	
	x D (informative) Hydrogen sulfide	
	x E (informative) Specific energy	
	x F (informative) Ignition characteristics of residual marine fuels	
	x G (informative) Flash point	
	x H (informative) Acidity	
	x I (informative) Sodium and vanadium	
	x J (informative) Catalyst fines	
	x K (informative) Used lubricating oils	
Anne	x L (informative) Precision and interpretation of test results	27
	aranhy	29

### **Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 8217 was prepared by Technical Committee ISO/TC 28, *Petroleum products and lubricants*, Subcommittee SC 4, *Classifications and specifications*.

This fifth edition cancels and replaces the fourth edition (ISO 8217:2010) and incorporates Technical Corrigendum ISO 8217:2010/Cor.1:2011. In addition, a normative reference to IP 570, Procedure A has been added in 7.11 for the purposes of the hydrogen sulfide test method. Corresponding references to IP 570 have orm, sified. been inserted in Tables 1 and 2. In Clause 2, the list of normative references has been updated to refer readers to the most recent edition where no edition date is specified.

#### Introduction

#### 0.1 General

This International Standard was prepared in co-operation with ship owners, ship operators, shipping associations, national standards bodies, classification societies, fuel testing services, engine designers, fuel suppliers and the petroleum industry in order to meet the requirements for fuels supplied on a world-wide basis for consumption on board ships. Crude oil supplies, refining methods, ships' machinery, environmental legislation and local conditions vary considerably. These factors have led historically to a large number of categories of residual fuels being available internationally, even though locally or nationally there can be relatively few categories available.

#### 0.2 Classification

The categories of fuel in this International Standard have been classified in accordance with ISO 8216-1<sup>[1]</sup>.

#### 0.3 International statutory requirements

This International Standard takes into account the SOLAS Convention<sup>[2]</sup> in respect of the allowable minimum flash point of fuels.

The Revised MARPOL Annex  $VI^{[3]}$ , which controls air pollution from ships, includes a requirement that either the fuel not exceed specified maximum sulfur content or an approved equivalent alternative be used. During the lifetime of this International Standard, regional and/or national bodies can introduce their own local emission requirements, which can impact the allowable sulfur content, for example the EU Sulfur Directive<sup>[4]</sup>. It is the users' responsibility to establish the requirement to comply with such statutory requirements and to specify the maximum sulfur content of the fuel to the supplier.

#### 0.4 Changes with respect to ISO 8217:2010

This fifth edition of this International Standard incorporates the following changes with respect to the previous fourth edition:

- on page 5, subclause 7.11 on hydrogen sulfide has been added, including a normative reference to IP 570, Procedure A;
- on page 8, in the row Pour point (upper) of Table 1, for category ISO-F-DMX the previous values "-6" and "0" have been replaced by "—". (This formed the subject of ISO 8217:2010/Cor.1:2011.)

This document is a preview general ded by tills

# Petroleum products — Fuels (class F) — Specifications of marine fuels

WARNING — The handling and use of products specified in this International Standard can be hazardous if suitable precautions are not observed. This International Standard does not purport to address all of the safety and health considerations that can be associated with its use. It is the responsibility of the users of this International Standard to establish appropriate safety and health practices and to determine the applicability of regulatory limitations prior to use.

#### 1 Scope

This International Standard specifies the requirements for petroleum fuels for use in marine diesel engines and boilers, prior to appropriate treatment before use. The specifications for fuels in this International Standard can also be applicable to fuels for stationary diesel engines of the same or similar make and type as those used for marine purposes.

This International Standard specifies four categories of distillate fuel, one of which is for diesel engines for emergency purposes. It also specifies six categories of residual fuel.

NOTE 1 For the purposes of this International Standard, the term "petroleum" is used to include oil from tar sands and from shale.

NOTE 2 Appropriate guidance about fuel treatment systems for diesel engines is published by the International Council on Combustion Engines (CIMAC)<sup>[5]</sup>.

NOTE 3 Requirements for gas turbine fuels used in marine applications are specified in ISO 4261<sup>[6]</sup>.

NOTE 4 For the purposes of this International Standard, the terms "mass %" and "volume %" are used to represent the mass and volume fractions respectively.

#### 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 91-1:1992, Petroleum measurement tables — Part 1: Tables based on reference temperatures of 15  $^{\circ}$ C and 60  $^{\circ}$ F

ISO 2719, Determination of flash point — Pensky-Martens closed cup method

ISO 3015, Petroleum products — Determination of cloud point

ISO 3016, Petroleum products — Determination of pour point

ISO 3104, Petroleum products — Transparent and opaque liquids — Determination of kinematic viscosity and calculation of dynamic viscosity

ISO 3675, Crude petroleum and liquid petroleum products — Laboratory determination of density — Hydrometer method

ISO 3679, Determination of flash point — Rapid equilibrium closed cup method

ISO 3733, Petroleum products and bituminous materials — Determination of water — Distillation method

ISO 4259, Petroleum products — Determination and application of precision data in relation to methods of test

© ISO 2012 – All rights reserved

- ISO 4264, Petroleum products Calculation of cetane index of middle-distillate fuels by the four-variable equation
- ISO 6245, Petroleum products Determination of ash
- ISO 8754, Petroleum products Determination of sulfur content Energy-dispersive X-ray fluorescence spectrometry
- ISO 10307-1, Petroleum products Total sediment in residual fuel oils Part 1: Determination by hot filtration
- ISO 10307-2, Petroleum products Total sediment in residual fuel oils Part 2: Determination using standard procedures for ageing
- ISO 10370, Petroleum products Determination of carbon residue Micro method
- ISO 10478, Petroleum products Determination of aluminium and silicon in fuel oils Inductively coupled plasma emission and atomic absorption spectroscopy methods
- ISO 12156-1, Diesel fuel Assessment of lubricity using the high-frequency reciprocating rig (HFRR) Part 1:Test method
- ISO 12185, Crude petroleum and petroleum products Determination of density Oscillating U-tube method
- ISO 12205, Petroleum products Determination of the oxidation stability of middle-distillate fuels
- ISO 12937, Petroleum products Determination of water Coulometric Karl Fischer titration method
- ISO 13739, Petroleum products Procedures for transfer of bunkers to vessels
- ISO 14596, Petroleum products Determination of sulfur content Wavelength-dispersive X-ray fluorescence spectrometry
- ISO 14597, Petroleum products Determination of vanadium and nickel content Wavelength-dispersive X-ray fluorescence spectrometry
- EN 14214, Automotive fuels Fatty acid methyl esters (FAME) for diesel engines Requirements and test methods
- IP 470, Determination of aluminium, silicon, vanadium, nickel, iron, calcium, zinc and sodium in residual fuel oil by ashing, fusion and atomic absorption spectrometry
- IP 500, Determination of the phosphorus content of residual fuels by ultra-violet spectrometry
- IP 501, Determination of aluminium, silicon, vanadium, nickel, iron, sodium, calcium, zinc and phosphorus in residual fuel oil by ashing, fusion and inductively coupled plasma emission spectrometry
- IP 570, Determination of hydrogen sulfide in fuel oils Rapid liquid phase extraction method
- ASTM D664, Standard Test Method for Acid Number of Petroleum Products by Potentiometric Titration
- ASTM D6751, Standard Specification for Biodiesel Fuel Blend Stock (B100) for Middle Distillate Fuels

#### 3 Application

This International Standard specifies the required properties for fuels at the time and place of custody transfer. Samples for quality verification may be taken in any location agreed between the parties.

#### 4 Sampling

The sampling of petroleum fuels for analysis shall be carried out in accordance with the procedures given in ISO 13739 or an equivalent national standard. Where specific sampling requirements are documented in the referenced test methods, these shall be adhered to.