INTERNATIONAL **STANDARD**

ISO 11664-3 CIE S 014-3/E

> First edition 2012-04-15

Colorimetry —

Part 3:

CIE tristimulus values

Colorimétrie —





© ISO 2012

Yduced or utilized in any frating from either ISO p All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org

Published in Switzerland

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

ISO 11664-3 was prepared as Standard CIE S 014-3/E by the International Commission on Illumination, which has been recognized by the ISO Council as an international standardizing body. It was adopted by ISO under a special procedure which requires approval by at least 75 % of the member bodies casting a vote, and is published as a joint ISO/CIE edition.

The International Commission on Illumination (abbreviated as CIE from its French title) is an organization devoted to international cooperation and exchange of information among its member countries on all matters relating to the science and art of lighting.

ISO 11664-3 was prepared by CIE Technical Committee 1-57 of Division: Vision and colour.

ISO 11664 consists of the following parts, under the general title Colorimetry:

- Part 1: CIE standard colorimetric observers
- Part 2: CIE standard illuminants
- Part 3: CIE tristimulus values
- Part 4: CIE 1976 L*a*b* Colour space
- Part 5: CIE 1976 L*u*v* Colour space and u', v' uniform chromaticity scale diagram

iii

This document is a previous general ded to tills



CIE S 014-3/E:2011

Colorimetry - Part 3: CIE Tristimulus Values

Colorimétrie - Partie 3: Composantes trichromatiques CIE

Farbmessung - Teil 3: CIE-Farbwerte

CIE Standards are copyrighted and shall not be reproduced in any form, entirely or partly, without the explicit agreement of the CIE.

CIE Central Bureau, Vienna Kegelgasse 27, A-1030 Vienna, Austria CIE S 014-3/E:2011

UDC: 535.65:006 Descriptor: Standardisation of colour measurement 535.643.2 Standard colorimetric systems

ISO 11664-3:2012(E) CIE S 014-3/E:2011

© CIE 2011

blication may be including phe 'he addres' All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from CIE Central Bureau at the address below.

CIE Central Bureau Kegelgasse 27 A-1030 Vienna Austria

Tel.: +43 1 714 3187 0 Fax: +43 1 714 3187 18 e-mail: ciecb@cie.co.at

www.cie.co.at

Foreword

Standards produced by the Commission Internationale de l'Eclairage are concise documents on aspects of light and lighting that require a unique definition. They are a primary source of internationally accepted and agreed data which can be taken, essentially unaltered, into universal standard systems.

This CIE Standard has been prepared by Technical Committee TC 1-57* of Division 1 "Vision and Colour" of the Commission Internationale de l'Eclairage and approved by the National Committees of the CIE.

The following ISO and IEC committees and working groups co-operated in the preparation of this standard:

IEC TC100/TA2 (Audio, video and multimedia systems)

ISO TC6 (Paper, board and pulps)

ISO TC35/SC9/WG22 (Paints and varnishes)

ISO TC38/SC1/WG7 (Textiles)

ISO TC42 (Photography)

ISO TC130 (Graphic technology)

ISO/IEC/JTC1/SC28 (Office systems)

^{*} The chairperson of this TC was A.R. Robertson (CA), members were: P.J. Alessi (US), J. Campos Acosta (ES), R. Connelly (US), J.-F. Decarreau (FR), R. Harold (US), R. Hirschler (HU), B. Jordan (CA), C. Kim (KR), D. McDowell (US), P. McGinley (AU), Y. Ohno (US), M.R. Pointer (GB), K. Richter (DE), G. Rösler (DE), J.D. Schanda (HU), R. Sève (FR), K. Witt (DE), H. Yaguchi (JP), J. Zwinkels (CA).

CONTENTS

1 Scope 1 Normative References 1 Normative References 1 Definitions, Symbols and Abbreviations 1 Standard Method 3 3 4.1 Calculation of Tristimulus Values 3 4.2 Normalizing Constant for Self-Luminous Light Sources 4 4.3 Normalizing Constant for Reflecting or Transmitting Objects 4 4.4 CIE 1964 Standard Colorimetric System 4 Abridged Methods 5 5.1 Abridged Method for 5 nm Data 5 5.2 Abridged Method for 10 nm or 20 nm Data for Reflecting or Transmitting Objects 5 3 Abridged Method for 10 nm or 20 nm Data for Self-Luminous Light Sources 6 Supplementary Treatment of Input Data 6 6.1 Extrapolation 6 6.2 Interpolation 7 6 6.3 Bandwidth 7 7 Chromaticity Coordinates 7 Numerical Procedures 8 Presentation of Results 8 8 8 8 8 8 8 8 8	1 Scope 2 Normative References		rd	V
Normative References	2 Normative References. 3 Definitions, Symbols and Abbreviations	troduc	tion	
Definitions, Symbols and Abbreviations	3 Definitions, Symbols and Abbreviations 4 Standard Method	Sco	pe	
Standard Method	4.1 Calculation of Tristimulus Values 4.2 Normalizing Constant for Self-Luminous Light Sources 4.3 Normalizing Constant for Reflecting or Transmitting Objects 4.4 CIE 1964 Standard Colorimetric System 5 Abridged Methods 5.1 Abridged Method for 5 nm Data 5.2 Abridged Method for 10 nm or 20 nm Data for Reflecting or Transmitting Objects 5.3 Abridged Method for 10 nm or 20 nm Data for Self-Luminous Light Sources 6 Supplementary Treatment of Input Data 6.1 Extrapolation 6.2 Interpolation 6.3 Bandwidth 7 Chromaticity Coordinates 8 Numerical Procedures 9 Presentation of Results Bibliography	Nor	mative References	
4.1 Calculation of Tristimulus Values	4.1 Calculation of Tristimulus Values	Defi	nitions, Symbols and Abbreviations	
4.2 Normalizing Constant for Self-Luminous Light Sources 4.3 Normalizing Constant for Reflecting or Transmitting Objects 4.4 CIE 1964 Standard Colorimetric System Abridged Methods 5.1 Abridged Method for 5 nm Data 5.2 Abridged Method for 10 nm or 20 nm Data for Reflecting or Transmitting Objects 5.3 Abridged Method for 10 nm or 20 nm Data for Self-Luminous Light Sources Supplementary Treatment of Input Data 6.1 Extrapolation 6.2 Interpolation 6.3 Bandwidth Chromaticity Coordinates Numerical Procedures Presentation of Results Signaphy Sign	4.2 Normalizing Constant for Self-Luminous Light Sources 4.3 Normalizing Constant for Reflecting or Transmitting Objects 4.4 CIE 1964 Standard Colorimetric System 5 Abridged Methods 5.1 Abridged Method for 5 nm Data 5.2 Abridged Method for 10 nm or 20 nm Data for Reflecting or Transmitting Objects 5.3 Abridged Method for 10 nm or 20 nm Data for Self-Luminous Light Sources 6 Supplementary Treatment of Input Data 6.1 Extrapolation 6.2 Interpolation 6.3 Bandwidth 7 Chromaticity Coordinates 8 Numerical Procedures 9 Presentation of Results Bibliography	Staı	ndard Method	
4.3 Normalizing Constant for Reflecting or Transmitting Objects 4.4 CIE 1964 Standard Colorimetric System Abridged Methods 5.1 Abridged Method for 5 nm Data 5.2 Abridged Method for 10 nm or 20 nm Data for Reflecting or Transmitting Objects 5.3 Abridged Method for 10 nm or 20 nm Data for Self-Luminous Light Sources Supplementary Treatment of Input Data 6.1 Extrapolation 6.2 Interpolation 6.3 Bandwidth Chromaticity Coordinates Numerical Procedures Presentation of Results liography 6.3 Self-Luminous Light Sources 6.4 Results 6.5 Results 6.6 Results 6.7 Results 6.8 Results 6.9 R	4.3 Normalizing Constant for Reflecting or Transmitting Objects 4.4 CIE 1964 Standard Colorimetric System 5 Abridged Methods 5.1 Abridged Method for 5 nm Data 5.2 Abridged Method for 10 nm or 20 nm Data for Reflecting or Transmitting Objects 5.3 Abridged Method for 10 nm or 20 nm Data for Self-Luminous Light Sources 6 Supplementary Treatment of Input Data 6.1 Extrapolation 6.2 Interpolation 6.3 Bandwidth 7 Chromaticity Coordinates 8 Numerical Procedures 9 Presentation of Results Bibliography	4.1	Calculation of Tristimulus Values	
4.4 CIE 1964 Standard Colorimetric System	4.4 CIE 1964 Standard Colorimetric System 5 Abridged Methods 5.1 Abridged Method for 5 nm Data 5.2 Abridged Method for 10 nm or 20 nm Data for Reflecting or Transmitting Objects 5.3 Abridged Method for 10 nm or 20 nm Data for Self-Luminous Light Sources 6 Supplementary Treatment of Input Data 6.1 Extrapolation 6.2 Interpolation 6.3 Bandwidth 7 Chromaticity Coordinates 8 Numerical Procedures 9 Presentation of Results Bibliography	4.2	Normalizing Constant for Self-Luminous Light Sources	4
Abridged Methods	5 Abridged Methods 5.1 Abridged Method for 5 nm Data 5.2 Abridged Method for 10 nm or 20 nm Data for Reflecting or Transmitting Objects 5.3 Abridged Method for 10 nm or 20 nm Data for Self-Luminous Light Sources 6 Supplementary Treatment of Input Data 6.1 Extrapolation 6.2 Interpolation 6.3 Bandwidth 7 Chromaticity Coordinates 8 Numerical Procedures 9 Presentation of Results Bibliography			
5.1 Abridged Method for 5 nm Data	5.1 Abridged Method for 5 nm Data 5.2 Abridged Method for 10 nm or 20 nm Data for Reflecting or Transmitting Objects 5.3 Abridged Method for 10 nm or 20 nm Data for Self-Luminous Light Sources 6 Supplementary Treatment of Input Data 6.1 Extrapolation 6.2 Interpolation 6.3 Bandwidth 7 Chromaticity Coordinates 8 Numerical Procedures 9 Presentation of Results Bibliography			
5.2 Abridged Method for 10 nm or 20 nm Data for Reflecting or Transmitting Objects	5.2 Abridged Method for 10 nm or 20 nm Data for Reflecting or Transmitting Objects 5.3 Abridged Method for 10 nm or 20 nm Data for Self-Luminous Light Sources 6 Supplementary Treatment of Input Data 6.1 Extrapolation 6.2 Interpolation 6.3 Bandwidth 7 Chromaticity Coordinates 8 Numerical Procedures 9 Presentation of Results Bibliography			
Objects	Objects 5.3 Abridged Method for 10 nm or 20 nm Data for Self-Luminous Light Sources 6 Supplementary Treatment of Input Data 6.1 Extrapolation 6.2 Interpolation 6.3 Bandwidth 7 Chromaticity Coordinates 8 Numerical Procedures 9 Presentation of Results Bibliography	_		
5.3 Abridged Method for 10 nm or 20 nm Data for Self-Luminous Light Sources Supplementary Treatment of Input Data 6.1 Extrapolation 6.2 Interpolation 6.3 Bandwidth Chromaticity Coordinates Numerical Procedures Presentation of Results Siliography	5.3 Abridged Method for 10 nm or 20 nm Data for Self-Luminous Light Sources 6 Supplementary Treatment of Input Data	5.2		<u>!</u>
Supplementary Treatment of Input Data 6.1 Extrapolation 6.2 Interpolation 7.6.3 Bandwidth 7.6.3 Chromaticity Coordinates 7.8 Numerical Procedures 7.8 Presentation of Results 7.8 Iliography 7.9 September 2.9 September 2.0 Septe	6 Supplementary Treatment of Input Data 6.1 Extrapolation 6.2 Interpolation 6.3 Bandwidth 7 Chromaticity Coordinates 8 Numerical Procedures 9 Presentation of Results Bibliography	5.3		
6.1 Extrapolation 6.2 Interpolation 76.3 Bandwidth 76.5 Extrapolation 76.3 Bandwidth 76.5 Extrapolates 76.5 Extrapolation 76.5 Extrapolation 76.6 Extrapolation 76.6 Extrapolation 76.7 Extrapolation 76.8 Extrapolation 76.8 Extrapolation 76.9	6.1 Extrapolation 6.2 Interpolation 6.3 Bandwidth 7 Chromaticity Coordinates 8 Numerical Procedures 9 Presentation of Results Bibliography			
6.2 Interpolation	6.2 Interpolation 6.3 Bandwidth 7 Chromaticity Coordinates 8 Numerical Procedures 9 Presentation of Results Bibliography	_	Extrapolation	
6.3 Bandwidth Chromaticity Coordinates Numerical Procedures Presentation of Results liography	6.3 Bandwidth 7 Chromaticity Coordinates 8 Numerical Procedures 9 Presentation of Results Bibliography	6.2	Interpolation	
Numerical Procedures	8 Numerical Procedures		Bandwidth	
Presentation of Results	9 Presentation of Results	Chr	omaticity Coordinates	
liography	Bibliography	Nun	nerical Procedures	8
liography	Bibliography	Pre	sentation of Results	
				5

Colorimetry - Part 3: CIE Tristimulus Values

Introduction

Colour stimuli with different spectral distributions can look alike. An important function of colorimetry is to determine which stimuli look alike to a given observer with a given set of colour-matching functions. This is done by calculating a set of three tristimulus values for each stimulus. Equality of tristimulus values indicates equality of colour appearance under equal irradiation and viewing conditions. This Standard is based on long-standing CIE recommendations (CIE, 2004) for the calculation of tristimulus values.

1 Scope

This CIE Standard specifies methods of calculating the tristimulus values of colour stimuli for which the spectral distributions are provided. These colour stimuli may be produced by self-luminous light sources or by reflecting or transmitting objects.

The Standard requires that the colour stimulus function be tabulated at measurement intervals of 5 nm or less in a wavelength range of at least 380 nm to 780 nm. Extrapolation methods are suggested for cases where the measured wavelength range is less than 380 nm to 780 nm.

The standard method is defined as summation at 1 nm intervals over the wavelength range from 360 nm to 830 nm. Alternative abridged methods are defined for larger intervals (up to 5 nm) and shorter ranges (down to 380 nm to 780 nm). The alternative methods are to be used only when appropriate and when the user has reviewed the impact on the final results.

The Standard may be used in conjunction with the CIE 1931 standard colorimetric observer or the CIE 1964 standard colorimetric observer.

2 Normative References

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

CIE DS 017.2/E:2009. ILV: International Lighting Vocabulary.

ISO 11664-1:2007(E)/CIE S 014-1/E:2006. Joint ISO/CIE Standard: Colorimetry Part 1. CIE Standard Colorimetric Observers.

ISO 11664-2:2007(E)/CIE S 014-2/E:2006. Joint ISO/CIE Standard: Colorimetry Part 2. CIE Standard Illuminants.

ISO 23539:2005(E)/CIE S 010/E:2004. Joint ISO/CIE Standard: *Photometry - The CIE System of Physical Photometry.*

3 Definitions, Symbols and Abbreviations

For the purposes of this International Standard, the terms and definitions given in CIE DS 017.2/E:2009 (International Lighting Vocabulary), and the following symbols and abbreviations apply.

 k, k_{10} normalizing constants

 $K_{\rm m}$ maximum spectral luminous efficacy of radiation in the CIE standard system of physical photometry