

Fibre management systems and protective housings to be used in optical fibre communication systems -
Product specifications - Part 4-1: Passive optical street cabinet for category A

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 50411-4-1:2019 sisaldab Euroopa standardi EN 50411-4-1:2019 ingliskeelset teksti.	This Estonian standard EVS-EN 50411-4-1:2019 consists of the English text of the European standard EN 50411-4-1:2019.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 28.06.2019.	Date of Availability of the European standard is 28.06.2019.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 33.180.20, 33.180.99

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:
Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

English Version

**Fibre management systems and protective housings to be used
in optical fibre communication systems - Product specifications -
Part 4-1: Passive optical street cabinet for category A**

Organiseurs et boîtiers de fibres à utiliser dans les
systèmes de communication par fibres optiques -
Spécifications de produits - Partie 4-1

LWL-Spleißkassetten und -Muffen für die Anwendung in
LWL-Kommunikationssystemen - Produktnormen - Teil 4-1

This European Standard was approved by CENELEC on 2019-05-20. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents

European foreword	4
1 Scope	6
1.1 Product definition	6
1.2 Operating environment	6
1.3 Reliability	6
1.4 Quality assurance	6
1.5 Allowed fibre and cable types	6
2 Normative references	7
3 Terms, definitions and abbreviations	8
3.1 Terms and definitions	8
3.2 Abbreviations	11
4 Description	11
4.1 Optical fibre street cabinet	11
4.2 Cable sealing	14
4.3 Cable anchoring	14
4.4 Fibre management system (FMS)	14
4.5 Patchcords and pigtails	15
4.6 Adapters	15
4.7 Passive optical components	15
4.8 Materials	15
4.9 Marking and identification	15
5 Variants	16
6 Dimensional requirements	18
7 Tests	19
7.1 Sample size	19
7.2 Test sample preparation	19
7.2.1 Sealing performance test samples	19
7.2.2 Optical performance test samples	19
7.3 Test and measurement methods	20
7.4 Test sequence	20
7.5 Pass/fail criteria	20
8 Test report	21
9 Performance requirements	21
9.1 Dimensional and marking requirements	21
9.2 Sealing, optical and appearance acceptance criteria	22
9.3 Mechanical sealing performance requirements	23
9.4 Environmental sealing performance requirements	26
9.5 Mechanical optical performance requirements	27
9.6 Environmental optical performance requirements	28
9.7 Material requirements	28
Annex A (informative) Fibre details for test sample	29
Annex B (informative) Sample size and product sourcing requirements	30

Annex C (informative) Families of fibre management systems covered in this standard	31
Annex D (informative) Dimensions of FMS for multiple elements and multiple ribbon	32
Annex E (informative) Dimensions of S type fibre management system for single circuit, single element and single ribbon	33
Annex F (informative) Adapter, plug and cable assembly connector dimensions	35
Bibliography	36

This document is a preview generated by EVS


European foreword

This document (EN 50411-4-1:2019) has been prepared by CLC/TC 86BXA “Fibre optic interconnect, passive and connectorised components”.

The following dates are fixed:

- latest date by which this document has to be (dop) 2020-05-20
implemented at national level by publication of
an identical national standard or by
endorsement
- latest date by which the national standards (dow) 2022-05-20
conflicting with this document have to be
withdrawn

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Fibre management systems and protective housings to be used in optical fibre communication systems – Product specifications Part 4-1: Passive optical street cabinet for category A							
Description		Typical installation configuration		Typical mounting options			
Street Cabinet		Outdoor Fibre Distribution Cabinet		On the ground			
Typical fibre management configurations							
<div><div>-</div>Direct spliced fibres with and without branching devices</div> <div><div>-</div>Interconnect with and without branching devices</div> <div><div>-</div>Cross-connect with and without branching devices</div>							
Operating service environments							
Applications: Optical fibre cable networks For outdoor above ground (aerial) applications				EN 61753-1 category A			
Modular adapter plates for the following connectors							
Connector type		Adapter size		Standard			
SC		Simplex or duplex		EN 61754-4			
LC		Simplex or duplex		EN 61754-20			
LSH		Simplex or Duplex		EN 61754-15			
LF3		Simplex or Duplex		EN 61754-28			
MPO		Simplex		EN 61754-7			
Fibre separation levels in Fibre Management System							
Single circuit (1, 2 or 4 fibre splices per tray), Single element (6, 8 or 12 fibre splices per tray), Multiple element (up to 144 fibre splices per tray)				Single ribbon (1 ribbon splice per tray), Multiple ribbon (12 ribbon splices per tray)			
Street cabinet sizes and dimensions							
		Size	Maximum fibre splice capacity	Maximum connections (adapters) capacity	Maximum outline dimensions (mm)		
					W	H	D
		A	288	216	500	1 000	400
		B	576	432	800	1 000	400
		C	768	576	1 300	1 200	400
		D	1 024	768	1 300	1 500	400
		E	1 296	972	1 900	1 500	400
		F	1 728	1 296	1 900	1 800	400

1 Scope

1.1 Product definition

This document covers passive optical fibre street cabinets for use in outside plant environments under category A according to EN 61753-1.

This document contains the dimensional, optical, mechanical and environmental performance requirements of an installed passive optical fibre street cabinet, in order for it to be categorised as an European standard product.

The street cabinet is a protective housing containing a modular fibre management system with splice trays for various fibre separation levels and connector mounting plates. The street cabinet may contain one or more of the following:

- storage and routing of fibre and cable;
- uncut (looped) fibre and cable storage;
- splice trays;
- adapters and connectors;
- passive optical components (optical power splitters and wavelength division multiplexers).

Street cabinets can also contain active optical components (amplifiers, converters, power supplies), but these applications are not part of this document.

1.2 Operating environment

The tests selected, combined with the severity and duration, are representative of outside plant above ground environments defined by EN 61753-1 Category A: Aerial environment.

1.3 Reliability

Whilst the anticipated service life expectancy of the product in this environment is 20 years, compliance with this document does not guarantee the reliability of the product. This should be predicted using a recognised reliability assessment programme.

1.4 Quality assurance

Compliance with this document does not guarantee the manufacturing consistency of the product. This should be maintained using a recognised quality assurance programme.

1.5 Allowed fibre and cable types

This street cabinet standard allows EN 60793-2-50 single-mode fibres and EN 60793-2-10 A1-OM1 to A1-OM5 multimode fibres to be used and is suitable for all EN 60794 series optical fibre cables with their various fibre capacities, types and designs as long as fitting in the cabinet does not contravene the minimum bend radius.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 60529, *Degrees of protection provided by enclosures (IP Code) (IEC 60529)*

EN 60793-2-10, *Optical fibres -Part 2-10: Product specifications -Sectional specification for category A1 multimode fibres (IEC 60793-2-10)*

EN 60793-2-50, *Optical fibres - Part 2-50: Product specifications - Sectional specification for class B single-mode fibres (IEC 60793-2-50)*

EN 61300-2-1, *Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 2-1: Tests - Vibration (sinusoidal) (IEC 61300-2-1)*

EN 61300-2-4, *Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 2-4: Tests - Fibre/cable retention (IEC 61300-2-4)*

EN 61300-2-9, *Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 2-9: Tests - Shock (IEC 61300-2-9)*

EN 61300-2-12, *Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 2-12: Tests-Impact (IEC 61300-2-12)*

EN 61300-2-22, *Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 2-22: Tests - Change of temperature (IEC 61300-2-22)*

EN 61300-2-26, *Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 2-26: Tests - Salt mist (IEC 61300-2-26)*

EN 61300-2-33, *Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 2-33: Tests - Assembly and disassembly of fibre optic mechanical splices, fibre management systems and closures (IEC 61300-2-33)*

EN 61300-2-34, *Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 2-34: Tests - Resistance to solvents and contaminating fluids of interconnecting components and closures (IEC 61300-2-34)*

EN 61300-3-1, *Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 3-1: Examinations and measurements - Visual examination (IEC 61300-3-1)*

EN 61300-3-3, *Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 3-3: Examinations and measurements - Active monitoring of changes in attenuation and return loss (IEC 61300-3-3)*

EN 61300-3-28, *Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 3-28: Examinations and measurements - Transient loss (IEC 61300-3-28)*

EN 61753-1, *Fibre optic interconnecting devices and passive components performance standard - Part 1: General and guidance for performance standards (IEC 61753-1)*

EN 61756-1, *Fibre optic interconnecting devices and passive components - Interface standard for fibre management systems - Part 1: General and guidance (IEC 61756-1)*