

**Railway applications - Electric equipment
for rolling stock - Part 2: Electrotechnical
components - General rules**

Railway applications - Electric equipment for rolling
stock - Part 2: - Electrotechnical components -
General rules

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

| | |
|--|---|
| <p>Käesolev Eesti standard EVS-EN 60077-2:2003 sisaldab Euroopa standardi EN 60077-2:2002 ingliskeelset teksti.</p> <p>Käesolev dokument on jõustatud 05.02.2003 ja selle kohta on avaldatud teade Eesti standardiorganisatsiooni ametlikus väljaandes.</p> <p>Standard on kättesaadav Eesti standardiorganisatsioonist.</p> | <p>This Estonian standard EVS-EN 60077-2:2003 consists of the English text of the European standard EN 60077-2:2002.</p> <p>This document is endorsed on 05.02.2003 with the notification being published in the official publication of the Estonian national standardisation organisation.</p> <p>The standard is available from Estonian standardisation organisation.</p> |
|--|---|

| | |
|---|---|
| <p>Käsitlusala: Provides general rules for all electrotechnical components installed in power circuits, control and indicating circuits on rail rolling stock. It supplements the rules given in part 1 of IEC 60077. This part and the part 1 replaces IEC 60077 published in 1968.</p> | <p>Scope: Provides general rules for all electrotechnical components installed in power circuits, control and indicating circuits on rail rolling stock. It supplements the rules given in part 1 of IEC 60077. This part and the part 1 replaces IEC 60077 published in 1968.</p> |
|---|---|

ICS 45.060

Võtmesõnad: components, electric equipment, electrotechnical, general, railway applications, rolling stock, rules

English version

**Railway applications -
Electric equipment for rolling stock
Part 2: Electrotechnical components -
General rules
(IEC 60077-2:1999, modified)**

Applications ferroviaires -
Equipements électriques du matériel
roulant
Partie 2: Composants électrotechniques -
Règles générales
(CEI 60077-2:1999, modifiée)

Bahnanwendungen -
Elektrische Betriebsmittel
auf Bahnfahrzeugen
Teil 2: Elektrotechnische Bauteile -
Allgemeine Regeln
(IEC 60077-2:1999, modifiziert)

This European Standard was approved by CENELEC on 2002-03-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Malta, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

Foreword

The text of the International Standard IEC 60077-2:1999, prepared by IEC TC 9, Electric railway equipment, together with the common modifications prepared by SC 9XB, Electromechanical material on board of rolling stock, of Technical Committee CENELEC TC 9X, Electrical and electronic applications for railways, was submitted to the Unique Acceptance Procedure and was approved by CENELEC as EN 60077-2 on 2002-03-01.

The following dates were fixed:

- latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2003-03-01
- latest date by which the national standards conflicting with the EN have to be withdrawn (dow) 2005-03-01

This Part 2 shall be read in conjunction with EN 60077-1.

In this European Standard the common modifications to the International Standard are indicated by a vertical line in the left margin of the text.

Subclauses, tables and figures which are additional to those in IEC 60077-2 are prefixed "Z".

Annexes designated "normative" are part of the body of the standard.

Annexes designated "informative" are given for information only.

In this standard, annexes A and ZA are normative and annex B is informative.

Annex ZA has been added by CENELEC.

Contents

| | |
|--|----|
| Introduction | 6 |
| 1 Scope | 6 |
| 2 Normative references..... | 7 |
| 3 Definitions..... | 7 |
| 3.1 Components | 7 |
| 3.2 Component parts | 8 |
| 3.3 Operational features | 10 |
| 4 Classification | 13 |
| 5 Characteristics..... | 13 |
| 5.1 List of characteristics | 13 |
| 5.2 Type of component | 13 |
| 5.3 Rated and limiting values for the main circuit..... | 13 |
| 5.3.1 General..... | 13 |
| 5.3.2 Rated voltages | 14 |
| 5.3.3 Rated currents | 14 |
| 5.3.4 Rated time constants (for d.c. switchgear) | 14 |
| 5.3.5 Rated power factor (for a.c. switchgear)..... | 14 |
| 5.4 Operational frequency classes..... | 15 |
| 5.5 Component categories..... | 15 |
| 5.6 Electric control circuits | 15 |
| 5.7 Pneumatic control circuits..... | 16 |
| 5.8 Manual control | 16 |
| 5.9 Electric auxiliary circuits..... | 16 |
| 5.10 Pneumatic auxiliary circuits..... | 16 |
| 5.11 Peak arc voltages | 16 |
| 6 Product information..... | 17 |
| 6.1 Nature of information | 17 |
| 6.1.1 Component documentation | 17 |
| 6.1.2 Other information | 18 |
| 6.2 Marking | 18 |
| 6.3 Instructions for storage, installation, operation and maintenance..... | 18 |
| 7 Normal service conditions..... | 18 |
| 8 Constructional and performance requirements | 18 |
| 8.1 Constructional requirements | 18 |
| 8.1.1 Terminals and connecting capacity | 18 |
| 8.1.2 Bonding terminal | 19 |

| | | |
|-----------------------|--|----|
| 8.2 | Performance requirements | 19 |
| 8.2.1 | Operating conditions | 19 |
| 8.2.2 | Temperature rise..... | 20 |
| 8.2.3 | Operation following inactivity..... | 20 |
| 8.2.4 | Electromagnetic compatibility (EMC)..... | 20 |
| 8.2.5 | Acoustic noise emission..... | 20 |
| 8.2.6 | Dielectric properties | 20 |
| 8.2.7 | Switching overvoltages | 21 |
| 8.2.8 | Operational performance capability..... | 21 |
| 8.2.9 | Ability to withstand vibration and shock..... | 23 |
| 8.2.10 | Ability to withstand short-time current..... | 23 |
| 9 | Tests..... | 23 |
| 9.1 | Kinds of tests..... | 23 |
| 9.2 | Verification of constructional requirements | 24 |
| 9.3 | Type tests..... | 24 |
| 9.3.1 | Test sequences..... | 24 |
| 9.3.2 | General test conditions | 24 |
| 9.3.3 | Test sequence I: general performance characteristics | 25 |
| 9.3.4 | Test sequence II: ability to withstand vibration and shock | 26 |
| 9.3.5 | Test sequence III: critical currents..... | 27 |
| 9.3.6 | Test sequence IV: climatic conditions | 27 |
| 9.3.7 | Test sequence V: other tests..... | 28 |
| 9.4 | Routine tests..... | 28 |
| 9.4.1 | General..... | 28 |
| 9.4.2 | Mechanical operation..... | 28 |
| 9.4.3 | Measurement of resistance or impedance..... | 28 |
| 9.4.4 | Air-tightness (for pneumatic components)..... | 28 |
| 9.4.5 | Dielectric withstand | 28 |
| 9.4.6 | Check on the setting and operation of protective equipment and relays (calibration)..... | 28 |
| Annex A (normative) | Correspondence between auxiliary contacts and steady states of switchgear..... | 29 |
| Annex B (informative) | Bibliography | 31 |
| Annex ZA (normative) | Normative references to international publications with their corresponding European publications | 32 |

Figures

Figure A.1 Relationship between auxiliary contacts and steady states of switchgear30

Tables

Table 1 Rated time constants 14

Table 2 Temperature rise limits and temperature limits20

Table 3 Operational performance capability for category A1 component22

Table 4 Operational performance capability for category A2 component22

Table 5 Operational performance capability for category A3 component23

Table 6 Operational performance capability for category A4 component23

Table 7 List of test sequences24

Table 8 Tolerances on test values25

This document is a preview generated by EVS

Introduction

This product standard is Part 2 of the EN 60077 series of product standards:

Railway applications - Electric equipment for rolling stock

- Part 1: General service conditions and general rules,
- Part 2: Electrotechnical components - General rules,
- Part 3: Electrotechnical components - Rules for d.c. circuit-breakers,
- Part 4: Electrotechnical components - Rules for a.c. circuit-breakers,
- Part 5: Electrotechnical components - Rules for HV fuses.

This document has used IEC 60077-2 as its base and its form and structure have been modified to take account of already existing European Standards covering related subjects.

1 Scope

In addition to the rules given in EN 60077-1, this European standard provides general rules for all electrotechnical components installed in power circuits, auxiliary circuits and control circuits, etc., on rolling stock.

NOTE Certain of these rules may, after agreement between user and manufacturer, be used for electrotechnical components installed on vehicles other than rail rolling stock such as mine locomotives, trolleybuses, etc.

The purpose of this standard is to adapt the general rules given in EN 60077-1 to all electrotechnical components for rolling stock, in order to obtain uniformity of requirements and tests for the corresponding range of components.

Electrotechnical components are mainly switchgear and controlgear, irrespective of their control, including also relays, valves, resistors, fuses, etc.

NOTE The incorporation of electronic components or electronic sub-assemblies into electrotechnical components is now common practice. Although this standard is not applicable to electronic equipment, the presence of electronic components does not provide a reason to exclude such electrotechnical components from the scope.

Electronic sub-assemblies should comply with the relevant standard.

This standard states

- a) the characteristics of the components,
- b) the constructional and performance requirements with which components have to comply,
- c) the tests intended to confirm compliance of the components with these characteristics under these service conditions, and the methods to be adopted for these tests,
- d) the information to be marked on, or given with the apparatus.

This standard does not cover industrial electrotechnical components which comply with their own product standard. In order to ensure satisfactory operation of these components for rolling stock, this standard should be used to specify only the particular requirements for railway application. In that case, a specific document should state the additional requirements with which the industrial components are to comply, e.g.

- to be adapted (for example for control voltage, environmental conditions, etc.), or
- to be installed and used such that they do not have to endure specific railway conditions, or
- to be additionally tested to prove that these components can withstand satisfactorily the railway conditions.

2 Normative references

NOTE Normative references to international publications are listed in annex ZA (normative).

3 Definitions

For the purposes of this part of EN 60077, the definitions given in clause 3 of EN 60077-1, together with the following additional definitions, apply.

NOTE The definitions are also given to be used as reference terminology for the other parts of this series of standards, as well as for other particular documents.

3.1 Components

3.1.1

active electrical component

simple device or assembly of devices which, in response to a control signal, executes a function or various inseparable functions by changing their state, for which the control or the function is electrical (e.g. contactor, relay, etc.)

3.1.2

passive electrical component

simple device or assembly of devices which are not included in the active electrical components group and have at least one electrical function (e.g. mounting insulator, permanent connection, resistor, capacitor, etc.)

3.1.3

switchgear and controlgear

a general term covering switching devices and their combination with associated control, measuring, protective and regulating equipment, also assemblies of such devices and equipment with associated interconnections, accessories, enclosures and supporting structures [IEV 441-11-01]

3.1.4

switchgear

a general term covering switching devices and their combination with associated control, measuring, protective and regulating equipment, also assemblies of such devices and equipment with associated interconnections, accessories, enclosures and supporting structures, intended in principle for use in connection with generation, transmission, distribution and conversion of electric energy [IEV 441-11-02]

3.1.5

controlgear

a general term covering switching devices and their combination with associated control, measuring, protective and regulating equipment, also assemblies of such devices and equipment with associated interconnections, accessories, enclosures and supporting structures, intended in principle for the control of electric energy consuming equipment [IEV 441-11-03]

3.1.6

switching device

a device designed to make or break the current in one or more electric circuits [IEV 441-14-01]

NOTE A switching device may perform one or both of these operations.