Series capacitors for power systems - Part 4: arie Thyristor controlled series capacitors



EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

Käesolev Eesti standard EVS-EN 60143-4:2010 sisaldab Euroopa standardi EN 60143-4:2010 ingliskeelset teksti.

This Estonian standard EVS-EN 60143-4:2010 consists of the English text of the European standard EN 60143-4:2010.

Standard on kinnitatud Eesti Standardikeskuse 31.12.2010 käskkirjaga ja jõustub sellekohase teate avaldamisel EVS Teatajas.

This standard is ratified with the order of Estonian Centre for Standardisation dated 31.12.2010 and is endorsed with the notification published in the official bulletin of the Estonian national standardisation organisation.

Euroopa standardimisorganisatsioonide poolt rahvuslikele liikmetele Euroopa standardi teksti kättesaadavaks tegemise kuupäev on 17.12.2010.

Date of Availability of the European standard text 17.12.2010.

Standard on kättesaadav Eesti standardiorganisatsioonist.

The standard is available from Estonian standardisation organisation.

ICS 29.240.99, 31.060.70

Standardite reprodutseerimis- ja levitamisõigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonilisse süsteemi või edastamine ükskõik millises vormis või millisel teel on keelatud ilma Eesti Standardikeskuse poolt antud kirjaliku loata.

EUROPEAN STANDARD

EN 60143-4

NORME EUROPÉENNE EUROPÄISCHE NORM

December 2010

ICS 29.240.99; 31.060.70

English version

Series capacitors for power systems Part 4: Thyristor controlled series capacitors (IEC 60143-4:2010)

Condensateurs série destinés à être installés sur des réseaux - Partie 4: Condensateurs série commandés par thyristors (CEI 60143-4:2010)

Reihenkondensatoren für Starkstromanlagen -Teil 4: Thyristorgesteuerte Reihenkondensatoren (IEC 60143-4:2010)

This European Standard was approved by CENELEC on 2010-12-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

Foreword

The text of document 33/472/FDIS, future edition 1 of IEC 60143-4, prepared by IEC TC 33, Power capacitors, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 60143-4 on 2010-12-01.

This part of EN 60143 is to be used in conjunction with the following standards:

- EN 60143-1:2004, Series capacitors for power systems Part 1: General
- EN 60143-2:1994, Series capacitors for power systems Part 2: Protective equipment for series capacitor banks
- EN 60143-3:1998, Series capacitors for power systems Part 3: Internal fuses

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN and CENELEC shall not be held responsible for identifying any or all such patent rights.

The following dates were fixed:

- latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement

(dop) 2011-09-01

latest date by which the national standards conflicting with the EN have to be withdrawn

(dow) 2013-12-01

Annex ZA has been added by CENELEC.

Endorsement notice

The text of the International Standard IEC 60143-4:2010 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

| [1] IEC 60068-1 | NOTE | Harmonized as EN 60068-1. |
|-------------------|------|-----------------------------|
| [2] IEC 60721-1 | NOTE | Harmonized as EN 60721-1. |
| [3] IEC 60068-3-3 | NOTE | Harmonized as EN 60068-3-3. |
| [4] IEC 60060-2 | NOTE | Harmonized as EN 60060-2. |
| [5] IEC 61000-4-2 | NOTE | Harmonized as EN 61000-4-2. |
| | | |

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

| <u>Publication</u> | Year | <u>Title</u> | EN/HD | <u>Year</u> |
|--------------------|------|---|---------------|-------------|
| IEC 60050-436 | - | International Electrotechnical Vocabulary (IEV) - Chapter 436: Power capacitors | - | - |
| IEC 60060-1 | - | High-voltage test techniques - Part 1: General definitions and test requirements | EN 60060-1 | - |
| IEC 60068-1 | - | Environmental testing - Part 1: General and guidance | EN 60068-1 | - |
| IEC 60068-2-2 | - | Environmental testing - Part 2-2: Tests - Test B: Dry heat | EN 60068-2-2 | - |
| IEC 60068-2-78 | - | Environmental testing - Part 2-78: Tests - Test Cab: Damp heat, steady state | EN 60068-2-78 | - |
| IEC 60071-1 | - | Insulation co-ordination - Part 1: Definitions, principles and rules | EN 60071-1 | - |
| IEC 60071-2 | - | Insulation co-ordination - Part 2: Application guide | EN 60071-2 | - |
| IEC 60076-1 | 1993 | Power transformers - Part 1: General | EN 60076-1 | 1997 |
| IEC 60076-6 | 2007 | Power transformers - Part 6: Reactors | EN 60076-6 | 2008 |
| IEC 60143-1 | 2004 | Series capacitors for power systems - Part 1: General | EN 60143-1 | 2004 |
| IEC 60143-2 | 1994 | Series capacitors for power systems - Part 2: Protective equipment for series capacitor banks | EN 60143-2 | 1994 |
| IEC 60143-3 | 1998 | Series capacitors for power systems - Part 3: Internal fuses | EN 60143-3 | 1998 |

| <u>Publication</u> | <u>Year</u> | <u>Title</u> | EN/HD | <u>Year</u> |
|--------------------|-------------|---|---------------|-------------|
| IEC 60255-5 | - | Electrical relays - Part 5: Insulation coordination for measuring relays and protection equipment - Requirements and tests | EN 60255-5 | - |
| IEC 60255-21 | Series | Electrical relays - Part 21: Vibration, shock, bump and seismic tests on measuring relays and protection equipment | EN 60255-21 | Series |
| IEC 60270 | | High-voltage test techniques - Partial discharge measurements | EN 60270 | - |
| IEC 61000-4-29 | 3 | Electromagnetic compatibility (EMC) - Part 4-29: Testing and measurement techniques - Voltage dips, short interruptions and voltage variations on d.c. input power pol immunity tests | EN 61000-4-29 | - |
| IEC 61954 | 1999 | Power electronics for electrical transmission and distribution systems - Testing of thyristor valves for static VAR compensators | EN 61954 | 1999 |
| | | 9 | | |
| | | 0 | | |
| | | 2. | | |
| | | | | |
| | | 0- | | |
| | | | | |
| | | | Š | |
| | | | | |
| | | | 6. | |
| | | | 7 | |
| | | | | - |
| | | | | 0, |
| | | | | |
| | | | | |
| | | | | |

CONTENTS

| FO | REWO | DRD | | 4 | | | | |
|----|--|-------------------------------------|--|----|--|--|--|--|
| 1 | Scope6 | | | | | | | |
| 2 | Normative references | | | | | | | |
| 3 | Term | s, defin | itions and abbreviations | 7 | | | | |
| | 3.1 | Abbrev | viations | 7 | | | | |
| | 3.2 | | ions | | | | | |
| 4 | Oper | Operating and rating considerations | | | | | | |
| | 4.1 General | | | | | | | |
| | 4.2 | | characteristics | | | | | |
| | 4.3 | | ing range | | | | | |
| | 4.4 | | ve power rating | | | | | |
| | 4.5 | | oscillation damping (POD) | | | | | |
| | 4.6 | | nitigation | | | | | |
| | 4.7 | Harmo | nics | 17 | | | | |
| | 4.8 | | | | | | | |
| | 4.9 | Operat | ting range, overvoltages and duty cycles | 17 | | | | |
| | | 4.9.1 | Operating range | 17 | | | | |
| | | 4.9.2 | Transient overvoltages | 17 | | | | |
| | | 4.9.3 | Duty cycles | 17 | | | | |
| 5 | Valve | | I | 18 | | | | |
| | 5.1 | Trigge | ring system | 18 | | | | |
| | 5.2 | n aspects | | | | | | |
| | 5.3 Normal operating conditions | | | | | | | |
| | 5.4 Valve firing during system faults | | | 20 | | | | |
| | 5.5 | | s at low line current | | | | | |
| | 5.6 | Monito | ring | 20 | | | | |
| 6 | | | | | | | | |
| | 6.1 | Capac | itor rating | 20 | | | | |
| | 6.2 | Reacto | or rating | 21 | | | | |
| | 6.3 | Thyrist | or valve rating | 21 | | | | |
| | | 6.3.1 | Current capability | 21 | | | | |
| | | 6.3.2 | Voltage capability | 22 | | | | |
| | 6.4 | Varisto | or rating | 24 | | | | |
| | 6.5 Insulation level and creepage distance | | | | | | | |
| 7 | Tests | | | | | | | |
| | 7.1 | Test of | f the capacitor | 25 | | | | |
| | | 7.1.1 | Routine tests | 25 | | | | |
| | | 7.1.2 | Type tests | 25 | | | | |
| | | 7.1.3 | Special test (endurance test) | 26 | | | | |
| | 7.2 | Tests | of the TCSC reactor | 26 | | | | |
| | | 7.2.1 | Routine tests | 26 | | | | |
| | | 7.2.2 | Type tests | 26 | | | | |
| | | 7.2.3 | Special tests | 26 | | | | |
| | 7.3 | Tests | of thyristor valves | 27 | | | | |
| | | 7.3.1 | Guidelines for the performance of type tests | 27 | | | | |
| | | 7.3.2 | Routine tests | 29 | | | | |

EVS-EN 60143-4:2010

| | | 7.3.3 | Type tests | 29 |
|-----|------------------|----------|---|----|
| | 7.4 | Tests o | of protection and control system | 38 |
| | | 7.4.1 | Routine tests | 38 |
| | | 7.4.2 | Type tests | 39 |
| | | 7.4.3 | Special tests | 39 |
| 8 | Guide | for sel | ection of rating and operation | 40 |
| | 8.1 | Genera | al | 40 |
| | 8.2 | | or controlled series capacitor | |
| | | | AC transmission system | |
| | | | TCSC Operational objectives | |
| | | 8.2.3 | TCSC ratings | |
| | 8.3 | Thyrist | or valves | |
| | 8.4 | • | tors and reactors | |
| | | 8.4.1 | Capacitor considerations | |
| | | 8.4.2 | Reactor considerations | |
| | 8.5 | Fault d | uty cycles for varistor rating | |
| | 8.6 | | cooling system | |
| | 8.7 | | control and protection | |
| | | 8.7.1 | Control | |
| | | 8.7.2 | Protection | |
| | | 8.7.3 | Monitoring and recording | |
| | 8.8 | Precon | nmissioning and Commissioning Tests | |
| | | 8.8.1 | Introduction | |
| | | 8.8.2 | Precommissioning Tests | |
| | | 8.8.3 | Station tests | |
| | | 8.8.4 | Commissioning (field) tests | |
| Bib | liograp | ohy | | |
| | | | | |
| Fia | ure 1 - | - Typica | al nomenclature of a TCSC installation | 12 |
| | | | subsegment | |
| | | | steady state waveforms for control angle α and conduction interval σ | |
| _ | | | | 14 |
| | | | power frequency steady state reactance characteristics according to $\lambda = 2,5$ | 15 |
| _ | | | ple of TCSC operating range for POD (left) and SSR mitigation (right) | |
| Fig | ure 6 - | - Valve | base electronics (VBE) electronics (VE) | 18 |
| Fig | ure 7 - | - Valve | electronics (VE) | 19 |
| | | | tor valve voltage in a TCSC | |
| | | | al block diagram of a real time TCSC protection- and control system | |
| sim | ulation | n enviro | nment | |
| Fig | ure 10 | – Exan | nple of operating range diagram for TCSC | 43 |
| J | | | | |
| Tab | ole 1 – | Peak a | and RMS voltage relationships | 13 |
| | | | l external fault duty cycle with unsuccessful high speed auto-reclosing | |
| | | | I duty cycle for internal fault with successful high speed auto-reclosing | |
| | | | | +0 |
| | ne 4 – Iosina | туріса | I duty cycle for internal fault with unsuccessful high speed auto- | 46 |

SERIES CAPACITORS FOR POWER SYSTEMS -

Part 4: Thyristor controlled series capacitors

1 Scope

This part of IEC 60143 specifies testing of thyristor controlled series capacitor (TCSC) installations used in series with transmission lines. This standard also addresses issues that consider ratings for TCSC thyristor valve assemblies, capacitors, and reactors as well as TCSC control characteristics, protective features, cooling system and system operation.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE If there is a conflict between this part of IEC 60143 and a standard listed below in Clause 2, this standard prevails.

IEC 60050-436, International Electrotechnical Vocabulary – Chapter 436: Power capacitors

IEC 60060-1, High-voltage test techniques – Part 1: General definitions and test requirements

IEC 60068-1, Environmental Testing – Part 1: General and guidance

IEC 60068-2-2, Basic environmental testing procedures – Part 2-2: Tests – Tests B: Dry heat

IEC 60068-2-78, Basic environmental testing procedures – Part 2-78: Tests – Tests C: Damp heat, steady state

IEC 60071-1, Insulation co-ordination – Part 1: Definitions, principles and rules

IEC 60071-2, Insulation co-ordination – Part 2: Application guide

IEC 60076-1:1993, Power transformers – Part 1: General

IEC 60076-6:2007, Power transformers – Part 6: Reactors

IEC 60143-1:2004, Series capacitors for power systems – Part 1: General

IEC 60143-2:1994, Series capacitors for power systems – Part 2: Protective equipment for series capacitor banks

IEC 60143-3:1998, Series capacitors for power systems – Part 3: Internal fuses

IEC 60255-5, Electrical relays – Part 5: Insulation coordination for measuring relays and protection equipment – Requirements and tests

IEC 60255-21 (all parts), Electrical relays – Vibration, shock, bump and seismic tests on measuring relays and protection equipment

IEC 60270, High-voltage test techniques – Partial discharge measurements

IEC 61000-4-29, Electromagnetic compatibility (EMC) – Part 4-29: Testing and measurement techniques – Voltage dips, short interruptions and voltage variations on d.c. input port immunity tests

IEC 61954:1999, Power electronics for electrical transmission and distribution systems – Testing of thyristor valves for static VAR compensators

NOTE Additional useful references, not explicitly referenced in the text, are listed in the Bibliography .

3 Terms, definitions and abbreviations

For the purposes of this document, the following terms, definitions and abbreviations as well as those given in IEC 60143-1, IEC 60143-2, IEC 60143-3 and some taken from IEC 60050-436 apply.

NOTE In some instances, the IEC definitions may be either too broad or too restrictive. In such a case, an additional definition or note has been included.

3.1 Abbreviations

ETT Electrically triggered thyristors

FACTS Flexible ac transmission systems

FSC Fixed series compensation

LTT Light-triggered thyristors

MC Master control

MTBF Mean time between failure
MTTR Mean time to repair

POD Power oscillation damping

RAM Reliability, availability, and maintainability

RTU Radio influence voltage
RTU Remote terminal unit

SCADA Supervisory control and data acquisition

ER Events recorder FR Fault recorder

RTDS Real time digital simulation
SSR Sub synchronous resonance
SVC Static var compensator
TCR Thyristor-controlled reactor

RMS Root mean square

3.2 Terms and definitions

3.2.1

thyristor valve

electrically combined assembly of thyristor levels, complete with all connections, auxiliary components and mechanical structures, which can be connected in series with each phase of the reactor or capacitor of a TCSC