Semiconductor converters - General requirements and line commutated converters - Part 1-1: Specification of 18 a Drayion denotated of the basic requirements



FESTI STANDARDI FESSÕNA

NATIONAL FOREWORD

Käesolev Eesti standard EVS-EN 60146-1-1:2010 sisaldab Euroopa standardi EN 60146-1-1:2010 ingliskeelset teksti.

Standard on kinnitatud Eesti Standardikeskuse 31.10.2010 käskkirjaga ja jõustub sellekohase teate avaldamisel EVS Teatajas.

Euroopa standardimisorganisatsioonide poolt rahvuslikele liikmetele Euroopa standardi teksti kättesaadavaks tegemise kuupäev on 09.07.2010.

Standard on kättesaadav Eesti standardiorganisatsioonist.

This Estonian standard EVS-EN 60146-1-1:2010 consists of the English text of the European standard EN 60146-1-1:2010.

This standard is ratified with the order of Estonian Centre for Standardisation dated 31.10.2010 and is endorsed with the notification published in the official bulletin of the Estonian national standardisation organisation.

Date of Availability of the European standard text 09.07.2010.

The standard is available from Estonian standardisation organisation.

ICS 29.045, 29.200

Standardite reprodutseerimis- ja levitamisõigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonilisse süsteemi või edastamine ükskõik millises vormis või millisel teel on keelatud ilma Eesti Standardikeskuse poolt antud kirjaliku loata.

Kui Teil on küsimusi standardite autorikaitse kohta, palun võtke ühendust Eesti Standardikeskusega: Aru 10 Tallinn 10317 Eesti; www.evs.ee; Telefon: 605 5050; E-post: info@evs.ee

Right to reproduce and distribute belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without permission in writing from Estonian Centre for Standardisation.

If you have any questions about standards copyright, please contact Estonian Centre for Standardisation: Aru str 10 Tallinn 10317 Estonia; www.evs.ee; Phone: 605 5050; E-mail: info@evs.ee

EUROPEAN STANDARD

EN 60146-1-1

NORME EUROPÉENNE EUROPÄISCHE NORM

July 2010

ICS 29.200;29.045

Supersedes EN 60146-1-1:1993 + A1:1997

English version

Semiconductor converters General requirements and line commutated converters Part 1-1: Specification of basic requirements

(IEC 60146-1-1:2009)

Convertisseurs à semiconducteurs -Exigences générales et convertisseurs commutés par le réseau -Partie 1-1: Spécification des exigences de base (CEI 60146-1-1:2009)

Halbleiter-Stromrichter -Allgemeine Anforderungen und netzgeführte Stromrichter -Teil 1-1: Festlegung der Grundanforderungen (IEC 60146-1-1:2009)

This European Standard was approved by CENELEC on 2010-07-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

Foreword

The text of document 22/146/FDIS, future edition 4 of IEC 60146-1-1, prepared by IEC TC 22, Power electronic systems and equipment, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 60146-1-1 on 2010-07-01.

This European Standard supersedes EN 60146-1-1:1993 + A1:1997.

This EN 60146-1-1:200X introduces five main changes:

- a) re-edition of the whole standard according to the current directives;
- b) correction of definitions and addition of new terms, especially terms concerning EMC, harmonic distortion and insulation co-ordination;
- c) the service condition tolerances have been revised according to the EN 61000 series;
- d) the insulation tests have been revised considering the insulation co-ordination;
- e) addition of three annexes.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN and CENELEC shall not be held responsible for identifying any or all such patent rights.

The following dates were fixed:

 latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement

(dop) 2011-04-01

 latest date by which the national standards conflicting with the EN have to be withdrawn

(dow) 2013-07-01

Annex ZA has been added by CENELEC.

Endorsement notice

The text of the International Standard IEC 60146-1-1:2009 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60071-1	NOTE	Harmonized as EN 60071-1.
IEC 60071-2	NOTE	Harmonized as EN 60071-2.
IEC 60076-1	NOTE	Harmonized as EN 60076-1.
IEC 60146-1-3	NOTE	Harmonized as EN 60146-1-3.
IEC 60146-2	NOTE	Harmonized as EN 60146-2.
IEC 60664-3	NOTE	Harmonized as EN 60664-3.
IEC 60664-4	NOTE	Harmonized as EN 60664-4.
IEC 60664-5	NOTE	Harmonized as EN 60664-5.
IEC 61287-1	NOTE	Harmonized as EN 61287-1.
IEC 61378-1	NOTE	Harmonized as EN 61378-1.

IEC 61378-2 NOTE Harmonized as EN 61378-2.

IEC 61439-1 NOTE Harmonized as EN 61439-1.

IEC/TR 61800-6 NOTE Harmonized as CLC/TR 61800-6.

OBB-1

OB IEC 62068-1 NOTE Harmonized as EN 62068-1.

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 60050-101	1998	International Electrotechnical Vocabulary (IEV) - Part 101: Mathematics	-	-
IEC 60050-551	1998	International Electrotechnical Vocabulary (IEV) - Part 551: Power electronics	-	-
IEC 60050-551-20	2001	International Electrotechnical Vocabulary - Part 551-20: Power electronics - Harmonic analysis	-	-
IEC 60364-1	-	Low-voltage electrical installations - Part 1: Fundamental principles, assessment of general characteristics, definitions	HD 60364-1	-
IEC 60529	-	Degrees of protection provided by enclosures (IP Code)	EN 60529	-
IEC 60664-1	2007	Insulation coordination for equipment within low-voltage systems - Part 1: Principles, requirements and tests	EN 60664-1	2007
IEC 60700-1	-	Thyristor valves for high voltage direct current (HVDC) power transmission - Part 1: Electrical testing	EN 60700-1	-
IEC 61000	Series	Electromagnetic compatibility (EMC)	EN 61000	Series
IEC 61000-2-2	2002	Electromagnetic compatibility (EMC) - Part 2-2: Environment - Compatibility levels for low-frequency conducted disturbances and signalling in public low-voltage power supply systems	EN 61000-2-2	2002
IEC 61000-2-4	2002	Electromagnetic compatibility (EMC) - Part 2-4: Environment - Compatibility levels in industrial plants for low-frequency conducted disturbances	EN 61000-2-4	2002
IEC 61000-3-2	-	Electromagnetic compatibility (EMC) - Part 3-2: Limits - Limits for harmonic current emissions (equipment input current ≤ 16 A pe phase)	EN 61000-3-2	5

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 61000-3-3	-	Electromagnetic compatibility (EMC) - Part 3-3: Limits - Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current ≤ 16 A per phase and not subject to conditional connection	EN 61000-3-3	-
IEC 61000-3-11		Electromagnetic compatibility (EMC) - Part 3-11: Limits - Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems - Equipment with rated current ≤ 75 A and subject to conditional connection	EN 61000-3-11	-
IEC 61000-3-12	2004	Electromagnetic compatibility (EMC) - Part 3-12: Limits - Limits for harmonic currents produced by equipment connected to public low-voltage systems with input current > 16 A and ≤ 75 A per phase	EN 61000-3-12	2005
IEC 61000-4-7	-	Electromagnetic compatibility (EMC) - Part 4-7: Testing and measurement techniques - General guide on harmonics and interharmonics measurements and instrumentation, for power supply systems and equipment connected thereto	EN 61000-4-7	-
IEC 61000-6-1	-	Electromagnetic compatibility (EMC) - Part 6-1: Generic standards - Immunity for residential, commercial and light-industrial environments	EN 61000-6-1	-
IEC 61000-6-2	-	Electromagnetic compatibility (EMC) - Part 6-2: Generic standards - Immunity for industrial environments	EN 61000-6-2	-
IEC 61000-6-3	-	Electromagnetic compatibility (EMC) - Part 6-3: Generic standards - Emission standard for residential, commercial and light- industrial environments	EN 61000-6-3	-
IEC 61000-6-4	-	Electromagnetic compatibility (EMC) - Part 6-4: Generic standards - Emission standard for industrial environments	EN 61000-6-4	-
IEC 61140	-	Protection against electric shock - Common aspects for installation and equipment	EN 61140	-
IEC 61180-1	1992	High-voltage test techniques for low-voltage equipment - Part 1: Definitions, test and procedure requirements	EN 61180-1	1994
IEC 61204-3	-	Low-voltage power supplies, d.c. output - Part 3: Product EMC standard	EN 61204-3	-
IEC 61204-7	-	Low voltage power supplies, d.c. output - Part 7: Safety requirements	EN 61204-7	-
IEC 61800-3	-	Adjustable speed electrical power drive systems - Part 3: EMC requirements and specific test methods	EN 61800-3	5

EVS-EN 60146-1-1:2010

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 61800-5-1	-	Adjustable speed electrical power drive systems - Part 5-1: Safety requirements - Electrical,	EN 61800-5-1	-
		thermal and energy		
IEC 61954	-	Power electronics for electrical transmission and distribution systems - Testing of thyristor valves for static VAR compensators	EN 61954	-
IEC/PAS 61975	-	System tests for high-voltage direct current (HVDC) installations	-	-
IEC 62040-1	2	Uninterruptible Power Systems (UPS) - Part 1: General and safety requirements for UPS	EN 62040-1	-
IEC 62040-2	-7	Uninterruptible power systems (UPS) - Part 2: Electromagnetic compatibility (EMC) requirements	EN 62040-2	-
IEC 62103	-	Electronic equipment for use in power installations	-	-
IEC 62310-1	-	Static transfer systems (STS) - Part 1: General and safety requirements	EN 62310-1	-
IEC 62310-2	-	Static transfer systems (STS) - Part 2: Electromagnetic compatibility (EMC) requirements	EN 62310-2	-
		2		
		20		
			0	
			6.	
				A)

CONTENTS

FO	REWO	ORD	5
1	Scop	e and object	7
2	Norm	native references	7
3	Term	is and definitions	9
	3.1	Semiconductor devices and combinations	10
	3.2	Arms and connections	
	3.3	Controllability of converter arms and quadrants of operation (on d.c. side)	
	3.4	Commutation, quenching and commutation circuitry	
	3.5	Commutation characteristics	
	3.6	Rated values	20
	3.7	Specific voltages, currents and factors	22
	3.8	Cooling	25
	3.9	Service conditions tolerances and electromagnetic compatibility	26
	3.10	Harmonic distortion	27
	3.11	Definitions related to insulation co-ordination	31
4	Oper	ration of semiconductor power equipment and valve devices	34
	4.1	Classification	34
		4.1.1 Semiconductor converter	
		4.1.2 Semiconductor valve devices	35
	4.2	Principal letter symbols and subscripts	36
	4.3	Basic operation of semiconductor converters	38
		4.3.1 Commutation	38
		4.3.2 Basic calculation factors for line commutated converters	40
		4.3.3 Disturbances and fault conditions	42
5	Servi	ice conditions	43
	5.1	Code of identification for cooling method	43
	5.2	Environmental conditions	44
		5.2.1 Ambient air circulation	44
		5.2.2 Normal service conditions – Temperatures	44
		5.2.3 Other normal service conditions	
		5.2.4 Unusual service conditions	45
	5.3	Characteristics of the load	46
	5.4	Service condition tolerances	46
		5.4.1 Steady state and short time conditions	46
		5.4.2 Repetitive and non-repetitive transients	49
6	Powe	er conversion equipment and assemblies	49
	6.1	Electrical connections	49
	6.2	Calculation factors	50
		6.2.1 Essential variables	50
		6.2.2 Losses and efficiency	53
		6.2.3 Power factor	54
		6.2.4 Voltage regulation	54
	6.3	Electromagnetic compatibility	56
		6.3.1 Harmonics	56
		6.3.2 Other EMC aspects	57
	6.4	Rated values	57

		6.4.1	General	57
		6.4.2	Rated output voltage	58
	λ	6.4.3	Rated current values	58
	6.5	Duty cl	asses	59
		6.5.1	Principles	59
		6.5.2	Selection of duty class and rated current value	60
		6.5.3	Particular remarks for double converters	61
	6.6	Markin	gs	62
		6.6.1	General	
			Rating plate	
7	Tests	for valv	ve device assemblies and power conversion equipment	63
	7.1	Genera	11	63
		7.1.1	Methods of testing	63
		7.1.2	Kinds of tests	63
		7.1.3	Performance of tests	63
	7.2	Insulati	on tests	64
		7.2.1	General	
		7.2.2	Insulation routine tests of power conversion equipment	
		7.2.3	Additional tests	
	7.3	Functio	onal test	
		7.3.1	Light load test and functional test	
		7.3.2	Rated current test	
		7.3.3	Over-current capability test	
		7.3.4	Measurement of the inherent voltage regulation	
		7.3.5	Measurement of ripple voltage and current	
		7.3.6	Measurement of harmonic currents	
	7.4		, temperature and power factor	
		7.4.1	Power loss determination for assemblies and equipment	
		7.4.2	Temperature rise test	
		7.4.3	Power factor measurements	
	7.5		ries and control	
		7.5.1	Checking of auxiliary devices	
		7.5.2	Checking the properties of the control equipment	
	7.6	7.5.3	Checking the protective devices	
	7.6 7.7		rement of audible noise and additional tests	
			nces	
۸nr	7.8		ive) Harmonics and interhamonics	
		•	tive) Electrical environment – Short-circuit ratio	
			ive) Protection against electric shock and energy hazards	
	•	•		
Ind	ex of c	lefinitio	ns	89

Figure 1 – Types of commutation	39
Figure 2 – Illustration of angles	40
Figure 3 – Voltage regulation	41
Figure 4 – A.C. voltage waveform	49
Figure B.1 – PCC, IPC, installation current ratio and R _{SI}	81
Figure B.2 – PCC, IPC, installation current ratio and $R_{\rm SC}$	82
Table 1 – List of major subscripts	36
Table 2 – Symbols	36
Table 3 – Performance criteria	42
Table 4 – Cooling medium or heat transfer agent	44
Table 5 – Method of circulation	
Table 6 – Limit of temperature of the cooling medium for indoor equipment	45
Table 7 – Immunity levels to frequency and voltage amplitude for stiff a.c. voltage connections	
Table 8 – Immunity levels to voltage unbalance for stiff a.c. voltage connections	48
Table 9 – Immunity levels to voltage waveform for stiff a.c. voltage connections	48
Table 10 – Connections and calculation factors	52
Table 11 – Standard duty classes	60
Table 12 – Examples of load cycles as guidance for selection of duty class	61
Table 13 – Summary of tests	
Table 14 – AC or d.c. test voltages for equipment directly connected to low voltage mains	67
Table 15 – AC or d.c. test voltages for equipment directly connected to high voltage mains	
Table 16 – Tolerances	

SEMICONDUCTOR CONVERTERS – GENERAL REQUIREMENTS AND LINE COMMUTATED CONVERTERS –

Part 1-1: Specification of basic requirements

1 Scope and object

This International Standard specifies the requirements for the performance of all semiconductor power converters and semiconductor power switches using controllable and/or non-controllable electronic valve devices.

The electronic valve devices mainly comprise semiconductor devices, either not controllable (i.e. rectifier diodes) or controllable (i.e. thyristors, triacs, turn-off thyristors and power transistors). The controllable devices may be reverse blocking or reverse conducting and controlled by means of current, voltage or light. Non-bistable devices are assumed to be operated in the switched mode.

This standard is primarily intended to specify the basic requirements for converters in general and the requirements applicable to line commutated converters for conversion of a.c. power to d.c. power or vice versa. Parts of this standard are also applicable to other types of electronic power converter provided that they do not have their own product standards.

These specific equipment requirements are applicable to semiconductor power converters that either implement power conversion or use commutation (for example semiconductor self-commutated converters) or involve particular applications (for example semiconductor converters for d.c. motor drives) or include a combination of said characteristics (for example direct d.c. converters for electric rolling stock).

This standard is applicable to all power converters not covered by a dedicated product standard, or if special features are not covered by the dedicated product standard. Dedicated product standards for power converters should refer to this International Standard.

NOTE 1 This standard is not intended to define EMC requirements. It covers all phenomena and therefore introduces references to dedicated standards which are applicable according to their scope.

NOTE 2 A large part of this standard, particularly for power transformers, is covered in IEC 61378-1.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-101:1998, International Electrotechnical Vocabulary – Part 101: Mathematics

IEC 60050-551:1998, International Electrotechnical Vocabulary – Part 551: Power electronics

IEC 60050-551-20:2001, International Electrotechnical Vocabulary – Part 551-20: Power electronics – Harmonic analysis

IEC 60364-1, Low-voltage electrical installations – Part 1: Fundamental principles, assessment of general characteristics, definitions

IEC 60529, Degrees of protection provided by enclosures (IP Code)

- IEC 60664-1:2007, Insulation coordination for equipment within low-voltage systems Part 1: Principles, requirements and tests
- IEC 60700-1, Thyristor valves for high voltage direct current (HVDC) power transmission Part 1: Electrical testing
- IEC 61000 (all parts), Electromagnetic compatibility (EMC)
- IEC 61000-2-2:2002, Electromagnetic compatibility (EMC) Part 2-2: Environment Compatibility levels for low-frequency conducted disturbances and signalling in public low-voltage power supply systems
- IEC 61000-2-4:2002, Electromagnetic compatibility (EMC) Part 2-4: Environment Compatibility levels in industrial plants for low-frequency conducted disturbances
- IEC 61000-3-2, Electromagnetic compatibility (EMC) Part 3-2: Limits Limits for harmonic current emissions (equipment with input current < 16 A per phase)
- IEC 61000-3-3, Electromagnetic compatibility (EMC) Part 3-3: Limits Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems for equipment with rated current \leq 16 A per phase and not subject to conditional connection
- IEC 61000-3-11, Electromagnetic compatibility (EMC) Part 3-11: Limits Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems Equipment with rated current \leq 75 A and subject to conditional connection
- IEC 61000-3-12:2004, Electromagnetic compatibility (EMC) Part 3-12: Limits Limits for harmonic currents produced by equipment connected to public low-voltage systems with input current > 16 A and \leq 75 A per phase
- IEC 61000-4-7, Electromagnetic compatibility (EMC) Part 4-7: Testing and measurement techniques General guide on harmonics and interharmonics measurements and instrumentation, for power supply systems and equipment connected thereto
- IEC 61000-6-1, Electromagnetic compatibility (EMC) Part 6-1: Generic standards Immunity for residential, commercial and light-industrial environments
- IEC 61000-6-2, Electromagnetic compatibility (EMC) Part 6-2: Generic standards Immunity for industrial environments
- IEC 61000-6-3, Electromagnetic compatibility (EMC) Part 6-3: Generic standards Emission standard for residential, commercial and light-industrial environments
- IEC 61000-6-4, Electromagnetic compatibility (EMC) Part 6-4: Generic standards Emission standard for industrial environments
- IEC 61140, Protection against electric shock Common aspects for installation and equipment
- IEC 61180-1:1992, High-voltage test techniques for low voltage equipment Part 1. Definitions, test and procedure requirements
- IEC 61204-3, Low-voltage power supplies, d.c. output Part 3: Electromagnetic compatibility (EMC)
- IEC 61204-7, Low voltage power supplies, d.c. output Part 7: Safety requirements

IEC 61800-3, Adjustable speed electrical power drive systems – Part 3: EMC requirements and specific test methods

IEC 61800-5-1, Adjustable speed electrical power drive systems – Part 5-1: Safety requirements – Electrical, thermal and energy

IEC 61954, Power electronics for electrical transmission and distribution systems – Testing of thyristor valves for static VAR compensators

IEC/PAS 61975, Guide to the specification and design evaluation of a.c. filters for HVDC systems

IEC 62040-1, Uninterruptible power systems (UPS) – Part 1: General and safety requirements for UPS

IEC 62040-2, Uninterruptible power systems (UPS) – Part 2: Electromagnetic compatibility (EMC) requirements

IEC 62103, Electronic equipment for use in power installations

IEC 62310-1, Static transfer systems (STS) – Part 1: General and safety requirements

IEC 62310-2, Static transfer systems (STS) – Part 2: Electromagnetic compatibility (EMC) requirements

NOTE Some other IEC publications are quoted for information in the Bibliography.

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

In this standard, IEV definitions are used wherever possible, particularly those in IEC 60050 (551).

All the terms listed in this clause are not necessarily used in this International Standard, however they are necessary to establish a common understanding in the application of semiconductor converters.

The policy adopted is as follows:

- a) when an existing IEV definition needs amplification or additional information, the title, the reference and the additional text are given;
- b) explanations and figures are given in 4.3;
- c) terms used in connection with converter faults are defined in IEC/TR 60146-1-2.

An alphabetical index is given in the Index of definitions.

NOTE For easier use of this index, a cross reference numbering is set up, noted [df n], in which n is the natural integer following the alphabetical order of the definitions.