

AKUSTIKA

**Keskkonnamüra kirjeldamine, mõõtmine ja hindamine
Osa 2: Helirõhu taseme määramine**

Acoustics

**Description, measurement and assessment of
environmental noise**

**Part 2: Determination of sound pressure levels
(ISO 1996-2:2017, identical)**

EESTI STANDARDI EESSÕNA**NATIONAL FOREWORD**

<p>See Eesti standard EVS-ISO 1996-2:2017 „Akustika. Keskkonnamüra kirjeldamine, mõõtmine ja hindamine. Osa 2: Helirõhu taseme määramine“ sisaldab rahvusvahelise standardi ISO 1996-2:2017 „Acoustics. Description, measurement and assessment of environmental noise. Part 2: Determination of sound pressure levels“ identset ingliskeelset teksti.</p>	<p>This Estonian Standard EVS-ISO 1996-2:2017 consists of the identical English text of the International Standard ISO 1996-2:2017 „Acoustics. Description, measurement and assessment of environmental noise. Part 2: Determination of sound pressure levels“.</p>
<p>Ettepaneku rahvusvahelise standardi ümbertrüki meetodil ülevõtuks on esitanud EVS/TK 61, standardi avaldamist on korraldanud Eesti Standardikeskus.</p>	<p>Proposal to adopt the International Standard by reprint method has been presented by EVS/TK 61, the Estonian Standard has been published by the Estonian Centre for Standardisation</p>
<p>Standard EVS-ISO 1996-2:2017 on jõustunud sellekohase teate avaldamisega EVS Teataja 2017. aasta novembrikuu numbris.</p>	<p>Standard EVS-ISO 1996-2:2017 has been endorsed with a notification published in the November 2017 issue of the official bulletin of the Estonian Centre for Standardisation.</p>
<p>Standard on kättesaadav Eesti Standardikeskusest.</p>	<p>The standard is available from the Estonian Centre for Standardisation.</p>
<p>Sellesse standardisse on parandus EVS-ISO 1996-2:2017/AC:2018 sisse viidud ja tehtud parandused tähistatud sümbolitega AC ja AC.</p>	<p>The Corrigendum EVS-ISO 1996-2:2017/AC:2018 has been incorporated into this version of the standard and the corrections made are indicated by symbols AC and AC.</p>

Käsitlusala

AC See dokument kirjeldab, kuidas helirõhu tasemeid alusena kasutades saab kindlaks määrata keskkonnamüra piirtasemeid või võrrelda keskkonnauuringute stsenaariume. Määramine võib toimuda otseste mõõtmiste alusel ja mõõtetulemusi arvutustel ekstrapoleerides. See dokument on esmajärjekorras mõeldud kasutamiseks välistingimustes, kuid on antud mõned juhised ka mõõtmisteks siseruumides. Ta on paindlik ning suurel määral määrab kasutaja mõõtmistegevuse ja ühtlasi ka mõõtemääramatuse, mis iga juhtumi korral määratakse ja esitatakse. Nii pole kehtestatud piire maksimaalse lubatava määramatuse kohta. Sageli on tegelike, mõõtmiste ajal normatiivsetest erinevate töö- või levikutingimuste korrigeerimiseks mõõtetulemused kombineeritud arvutustega. Seda dokumenti võib rakendada igat liiki keskkonnamüra allikate puhul, nagu teeliiklusmüra ja raudteemüra, õhusõidukite müra ja tööstusmüra. **AC**

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

This document is a preview generated by EVS

ICS 13.140; 17.140.01

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:

Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact the Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

Contents

	Page
Foreword.....	v
Introduction.....	vi
1 Scope.....	1
2 Normative references.....	1
3 Terms and definitions.....	1
4 Measurement uncertainty.....	3
5 Instrumentation for acoustical measurements.....	5
5.1 General.....	5
5.2 Calibration.....	6
5.3 Verification.....	6
5.4 Long-term monitoring.....	6
6 Principles.....	6
6.1 General.....	6
6.2 Independent measurements.....	7
7 Operation of the source.....	8
7.1 General.....	8
7.2 Road traffic.....	8
7.2.1 L_{eq} measurement.....	8
7.2.2 L_{max} measurement.....	9
7.3 Rail traffic.....	9
7.3.1 L_{eq} measurement.....	9
7.3.2 L_{max} measurement.....	9
7.4 Air traffic.....	10
7.4.1 L_{eq} measurement.....	10
7.4.2 L_{max} measurement.....	11
7.5 Industrial plants.....	11
7.5.1 L_{eq} measurement.....	11
7.5.2 L_{max} measurement.....	11
8 Meteorological conditions.....	12
8.1 General.....	12
8.2 Favourable propagation.....	13
8.3 Effects of precipitation on measurements.....	13
9 Measurement procedures.....	13
9.1 Selection of measurement time interval.....	13
9.1.1 Long-term measurements.....	13
9.1.2 Short-term measurements.....	14
9.2 Microphone location.....	14
9.2.1 Outdoors.....	14
9.2.2 Indoors.....	15
9.3 Measurements.....	15
9.3.1 Long-term unattended measurements.....	15
9.3.2 Short-term attended measurements.....	16
9.3.3 Residual sound.....	17
9.3.4 Frequency range of measurements.....	17
9.3.5 Measurements of meteorological parameters.....	17
10 Evaluation of the measurement results.....	18
10.1 General.....	18
10.2 Determination of $L_{E,T}$, $L_{eq,T}$ and $L_{N,T}$	18
10.2.1 $L_{E,T}$ and $L_{eq,T}$	18
10.2.2 $L_{N,T}$	18

10.3	Treatment of incomplete or corrupted data.....	19
10.3.1	General.....	19
10.3.2	Wind sound.....	19
10.4	Level correction for residual sound.....	19
10.5	Determination of standard uncertainty.....	19
10.6	Determination of L_{den}	20
10.6.1	Determination from long-term L_{eq} measurements.....	20
10.6.2	Determination from long-term L_E measurements of individual events.....	20
10.6.3	Determination from short-term measurements.....	21
10.7	Maximum level, L_{max}	22
11	Extrapolation to other locations.....	22
11.1	General.....	22
11.2	Extrapolation by means of calculations.....	22
11.3	Extrapolation by means of measured attenuation functions.....	23
12	Calculation.....	23
12.1	General.....	23
12.2	Calculation methods.....	24
12.2.1	General.....	24
12.2.2	Specific procedures.....	24
13	Information to be recorded and reported.....	24
Annex A	(informative) Determination of radius of curvature.....	26
Annex B	(informative) Microphone locations relative to reflecting surfaces.....	29
Annex C	(informative) Selection of measurement/monitoring site.....	34
Annex D	(informative) Correction to reference condition.....	36
Annex E	(informative) Elimination of unwanted sound.....	41
Annex F	(informative) Measurement uncertainty.....	42
Annex G	(informative) Examples of uncertainty calculations.....	44
Annex H	(informative) Maximum sound pressure levels.....	49
Annex I	(informative) Measurement of residual sound.....	52
Annex J	(informative) Objective method for assessing the audibility of tones in noise — Engineering method.....	54
Annex K	(informative) Objective method for assessing the audibility of tones in noise — Survey method.....	56
Annex L	(informative) National and European source specific calculation models.....	57
Bibliography	60

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 43, *Acoustics*, Subcommittee SC 1, *Noise*.

This third edition cancels and replaces the second edition (ISO 1996-2:2007), which has been technically revised.

A list of all the parts in the ISO 1996 series can be found on the ISO website.

Introduction

Measurements of environmental noise are complicated because there is a great number of variables to consider when planning and performing the measurements. As each measurement occasion is subject to current source and meteorological conditions which cannot be controlled by the operator, it is often not possible to control the resulting uncertainty of the measurements. Instead, the uncertainty is determined after the measurements based on an analysis of the acoustic measurements and collected data on source operating conditions and on meteorological parameters important for the sound propagation.

Because this document has the ambition both to comply with new and stricter requirements on measurement uncertainty calculations and to cover all kinds of sources and meteorological conditions, it has become more complicated than what a standard covering a single, specific source and application could have been. The best use of the standard is to use it as a basis for developing more dedicated standards serving specific sources and aims.

Acoustics — Description, measurement and assessment of environmental noise —

Part 2: Determination of sound pressure levels

1 Scope

This document describes how sound pressure levels intended as a basis for assessing environmental noise limits or comparison of scenarios in spatial studies can be determined. Determination can be done by direct measurement and by extrapolation of measurement results by means of calculation. This document is primarily intended to be used outdoors but some guidance is given for indoor measurements as well. It is flexible and to a large extent, the user determines the measurement effort and, accordingly, the measurement uncertainty, which is determined and reported in each case. Thus, no limits for allowable maximum uncertainty are set up. Often, the measurement results are combined with calculations to correct for reference operating or propagation conditions different from those during the actual measurement. This document can be applied on all kinds of environmental noise sources, such as road and rail traffic noise, aircraft noise and industrial noise.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 1996-1:2016, *Acoustics — Description, measurement and assessment of environmental noise — Part 1: Basic quantities and assessment procedures*

ISO 20906:2009/Amd 1:2013, *Acoustics — Unattended monitoring of aircraft sound in the vicinity of airports — Amendment 1*

ISO/IEC 17025, *General requirements for the competence of testing and calibration laboratories*

ISO/IEC Guide 98-3, *Uncertainty of measurement — Part 3: Guide to the expression of uncertainty in measurement (GUM:1995)*

IEC 60942, *Electroacoustics — Sound calibrators*

IEC 61260, *Electroacoustics — Octave-band and fractional-octave-band filters*

IEC 61672-1, *Electroacoustics — Sound level meters — Part 1: Specifications*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 1996-1 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>