
**Information technology — JPEG 2000
image coding system: Extensions for
three-dimensional data**

*Technologies de l'information — Système de codage d'images
JPEG 2000: Extensions pour données tridimensionnelles*



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2011

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published by ISO in 2012

Published in Switzerland

CONTENTS

	<i>Page</i>
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Abbreviations	2
5 Symbols (and abbreviated terms)	2
6 General description	3
Annex A – Codestream syntax, extension	4
A.1 Extended capabilities	4
A.2 Extensions to Rec. ITU-T T.800 ISO/IEC 15444-1 and Rec. ITU-T T.801 ISO/IEC 15444-2 marker segment parameters	5
Annex B – Image and compressed image data ordering, extension	16
B.1 Introduction	16
B.2 Introduction to image data structure concepts	16
B.3 Component mapping to the reference grid	16
B.4 Image area division into tiles and tile-components	16
B.5 Transformed tile-component division into resolution levels and sub-bands	18
B.6 Division of resolution levels into precincts	19
B.7 Division of sub-bands into code-blocks	19
B.8 Packets	20
B.9 Packet header information coding	20
B.10 Progression order	21
Annex C – Coefficient bit modelling	23
C.1 Introduction	23
C.2 Code-block scan pattern within code-blocks, extended	23
C.3 Context model updates	23
Annex D – Discrete wavelet transformation of tile-components	24
D.1 Introduction	24
D.2 Tile-component parameters	24
D.3 Discrete wavelet transformations	24
D.4 Inverse discrete wavelet transformation	24
D.5 Forward transformation (informative)	31
Annex E – Quantization	38
E.1 Introduction	38
E.2 Inverse quantization procedure modifications	38
Annex F – Coding of images with regions-of-interest, extension	39
F.1 Introduction	39
F.2 Decoding of ROI	39
F.3 Encoding with ROI (informative)	40
F.4 Region-of-interest mask generation	42
F.5 Remarks on region-of-interest coding	44
Annex G – Examples and guidelines, extensions	45
G.1 Rate-distortion modelling	45
Bibliography	46

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

ISO/IEC 15444-10 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 29, *Coding of audio, picture, multimedia and hypermedia information*, in collaboration with ITU-T. The identical text is published as ITU-T Rec. T.809.

This second edition cancels and replaces the first edition (ISO 15444-8:2008), which has been technically revised.

ISO/IEC 15444 consists of the following parts, under the general title *Information technology — JPEG 2000 image coding system*:

- *Part 1: Core coding system*
- *Part 2: Extensions*
- *Part 3: Motion JPEG 2000*
- *Part 4: Conformance testing*
- *Part 5: Reference software*
- *Part 6: Compound image file format*
- *Part 8: Secure JPEG 2000*
- *Part 9: Interactivity tools, APIs and protocols*
- *Part 10: Extensions for three-dimensional data*
- *Part 11: Wireless*
- *Part 12: ISO base media file format*
- *Part 13: An entry level JPEG 2000 encoder*

**INTERNATIONAL STANDARD
RECOMMENDATION ITU-T**

**Information technology – JPEG 2000 image coding system:
Extensions for three-dimensional data**

1 Scope

This Recommendation | International Standard is a work item subdivision of ISO/IEC 15444 that provides extensions of Rec. ITU-T T.800 | ISO/IEC 15444-1 and Rec. ITU-T T.801 | ISO/IEC 15444-2 for logically cuboidal data sets. In particular, it respects all existing capabilities and syntax of Rec. ITU-T T.800 | ISO/IEC 15444-1 and part of the existing capabilities of Rec. ITU-T T.801 | ISO/IEC 15444-2 for multi-component images, while providing alternatives and extensions to some of those capabilities. Within these constraints, it provides an isotropic specification for three-dimensional data sets, i.e., the project provides identical processing capabilities in all three dimensions even though Rec. ITU-T T.800 | ISO/IEC 15444-1 and Rec. ITU-T T.801 | ISO/IEC 15444-2 codestream syntax differentiates between the two spatial axes and the cross-component axis. The context models currently used in this Recommendation | International Standard are as in Rec. ITU-T T.800 | ISO/IEC 15444-1 and Rec. ITU-T T.801 | ISO/IEC 15444-2. Improved context models will be introduced through an amendment.

2 Normative references

The following Recommendations and International Standards contain provisions which, through reference in this text, constitute provisions of this Recommendation | International Standard. At the time of publication, the editions indicated were valid. All Recommendations and Standards are subject to revision, and parties to agreements based on this Recommendation | International Standard are encouraged to investigate the possibility of applying the most recent edition of the Recommendations and Standards listed below. Members of IEC and ISO maintain registers of currently valid International Standards. The Telecommunication Standardization Bureau of the ITU maintains a list of currently valid ITU-T Recommendations.

- Recommendation ITU-T T.800 (2002) | ISO/IEC 15444-1:2004, *Information technology – JPEG 2000 image coding system: Core coding system*.
- Recommendation ITU-T T.801 (2002) | ISO/IEC 15444-2:2004, *Information technology – JPEG 2000 image coding system: Extensions*.

3 Terms and definitions

For the purposes of this Recommendation | International Standard, the following definitions apply:

3.1 3D bit-block: A three-dimensional array of bits. In this Recommendation | International Standard, a 3D bit-block refers to all the bits of the same magnitude in all coefficients or samples. This could refer to a 3D bit-block in a component, tile-component, 3D code-block, region of interest, or other.

3.2 3D code-block: A rectangular three-dimensional grouping of coefficients from the same sub-band of a tile-component.

3.3 3D code-block scan: The order in which the coefficients within a 3D code-block are visited during a coding pass. The 3D code-block is processed in stripes, each consisting of four rows (or all remaining rows if less than four) and spanning the width of the 3D code-block. Each stripe is processed column by column from top to bottom and from left to right. The complete 3D code-block is consequently scanned slice by slice. Within a slice, Rec. ITU-T T.800 | ISO/IEC 15444-1 is followed.

3.4 component (update of Rec. ITU-T T.801 | ISO/IEC 15444-2): Compressed data from the codestream representing a single set of two- or three-dimensional data.

3.5 conforming reader (update of Rec. ITU-T T.800 | ISO/IEC 15444-1): An application that reads and interprets a JP3D file correctly.

3.6 decomposition level (update of Rec. ITU-T T.801 | ISO/IEC 15444-2): A collection of sub-bands where each coefficient has the same spatial impact or span with respect to the original samples. These include the [H|L|X][H|L|X][H|L|X] sub-band (e.g., LLL, LXL, XXH, ..., exclusive XXX) split out of the three-dimensional decomposition sublevels.