

**Vahelduvvoolumootorite kondensaatorid. Osa 2:  
Käivituskondensaatorid**

AC motor capacitors - Part 2: Motor start capacitors

This document is a preview generated by EVS

## EESTI STANDARDI EESSÕNA

## NATIONAL FOREWORD

Käesolev Eesti standard EVS-EN 60252-2:2011 sisaldab Euroopa standardi EN 60252-2:2011 ingliskeelset teksti.

Standard on kinnitatud Eesti Standardikeskuse 28.02.2011 käskkirjaga ja jõustub sellekohase teate avaldamisel EVS Teatajas.

Euroopa standardimisorganisatsioonide poolt rahvuslikele liikmetele Euroopa standardi teksti kättesaadavaks tegemise kuupäev on 11.02.2011.

Standard on kättesaadav Eesti standardiorganisatsioonist.

This Estonian standard EVS-EN 60252-2:2011 consists of the English text of the European standard EN 60252-2:2011.

This standard is ratified with the order of Estonian Centre for Standardisation dated 28.02.2011 and is endorsed with the notification published in the official bulletin of the Estonian national standardisation organisation.

Date of Availability of the European standard text 11.02.2011.

The standard is available from Estonian standardisation organisation.

ICS 31.060.30, 31.060.70

macroscopic analysis, operating ins, overload (electric), overload capacity, qualification tests, quality requirements, ratings, routine check tests, safety regulations, selfhealing, testing, testing conditions, visual inspection (testing), voltage measurement

### Standardite reprodutseerimis- ja levitamiseõigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonilisse süsteemi või edastamine ükskõik millises vormis või millisel teel on keelatud ilma Eesti Standardikeskuse poolt antud kirjaliku loata.

Kui Teil on küsimusi standardite autorikaitse kohta, palun võtke ühendust Eesti Standardikeskusega:  
Aru 10 Tallinn 10317 Eesti; [www.evs.ee](http://www.evs.ee); Telefon: 605 5050; E-post: [info@evs.ee](mailto:info@evs.ee)

### Right to reproduce and distribute belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without permission in writing from Estonian Centre for Standardisation.

If you have any questions about standards copyright, please contact Estonian Centre for Standardisation:  
Aru str 10 Tallinn 10317 Estonia; [www.evs.ee](http://www.evs.ee); Phone: 605 5050; E-mail: [info@evs.ee](mailto:info@evs.ee)

English version

**AC motor capacitors -  
Part 2: Motor start capacitors  
(IEC 60252-2:2010)**

Condensateurs des moteurs à courant  
alternatif -  
Partie 2: Condensateurs de démarrage de  
moteurs  
(CEI 60252-2:2010)

Wechselspannungsmotorkondensatoren -  
Teil 2: Motoranlaufkondensatoren  
(IEC 60252-2:2010)

This European Standard was approved by CENELEC on 2011-01-19. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

**CENELEC**

European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

**Management Centre: Avenue Marnix 17, B - 1000 Brussels**

## Foreword

The text of document 33/476/FDIS, future edition 2 of IEC 60252-2, prepared by IEC TC 33, Power capacitors, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 60252-2 on 2011-01-19.

This European Standard supersedes EN 60252-2:2003.

The main changes with respect to EN 60252-2:2003 are listed below:

- definition of segmented film capacitors;
- clearer definition of the purpose of d.c. conditioning in destruction test.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN and CENELEC shall not be held responsible for identifying any or all such patent rights.

The following dates were fixed:

- latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2011-10-19
- latest date by which the national standards conflicting with the EN have to be withdrawn (dow) 2014-01-19

Annex ZA has been added by CENELEC.

---

## Endorsement notice

The text of the International Standard IEC 60252-2:2010 was approved by CENELEC as a European Standard without any modification.

---

generated by EVS

## Annex ZA (normative)

### Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60062	-	Marking codes for resistors and capacitors	EN 60062	-
IEC 60068-2	Series	Environmental testing - Part 2: Tests	EN 60068-2	Series
IEC 60068-2-6	-	Environmental testing - Part 2-6: Tests - Test Fc: Vibration (sinusoidal)	EN 60068-2-6	-
IEC 60068-2-14	-	Environmental testing - Part 2-14: Tests - Test N: Change of temperature	EN 60068-2-14	-
IEC 60068-2-20	-	Environmental testing - Part 2-20: Tests - Test T: Test methods for solderability and resistance to soldering heat of devices with leads	EN 60068-2-20	-
IEC 60068-2-21	-	Environmental testing - Part 2-21: Tests - Test U: Robustness of terminations and integral mounting devices	EN 60068-2-21	-
IEC 60068-2-78	2001	Environmental testing - Part 2-78: Tests - Test Cab: Damp heat, steady state	EN 60068-2-78	2001
IEC 60112	-	Method for the determination of the proof and the comparative tracking indices of solid insulating materials	EN 60112	-
IEC 60309-1	1999	Plugs, socket-outlets and couplers for industrial purposes - Part 1: General requirements	EN 60309-1	1999
IEC 60529	-	Degrees of protection provided by enclosures - (IP Code)	-	-
IEC 60695-2-10	2000	Fire hazard testing - Part 2-10: Glowing/hot-wire based test methods - Glow-wire apparatus and common test procedure	EN 60695-2-10	2001
IEC 60695-2-11	2000	Fire hazard testing - Part 2-11: Glowing/hot-wire based test methods - Glow-wire flammability test method for end-products	EN 60695-2-11	2001

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
ISO 4046	-	Paper, board, pulp and related terms - Vocabulary	-	-

This document is a preview generated by EVS

## CONTENTS

FOREWORD.....	4
1 Scope.....	6
2 Normative references.....	6
3 Terms and definitions.....	7
4 Service conditions .....	10
4.1 Normal service conditions .....	10
4.2 Preferred tolerances on capacitance .....	10
5 Self-healing motor start capacitors .....	10
5.1 Quality requirements and tests .....	10
5.1.1 Test requirements .....	10
5.1.2 Nature of tests .....	11
5.1.3 Type tests .....	11
5.1.4 Routine tests .....	13
5.1.5 Tangent of the loss-angle measurement .....	13
5.1.6 Visual examination .....	13
5.1.7 Voltage test between the terminals .....	14
5.1.8 Voltage test between terminals and case .....	14
5.1.9 Capacitance measurement.....	14
5.1.10 Check of dimensions .....	14
5.1.11 Mechanical tests .....	15
5.1.12 Sealing test .....	17
5.1.13 Endurance test .....	17
5.1.14 Damp heat test .....	19
5.1.15 Self-healing test.....	19
5.1.16 Destruction test.....	19
5.1.17 Resistance to heat, fire and tracking .....	22
5.2 Overloads .....	23
5.2.1 Maximum permissible voltage.....	23
5.2.2 Maximum permissible current.....	23
5.2.3 Maximum permissible reactive output.....	23
5.3 Safety requirements .....	23
5.3.1 Creepage distances and clearances.....	23
5.3.2 Terminals and connecting cables.....	24
5.3.3 Earth connections .....	24
5.3.4 Discharge devices.....	25
5.3.5 Pollution.....	25
5.4 Marking.....	25
6 Electrolytic motor start capacitors.....	26
6.1 Quality requirements and tests .....	26
6.1.1 Test requirements .....	26
6.1.2 Nature of tests .....	26
6.1.3 Type tests .....	27
6.1.4 Routine tests .....	29
6.1.5 Visual examination .....	29
6.1.6 Voltage test between the terminals .....	29
6.1.7 Voltage test between terminals and case .....	29

6.1.8	Capacitance and power factor measurement.....	30
6.1.9	Check of dimensions .....	31
6.1.10	Mechanical tests .....	31
6.1.11	Sealing test .....	33
6.1.12	Endurance test .....	33
6.1.13	Damp heat test .....	35
6.1.14	Pressure relief test.....	35
6.1.15	Resistance to heat, fire and tracking .....	36
6.2	Overloads .....	36
6.2.1	Maximum permissible voltage.....	36
6.2.2	Maximum permissible current.....	36
6.2.3	Maximum permissible reactive output.....	37
6.3	Safety requirements .....	37
6.3.1	Creepage distances and clearances.....	37
6.3.2	Terminals and connecting cables.....	37
6.3.3	Earth connections .....	37
6.3.4	Discharge devices.....	38
6.3.5	Pollution.....	38
6.4	Marking.....	38
7	Guidance for installation and operation .....	39
7.1	General.....	39
7.2	Choice of rated voltage.....	39
7.2.1	Measurement of working voltage.....	39
7.2.2	Influence of capacitance .....	40
7.3	Checking capacitor temperature .....	40
7.3.1	Choice of maximum permissible capacitor operating temperature.....	40
7.3.2	Choice of minimum permissible capacitor operating temperature.....	40
7.4	Checking transients.....	40
7.5	Storage of electrolytic capacitors .....	41
Annex A (normative)	Test voltage.....	42
Figure 1	– Test apparatus for d.c. conditioning .....	20
Figure 2	– Test apparatus for a.c. destruction test .....	20
Figure 3	– Arrangement to produce the variable inductor $L$ in Figure 2.....	21
Figure 4	– Test circuit for measurement of capacitance and power factor.....	30
Table 1	– Type test schedule.....	12
Table 2	– Test voltages.....	14
Table 3	– Torque.....	15
Table 4	– Minimum creepage distances and clearances .....	25
Table 5	– Type test schedule.....	28
Table 6	– Test voltages.....	29
Table 7	– Torque.....	32
Table 8	– Minimum creepage distances and clearances .....	38

## AC MOTOR CAPACITORS –

### Part 2: Motor start capacitors

#### 1 Scope

This part of IEC 60252 applies to motor start capacitors intended for connection to windings of asynchronous motors supplied from a single-phase system having the frequency of the mains.

This standard covers impregnated or unimpregnated metallized motor start capacitors having a dielectric of paper or plastic film, or a combination of both and electrolytic motor start capacitors with non-solid electrolyte, with rated voltages up to and including 660 V.

#### 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60062, *Marking codes for resistors and capacitors*

IEC 60068-2 (all parts), *Environmental testing – Part 2: Tests*

IEC 60068-2-6, *Environmental testing – Part 2-6: Tests – Test Fc: Vibration (sinusoidal)*

IEC 60068-2-14, *Environmental testing – Part 2-14: Tests – Test N: Change of temperature*

IEC 60068-2-20, *Environmental testing – Part 2-20: Tests – Test T: Soldering*

IEC 60068-2-21, *Environmental testing – Part 2-21: Tests – Test U: Robustness of terminations and integral mounting devices*

IEC 60068-2-78:2001, *Environmental testing – Part 2-78: Tests – Test Cab: Damp heat, steady state*

IEC 60112, *Method for determining the comparative and the proof tracking indices of solid insulating materials under moist conditions*

IEC 60309-1:1999, *Plugs, socket-outlets and couplers for industrial purposes – Part 1: General requirements*

IEC 60529, *Degrees of protection provided by enclosures (IP Code)*

IEC 60695-2-10:2000, *Fire hazard testing – Part 2-10: Glowing/hot-wire based test methods – Glow-wire apparatus and common test procedure*

IEC 60695-2-11:2000, *Fire hazard testing – Part 2-11: Glowing/hot-wire based test methods – Glow-wire flammability test method for end-products*

ISO 4046, *Paper, board, pulps and related terms – Vocabulary*