This document is a preview generated by EVS

Petroleum and natural gas industries - Steel drill pipe (ISO 11961:2018)

EESTI STANDARDIKESKUS
ESTONIAN CENTRE FOR STANDARDISATION

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN ISO 11961:2018 sisaldab Euroopa standardi EN ISO 11961:2018 ingliskeelset teksti.	This Estonian standard EVS-EN ISO 11961:2018 consists of the English text of the European standard EN ISO 11961:2018.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 21.11.2018.	Date of Availability of the European standard is 21.11.2018.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

This document is a preview generated by EVS

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 75.180.10, 77.140.75

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega: Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

EUROPEAN STANDARD

NORME EUROPÉENNE

EUROPÄISCHE NORM

EN ISO 11961

November 2018

ICS 75.180.10; 77.140.75

Supersedes EN ISO 11961:2008

English Version

Petroleum and natural gas industries - Steel drill pipe (ISO 11961:2018)

Industries du pétrole et du gaz naturel - Tiges de forage en acier (ISO 11961:2018)

Erdöl- und Erdgasindustrie - Stahl-Bohrrohre (ISO 11961:2018)

This European Standard was approved by CEN on 3 October 2018.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

© 2018 CEN All rights of exploitation in any form and by any means reserved worldwide for CEN national Members.

Ref. No. EN ISO 11961:2018 E

This document is a preview generated by EVS

European foreword

This document (EN ISO 11961:2018) has been prepared by Technical Committee ISO/TC 67 "Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries" in collaboration with Technical Committee CEN/TC 12 “Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries” the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by May 2019, and conflicting national standards shall be withdrawn at the latest by May 2019.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 11961:2008.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 11961:2018 has been approved by CEN as EN ISO 11961:2018 without any modification.

This document is a preview generated by EVS

Contents

Page

Foreword ... **viii**
Introduction ... **ix**
1 Scope ... **1**
2 Normative references ... **1**
3 Terms, definitions, symbols and abbreviated terms ... **2**
3.1 Terms and definitions ... 2
3.2 Symbols and abbreviated terms ... 7
4 Conformance ... **9**
4.1 Dual citing of normative references ... 9
4.2 Units of measurement ... 9
5 Information to be supplied when placing orders for drill-pipe ... **9**
5.1 Grades D95 and F105 ... 9
5.2 General information ... 10
5.3 Additional information ... 10
6 Requirements for drill-pipe ... **11**
6.1 General ... 11
6.2 Dimensions, masses and connections ... 11
6.2.1 Standard configuration ... 11
6.2.2 Alternative configurations ... 12
6.2.3 Drill-pipe weld neck diameters ... 12
6.2.4 Tool-joint inside diameters ... 12
6.2.5 Length ... 12
6.2.6 Length of tool-joint outside diameter ... 12
6.2.7 End-drift ... 12
6.2.8 Drill-pipe body and tool-joint alignment ... 12
6.2.9 Weld-zone profile ... 13
6.3 Material requirements ... 13
6.3.1 General ... 13
6.3.2 Weld-zone yield strength ... 13
6.3.3 Weld-zone hardness ... 13
6.3.4 Weld-zone Charpy V-notch absorbed-energy requirements ... 14
6.3.5 Weld-zone Charpy V-notch absorbed energy — Alternative requirements ... 14
6.3.6 Weld-zone transverse side bend properties ... 14
6.3.7 Sulfide stress cracking test — Grades D and F ... 14
6.4 Process of manufacture for drill-pipe ... 15
6.4.1 Processes requiring validation ... 15
6.4.2 Welding qualification ... 15
6.4.3 Welding of tool joints to drill-pipe body and post-weld heat treatment ... 15
6.4.4 Weld machining ... 15
6.4.5 Internal coating ... 15
6.4.6 External coating ... 15
6.4.7 Thread protection ... 16
6.5 Traceability ... 16
6.6 Testing — General ... 16
6.6.1 Test equipment calibration ... 16
6.6.2 Dimensional inspection ... 16
6.6.3 Drill-pipe length ... 16
6.6.4 Straightness ... 16
6.6.5 End-drift test ... 16
6.6.6 Internal profile ... 17
6.6.7 Drill-pipe body and tool-joint alignment ... 17
6.7 Testing of welds ... 17

This document is a preview generated by EVS

© ISO 2018 – All rights reserved

6.7.1 Lot size ... 17
6.7.2 Test specimens ... 17
6.8 Tensile test ... 17
6.8.1 Procedures ... 17
6.8.2 Test equipment calibration ... 17
6.8.3 Specimens ... 17
6.8.4 Frequency ... 18
6.8.5 Defective specimen ... 18
6.8.6 Re-tests ... 18
6.9 Hardness test ... 18
6.9.1 Procedures ... 18
6.9.2 Surface hardness test ... 18
6.9.3 Surface hardness — Re-test ... 18
6.9.4 Through-wall hardness test ... 19
6.9.5 Through-wall hardness — Re-tests ... 19
6.10 Charpy V-notch impact test ... 19
6.10.1 Procedures ... 19
6.10.2 Specimen size and orientation ... 19
6.10.3 Test frequency ... 19
6.10.4 Re-tests ... 19
6.10.5 Defective specimens ... 20
6.11 Transverse side-bend test ... 20
6.11.1 Procedure ... 20
6.11.2 Specimens ... 20
6.11.3 Test frequency ... 20
6.11.4 Re-tests ... 20
6.12 Imperfections and defects in drill-pipe ... 20
6.12.1 General ... 20
6.12.2 Weld zone defects ... 21
6.12.3 Process control plan ... 21
6.13 Visual inspection of the drill-pipe weld zone ... 21
6.13.1 General ... 21
6.13.2 Disposition of defects ... 21
6.14 Non-destructive examination of the weld zone ... 21
6.14.1 General ... 21
6.14.2 Wet fluorescent magnetic-particle inspection ... 21
6.14.3 Ultrasonic inspection — Procedure ... 22
6.14.4 Ultrasonic inspection — Reference standard ... 22
6.14.5 Ultrasonic inspection — System capability records ... 22
6.14.6 Disposition of defects ... 23
6.15 Marking of drill-pipe ... 23
6.15.1 General ... 23
6.15.2 Drill-pipe marking ... 23
6.15.3 Traceability marking ... 23
6.15.4 Drill-pipe marking on the pipe body ... 23
6.15.5 Drill-pipe marking on the tool joint ... 24
6.16 Minimum facility requirements for drill-pipe manufacturers ... 24
6.17 Documentation requirements of drill-pipe ... 24
6.17.1 Standard documentation ... 24
6.17.2 Supplementary documents ... 25
6.17.3 Electronic data interchange ... 25
6.17.4 Retention of records ... 25

7 Requirements for drill-pipe body ... 25
7.1 Information to be supplied when placing orders for drill-pipe bodies ... 25
7.2 Dimensional and mass requirements ... 26
7.2.1 General ... 26
7.2.2 Configuration ... 26
7.2.3 Internal upset area ... 26

This document is a preview generated by EVS

 © ISO 2018 – All rights reserved

7.2.4 Outside-diameter tolerance 26
7.2.5 Inside diameter 26
7.2.6 Pipe-body wall thickness and tolerance 27
7.2.7 Length 27
7.2.8 Mass 27
7.2.9 Straightness 27
7.2.10 Upset and drill-pipe body alignment 27
7.2.11 Upset ovality 28
7.3 Material requirements 28
7.3.1 Chemical composition 28
7.3.2 Tensile requirements 28
7.3.3 Charpy V-notch absorbed-energy requirements — Grade E 28
7.3.4 Charpy V-notch absorbed-energy requirements — Grades X, G, S, D and F 28
7.3.5 Charpy V-notch absorbed-energy requirements — Alternative temperature 29
7.3.6 Surface hardness requirements 29
7.4 Process of manufacture 29
7.4.1 Processes requiring validation 29
7.4.2 General 29
7.4.3 Heat treatment 29
7.4.4 External coating 29
7.5 Traceability 29
7.6 Testing — General 30
7.6.1 Test-equipment calibration 30
7.6.2 Heat-treatment lot 30
7.7 Testing of chemical composition 30
7.7.1 Heat analysis 30
7.7.2 Product analysis 30
7.7.3 Test method 30
7.7.4 Re-test of product analysis 30
7.8 Tensile tests 31
7.8.1 Procedures 31
7.8.2 Test equipment calibration 31
7.8.3 Test specimens 31
7.8.4 Frequency of testing 31
7.8.5 Heat control test 31
7.8.6 Re-tests 31
7.8.7 Defective specimens 32
7.9 Charpy V-notch impact tests 32
7.9.1 Procedure 32
7.9.2 Specimen size and location 32
7.9.3 Frequency of testing 32
7.9.4 Heat control test 32
7.9.5 Re-test 32
7.9.6 Defective specimens 33
7.10 Drill-pipe-body wall thickness 33
7.11 Drill-pipe-body length 33
7.12 Internal upset 33
7.13 Internal profile 33
7.14 Straightness 34
7.15 Upset and drill-pipe body alignment 34
7.16 Mass determination 34
7.17 Imperfections and defects of drill-pipe body 34
7.17.1 General 34
7.17.2 Surface-breaking pipe-body defects 34
7.17.3 Surface-breaking upset defects 35
7.17.4 Elephant hide 35
7.17.5 Quench cracks 35
7.17.6 Process control plan 35

This document is a preview generated by EVS

© ISO 2018 – All rights reserved

7.18 Visual inspection of drill-pipe body ... 35
7.18.1 General ... 35
7.18.2 Coverage ... 35
7.18.3 Disposition ... 35
7.18.4 Elephant hide ... 35
7.19 Non-destructive examination ... 36
7.19.1 General ... 36
7.19.2 Coverage ... 36
7.19.3 Applicable standards ... 36
7.19.4 Reference standards ... 37
7.19.5 Documented procedures ... 37
7.19.6 Inspection thresholds ... 37
7.19.7 Automated inspection-system signal evaluation ... 37
7.19.8 NDE system capability records ... 37
7.19.9 Evaluation of indications (prove-up) ... 38
7.19.10 Disposition of defects ... 38
7.20 Marking ... 39
7.20.1 General ... 39
7.20.2 Paint-stencilled marking sequence ... 39
7.21 Minimum facility requirements for drill-pipe-body manufacturer ... 40
7.22 Documentation requirements ... 40
7.22.1 Certificate of inspection ... 40
7.22.2 Tally list ... 41
7.22.3 Electronic data interchange ... 41
7.22.4 Retention of records ... 41

8 Requirements for tool joints ... 41
8.1 Information to be supplied when placing orders for tool joints ... 41
8.2 Dimensional requirements ... 42
8.2.1 General ... 42
8.2.2 Configuration ... 42
8.2.3 Tool-joint type ... 42
8.2.4 Dimensions ... 42
8.2.5 Rotary shouldered connection ... 42
8.3 Material requirements ... 42
8.3.1 Chemical composition ... 42
8.3.2 Tensile requirements ... 42
8.3.3 Hardness ... 43
8.3.4 Charpy V-notch absorbed energy requirements ... 43
8.4 Process of manufacture ... 43
8.4.1 Processes requiring validation ... 43
8.4.2 Material ... 43
8.4.3 Heat treatment ... 43
8.4.4 Threading ... 43
8.4.5 Surface treatment to minimize galling ... 44
8.4.6 Break-in procedure ... 44
8.4.7 Hard banding ... 44
8.4.8 Thread protection ... 44
8.5 Traceability ... 44
8.6 Testing — General ... 44
8.6.1 Test-equipment calibration ... 44
8.6.2 Heat-treatment lot ... 44
8.7 Testing of chemical composition ... 44
8.7.1 General ... 44
8.7.2 Product analyses ... 45
8.7.3 Test method ... 45
8.8 Tensile tests ... 45
8.8.1 Procedures ... 45
8.8.2 Test-equipment calibration ... 45

This document is a preview generated by EVS

© ISO 2018 – All rights reserved

8.8.3 Test specimens 45
8.8.4 Frequency of test 45
8.8.5 Heat control tensile tests 45
8.8.6 Re-test 46
8.8.7 Defective specimens 46
8.9 Hardness tests 46
8.9.1 Procedure 46
8.9.2 Test specimen 46
8.9.3 Frequency of testing 46
8.9.4 Heat control hardness tests 46
8.9.5 Re-tests 46
8.10 Charpy V-notch impact tests 47
8.10.1 Procedures 47
8.10.2 Specimen size and location 47
8.10.3 Frequency of testing 47
8.10.4 Heat control test 47
8.10.5 Re-test 47
8.10.6 Defective specimens 48
8.11 Imperfections and defects 48
8.11.1 General 48
8.11.2 Surface breaking defects 48
8.11.3 Quench cracks 48
8.11.4 Process control plan 48
8.12 Non-destructive examination 48
8.12.1 General 48
8.12.2 Wet magnetic-particle inspection 48
8.12.3 Disposition of defects 49
8.13 Marking 49
8.13.1 General 49
8.13.2 Die stamp marking 49
8.14 Minimum facility requirements for tool-joint manufacturers 49
8.15 Documentation requirements for tool joints 50
8.15.1 Certificate of inspection 50
8.15.2 Electronic data interchange 50
8.15.3 Retention of records 51

Annex A (normative) **Tables in SI units** **52**

Annex B (normative) **Figures in SI (USC) units** **69**

Annex C (normative) **Tables in USC units** **81**

Annex D (normative) **Purchaser inspection** **98**

Annex E (informative) **Supplementary requirements** **99**

Annex F (informative) **Procedures used to convert from USC units to SI units for drill-pipe** **102**

Annex G (normative) **Product specification levels** **106**

Bibliography **108**

This document is a preview generated by EVS

© ISO 2018 – All rights reserved

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 67, *Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries*, Subcommittee SC 5, *Casing, tubing and drill pipe*.

This third edition cancels and replaces the second edition (ISO 11961:2008), which has been technically revised. It also incorporates the Technical Corrigendum ISO 11961:2008/Cor.1:2009.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

This document is a preview generated by EVS

© ISO 2018 – All rights reserved

Introduction

Users of this document are advised that further or differing requirements might be needed for individual applications. This document is not intended to inhibit a vendor from offering, or the purchaser from accepting, alternative equipment or engineering solutions for the individual application. This may be particularly applicable where there is innovative or developing technology. Where an alternative is offered, the vendor can identify any variations from this document and provide details.

This document is a preview generated by EVS

© ISO 2018 – All rights reserved

Petroleum and natural gas industries — Steel drill pipe

This document is a preview generated by EVS

1 Scope

This document specifies the technical delivery conditions for steel drill-pipes with upset pipe-body ends and weld-on tool joints for use in drilling and production operations in petroleum and natural gas industries for three product specification levels (PSL-1, PSL-2 and PSL-3). The requirements for PSL-1 form the basis of this document. The requirements that define different levels of standard technical requirements for PSL-2 and PSL-3 are in Annex G.

This document covers the following grades of drill-pipe:

— grade E drill-pipe;

— high-strength grades of drill-pipe, grades X, G and S;

— enhanced H_2S resistance drill pipe, grades D and F.

A typical drill-pipe configuration is given, showing main elements and lengths (see Figure B.1). The main dimensions and masses of the grades of drill-pipe are given in both SI units (see Table A.1) and in USC units (see Table C.1).

This document can also be used for drill-pipe with tool joints not specified by ISO or API standards.

By agreement between purchaser and manufacturer, this document can also be applied to other drill-pipe body and/or tool-joint dimensions. This document lists supplementary requirements that can optionally be agreed between purchaser and manufacturer, for testing, performance verification and non-destructive examination (see Annex E).

This document does not consider performance properties, nor performance degradation of the product when in service.

NOTE 1 In this document, drill-pipe is designated by label 1, label 2, grade of material (E, X, G, S, D and F), upset type and type of rotary shouldered connection. Designations are used for the purpose of identification in ordering.

NOTE 2 Reference can be made to ISO 10424-2 or API Spec 7-2 for the detailed requirements for the threading of drill-pipe tool joints.

NOTE 3 Reference can be made to API RP 7G for the performance properties of the drill-pipe.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 6506-1, *Metallic materials — Brinell hardness test — Part 1: Test method*

ISO 6507-1, *Metallic materials — Vickers hardness test — Part 1: Test method*

ISO 6508-1, *Metallic materials — Rockwell hardness test — Part 1: Test method*

ISO 6892, *Metallic materials — Tensile testing*

ISO 7500-1, *Metallic materials — Calibration and verification of static uniaxial testing machines — Part 1: Tension/compression testing machines — Calibration and verification of the force-measuring system*

© ISO 2018 – All rights reserved

ISO 9513, *Metallic materials — Calibration of extensometer systems used in uniaxial testing*

ISO 10424-2, *Petroleum and natural gas industries — Rotary drilling equipment — Part 2: Threading and gauging of rotary shouldered thread connections*

ISO 10893-2, *Non-destructive testing of steel tubes — Part 2: Automated eddy current testing of seamless and welded (except submerged arc-welded) steel tubes for the detection of imperfections*

ISO 10893-3, *Non-destructive testing of steel tubes — Part 3: Automated full peripheral flux leakage testing of seamless and welded (except submerged arc-welded) ferromagnetic steel tubes for the detection of longitudinal and/or transverse imperfections*

ISO 10893-5, *Non-destructive testing of steel tubes — Part 5: Magnetic particle inspection of seamless and welded ferromagnetic steel tubes for the detection of surface imperfections*

ISO 10893-10, *Non-destructive testing of steel tubes — Part 10: Automated full peripheral ultrasonic testing of seamless and welded (except submerged arc-welded) steel tubes for the detection of longitudinal and/or transverse imperfections*

ISO 11484, *Steel products — Employer's qualification system for non-destructive testing (NDT) personnel*

Spec API 7-2, *Specification for Threading and Gauging of Rotary Shouldered Thread Connections*

ANSI/NACE TM0177, *Laboratory testing of metals for Resistance to Sulfide Stress Cracking and Stress Corrosion Cracking in H_2S Environments*

ASME. *Boiler and Pressure Vessel Code, Section IX*

ASNT SNT-TC-1A, *Recommended Practice, Personnel Qualification and Certification in Non-Destructive Testing*

ASTM A370, *Standard Test Methods and Definitions for Mechanical Testing of Steel Products*

ASTM A751, *Standard Test Methods, Practices and Terminology for Chemical Analysis of Steel Products*

ASTM A941, *Terminology Relating to Steel, Stainless Steel, Related Alloys, and Ferroalloys*

ASTM E4, *Standard Practices for Force Verification of Testing Machines*

ASTM E10, *Standard Test Method for Brinell Hardness of Metallic Materials*

ASTM E18, *Standard Test Methods for Rockwell Hardness of Metallic Materials*

ASTM E23, *Standard Test Methods for Notched Bar Impact Testing of Metallic Materials*

ASTM E83, *Standard Practice for Verification and Classification of Extensometer Systems*

ASTM E92, *Standard Test Method for Vickers Hardness of Metallic Materials*

ASTM E213, *Standard Practice for Ultrasonic Examination of Metal Pipe and Tubing*

ASTM E309, *Standard Practice for Eddy-Current Examination of Steel Tubular Products Using Magnetic Saturation*

ASTM E570, *Standard Practice for Flux Leakage Examination of Ferromagnetic Steel Tubular Products*

ASTM E709, *Standard Guide for Magnetic Particle Testing*

3 Terms, definitions, symbols and abbreviated terms

3.1 Terms and definitions

For the purposes of this document, the terms and definitions given in ASTM A941 and the following apply.

This document is a preview generated by EVS

© ISO 2018 – All rights reserved