

This document is a review generated by EVS

Specifications for particular types of winding wires -- Part 0-3: General requirements - Enamelled round aluminum wire

Specifications for particular types of winding wires --
Part 0-3: General requirements - Enamelled round
aluminum wire

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

Käesolev Eesti standard EVS-EN 60317-0-3:2008 sisaldb Euroopa standardi EN 60317-0-3:2008 ingliskeelset teksti.	This Estonian standard EVS-EN 60317-0-3:2008 consists of the English text of the European standard EN 60317-0-3:2008.
Standard on kinnitatud Eesti Standardikeskuse 26.09.2008 käskkirjaga ja jõustub sellekohase teate avaldamisel EVS Teatajas.	This standard is ratified with the order of Estonian Centre for Standardisation dated 26.09.2008 and is endorsed with the notification published in the official bulletin of the Estonian national standardisation organisation.
Euroopa standardimisorganisatsioonide poolt rahvuslikele liikmetele Euroopa standardi teksti kätesaadavaks tegemise kuupäev on 22.08.2008.	Date of Availability of the European standard text 22.08.2008.
Standard on kätesaadav Eesti standardiorganisatsionist.	The standard is available from Estonian standardisation organisation.

ICS 29.060.10

Võtmesõnad: copper, dimension, electric wire, enamelled wire, insulated wire, round shape, specification, winding

Standardite reproduutseerimis- ja levitamisõigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonilisse süsteemi või edastamine ükskõik millises vormis või millisel teel on keelatud ilma Eesti Standardikeskuse poolt antud kirjaliku loata.

Kui Teil on küsimusi standardite autorikaitse kohta, palun võtke ühendust Eesti Standardikeskusega:
Aru 10 Tallinn 10317 Eesti; www.evs.ee; Telefon: 605 5050; E-post: info@evs.ee

English version

**Specifications for particular types of winding wires -
Part 0-3: General requirements -
Enamelled round aluminium wire
(IEC 60317-0-3:2008)**

Spécifications pour types particuliers
de fils de bobinage -
Partie 0-3: Exigences générales -
Fil de section circulaire
en aluminium émaillé
(CEI 60317-0-3:2008)

Technische Lieferbedingungen
für bestimmte Typen von Wickeldrähten -
Teil 0-3: Allgemeine Anforderungen -
Runddrähte aus Aluminium, lackiert
(IEC 60317-0-3:2008)

This European Standard was approved by CENELEC on 2008-06-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

Foreword

The text of document 55/1056/FDIS, future edition 3 of IEC 60317-0-3, prepared by IEC TC 55, Winding wires, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 60317-0-3 on 2008-06-01.

This European Standard supersedes EN 60317-0-3:1998 + A1:2000 + A2:2004.

Technical changes from EN 60317-0-3:1998 include

- a clarification of the appearance requirements,
- revisions of the wire size ranges applicable to the flexibility and adherence tests,
- an indication that pin hole test requirements are under consideration.

This standard is to be read in conjunction with the EN 60851 series. The clause numbers used in this part of EN 60317 are identical with the respective test numbers of EN 60851.

In case of inconsistencies between EN 60851 and this EN 60317-0-3, the latter shall prevail.

The following dates were fixed:

- | | | |
|--|-------|------------|
| – latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement | (dop) | 2009-03-01 |
| – latest date by which the national standards conflicting with the EN have to be withdrawn | (dow) | 2011-06-01 |

Annex ZA has been added by CENELEC.

Endorsement notice

The text of the International Standard IEC 60317-0-3:2008 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following note has to be added for the standard indicated:

IEC 60317-25 NOTE Harmonized as EN 60317-25:1996 (not modified).

Annex ZA
(normative)**Normative references to international publications
with their corresponding European publications**

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60172	- ¹⁾	Test procedure for the determination of the temperature index of enamelled winding wires	EN 60172	1994 ²⁾
IEC 60851	Series	Winding wires - Test methods	EN 60851	Series
ISO 3	- ¹⁾	Preferred numbers - Series of preferred numbers	-	-

¹⁾ Undated reference.

²⁾ Valid edition at date of issue.

CONTENTS

FOREWORD	4
INTRODUCTION	6
1 Scope	7
2 Normative references	7
3 Terms, definitions and general notes on methods of tests and appearance	7
3.1 Definitions	7
3.2 General notes on methods of test	8
3.3 Appearance	9
4 Dimensions	9
4.1 Conductor diameter	9
4.2 Out of roundness of conductor	11
4.3 Minimum increase in diameter due to the insulation and the bonding layer	11
4.3.1 Enamelled wires without a bonding layer	11
4.3.2 Enamelled wires with a bonding layer	11
4.4 Maximum overall diameter	11
4.4.1 Enamelled wires without a bonding layer	11
4.4.2 Enamelled wires with a bonding layer	11
5 Electrical resistance	12
6 Elongation	12
7 Springiness	12
8 Flexibility and adherence	12
8.1 Mandrel winding test (nominal conductor diameters up to and including 1,600 mm)	12
8.2 Stretching test (nominal conductor diameters over 1,000 mm)	12
8.3 Jerk test (nominal conductor diameters up to and including 1,000 mm)	13
8.4 Peel test (nominal conductor diameters over 1,000 mm)	13
9 Heat shock	13
9.1 Nominal conductor diameters up to and including 1,600 mm	13
9.2 Nominal conductor diameters over 1,600 mm	13
10 Cut-through	13
11 Resistance to abrasion	13
12 Resistance to solvents	13
13 Breakdown voltage	13
13.1 General	13
13.2 Nominal conductor diameters up to and including 2,500 mm	14
13.3 Nominal conductor diameters over 2,500 mm	14
14 Continuity of insulation (nominal conductor diameters up to and including 1,600 mm)	15
15 Temperature index	15
16 Resistance to refrigerants	15
17 Solderability	15

18 Heat or solvent bonding	15
19 Dielectric dissipation factor	15
20 Resistance to transformer oil	15
21 Loss of mass	16
23 Pin hole test	16
30 Packaging	16
Annex A (informative) Dimensions for intermediate nominal conductor diameters (R 40).....	17
Annex B (informative) Method for the calculation of linear resistance	19
Annex C (informative) Resistance	20
Bibliography	21
Table 1 – Dimensions of enamelled wires (R 20)	10
Table 2 – Dimensions of enamelled wires with a bonding layer (R 20).....	11
Table 3 – Elongation	12
Table 4 – Mandrel winding.....	12
Table 5 – Heat shock	13
Table 6 – Breakdown voltage	14
Table 7 – Breakdown voltage	14
Table 8 – Continuity of insulation.....	15
Table A.1 – Dimensions of enamelled wires (R 40)	17
Table A.2 – Dimensions of enamelled wires with a bonding layer (R 40).....	18
Table C.1 – Electrical resistances	20

INTRODUCTION

This part of IEC 60317 is one of a series that deals with insulated wires used for windings in electrical equipment. The series has three groups describing

- 1) winding wires and test methods (IEC 60851);
- 2) specifications for particular types of winding wires (IEC 60317);
- 3) packaging of winding wires (IEC 60264).

SPECIFICATIONS FOR PARTICULAR TYPES OF WINDING WIRES –**Part 0-3: General requirements –
Enamelled round aluminium wire****1 Scope**

This part of IEC 60317 specifies the general requirements of enamelled round aluminium winding wires with or without a bonding layer.

The range of nominal conductor diameters is given in the relevant specification sheet.

When reference is made to a winding wire according to a standard of the IEC 60317 series mentioned under Clause 2, the following information is given in the description:

- reference to IEC specification;
- nominal conductor diameter, in millimetres;
- grade.

EXAMPLE: IEC 60317-14 – 0,500 Grade 1

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60172, *Test procedure for the determination of the temperature index of enamelled winding wires*

IEC 60851 (all parts), *Winding wires – Test methods*

ISO 3, *Preferred numbers – Series of preferred numbers*

3 Terms, definitions and general notes on methods of tests and appearance

For the purposes of this document, the following terms, definitions and general notes apply.

3.1 Definitions**3.1.1****bonding layer**

material which is deposited on an enamelled wire and which has the specific function of bonding wires together

3.1.2**class**

the thermal performance of a wire expressed by the temperature index and the heat shock temperature