Connectors for electrical and electronic equipment -Product requirements - Part 3-123: Rectangular connectors - Detail specification for hybrid connectors for industrial environments, for power supply and fibre optic data transmission, with push-pull locking



## EESTI STANDARDI EESSÕNA

### NATIONAL FOREWORD

| See Eesti standard EVS-EN 61076-3-123:2019 sisaldab Euroopa s<br>EN IEC 61076-3-123:2019 ingliskeelset to  | tandardi |  |
|--|----------|--|
| Standard on jõustunud sellekohase<br>avaldamisega EVS Teatajas   | e teate  | This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation. |
| Euroopa standardimisorganisatsioonid o<br>Euroopa standardi rahvuslikele lii<br>kättesaadavaks 08.11.2019. |          | Date of Availability of the European standard is 08.11.2019.   |
| Standard on kättesaadav<br>Standardikeskusest.   | Eesti    | The standard is available from the Estonian Centre for Standardisation.  |

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile <u>standardiosakond@evs.ee</u>.

## ICS 31.220.10

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega: Koduleht <a href="www.evs.ee">www.evs.ee</a>; telefon 605 5050; e-post <a href="mailto:info@evs.ee">info@evs.ee</a>

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

## EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN IEC 61076-3-123

November 2019

ICS 31.220.10

#### **English Version**

Connectors for electrical and electronic equipment - Product requirements - Part 3-123: Rectangular connectors - Detail specification for hybrid connectors for industrial environments, for power supply and fibre optic data transmission, with push-pull locking

(IEC 61076-3-123:2019)

Connecteurs pour équipements électriques et électroniques
- Exigences de produit - Partie 3-123: Connecteurs
rectangulaires - Spécification particulière relative aux
connecteurs hybrides dans des environnements industriels
pour l'alimentation et la transmission de données
fibronique, avec verrouillage de type pousser-tirer
(IEC 61076-3-123:2019)

Steckverbinder für elektronische Einrichtungen -Produktanforderungen - Teil 3-123: Rechteckige Steckverbinder - Bauartspezifikation für hybride Steckverbinder für industrielle Umgebungen, zur Stromversorgung und LWL-Datenübertragung, mit Push-Pull-Verriegelung (IEC 61076-3-123:2019)

This European Standard was approved by CENELEC on 2019-10-18. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

#### **European foreword**

The text of document 48B/2742/FDIS, future edition 1 of IEC 61076-3-123, prepared by SC 48B "Electrical connectors" of IEC/TC 48 "Electrical connectors and mechanical structures for electrical and electronic equipment" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 61076-3-123:2019.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2020-07-18
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2022-10-18

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

#### **Endorsement notice**

The text of the International Standard IEC 61076-3-123:2019 was approved by CENELEC as a European Standard without any modification.

## Annex ZA

(normative)

# Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: <a href="https://www.cenelec.eu">www.cenelec.eu</a>.

| <u>Publication</u> | <u>Year</u> | <u>Title</u>  | EN/HD               | <u>Year</u> |
|--------------------|-------------|---|---------------------|-------------|
| IEC 60050-581      | 2008        | International Electrotechnical Vocabulary - Part 581:                   | -                   | -           |
|                    |             | Electromechanical components for electronic                             |                     |             |
|                    |             | equipment   |                     |             |
| IEC 60068-1        | -           | Environmental testing - Part 1: General and guidance                    | EN 60068-1          | -           |
| IEC 60068-2-30     | -           | Environmental testing - Part 2-30: Tests - Test Db:                     | EN 60068-2-30       | _           |
|                    |             | Damp heat, cyclic (12 h + 12 h cycle)                                   |                     |             |
| IEC 60352-1        | 1997        | Solderless connections - Part 1: Wrapped connections                    | EN 60352-1          | 1997        |
|                    |             | - General requirements, test methods and practical                      |                     |             |
|                    |             | guidance  |                     |             |
| IEC 60352-2        | 2006        | Solderless connections - Part 2: Crimped connections                    | EN 60352-2          | 2006        |
|                    |             | - General requirements, test methods and practical                      |                     |             |
|                    |             | guidance  |                     |             |
| IEC 60352-3        | 1993        | Solderless connections - Part 3: Solderless accessible                  | EN 60352-3          | 1994        |
|                    |             | insulation displacement connections - General                           |                     |             |
|                    |             | requirements, test methods and practical guidance                       |                     |             |
| IEC 60352-4        | 1994        | Solderless connections - Part 4: Solderless non-                        | EN 60352-4          | 1994        |
|                    |             | accessible insulation displacement connections -                        |                     |             |
|                    |             | General requirements, test methods and practical                        |                     |             |
|                    |             | guidance  |                     |             |
| IEC 60352-5        | 2012        | Solderless connections - Part 5: Press-in connections                   | EN 60352-5          | 2012        |
|                    |             | - General requirements, test methods and practical                      |                     |             |
|                    |             | guidance  |                     |             |
| IEC 60352-6        | 1997        | Solderless connections - Part 6: Insulation piercing                    | EN 60352-6          | 1997        |
|                    |             | connections - General requirements, test methods                        |                     |             |
| .= <b>=</b>        |             | and practical guidance  | <b>511 000 50 5</b> |             |
| IEC 60352-7        | 2002        | Solderless connections - Part 7: Spring clamp                           | EN 60352-7          | 2002        |
|                    |             | connections - General requirements, test methods                        | 0.                  |             |
| IEO 000E0 0        | 0044        | and practical guidance  | EN 00050 0          | 0044        |
| IEC 60352-8        | 2011        | Solderless connections - Part 8: Compression mount                      | EN 60352-8          | 2011        |
|                    |             | connections - General requirements, test methods                        |                     |             |
| IEO 00540 4 4      |             | and practical guidance  | EN C0540 4 4        |             |
| IEC 60512-1-1      | -           | Connectors for electronic equipment - Tests and                         | EN 60512-1-1        | _           |
|                    |             | measurements - Part 1-1: General examination - Test                     |                     |             |
| IEC 60512-1-2      | 2002        | 1a: Visual examination  Connectors for electronic equipment - Tests and | EN 60512 1 2        | 2002        |
| 120 00012-1-2      | 2002        | measurements - Part 1-2: General examination - Test                     | LIN 00012-1-2       | 2002        |
|                    |             |   |                     |             |
|                    |             | 1b: Examination of dimension and mass                                   |                     |             |

| IEC 60512-2-1   | 2002 | Connectors for electronic equipment - Tests and measurements - Part 2-1: Electrical continuity and contact resistance tests - Test 2a: Contact resistance  | EN 60512-2-1   | 2002     |
|-----------------|------|--|----------------|----------|
| IEC 60512-2-2   | -    | - Millivolt level method Connectors for electronic equipment - Tests and measurements - Part 2-2: Electrical continuity and contact resistance tests - Test 2b: Contact resistance - Specified test current method | EN 60512-2-2   | -        |
| IEC 60512-2-5   | -    | Connectors for electronic equipment - Tests and measurements - Part 2-5: Electrical continuity and contact resistance tests - Test 2e: Contact disturbance   | EN 60512-2-5   | -        |
| IEC 60512-3-1   | 2002 | Connectors for electronic equipment - Tests and measurements - Part 3-1: Insulation tests - Test 3a: Insulation resistance   | EN 60512-3-1   | 2002     |
| IEC 60512-4-1   | 2003 | Connectors for electronic equipment - Tests and measurements - Part 4-1: Voltage stress tests - Test 4a: Voltage proof   | EN 60512-4-1   | 2003     |
| IEC 60512-5-2   | 2002 | Connectors for electronic equipment - Tests and measurements - Part 5-2: Current-carrying capacity tests - Test 5b: Current-temperature derating   | EN 60512-5-2   | 2002     |
| IEC 60512-6-3   | 2002 | Connectors for electronic equipment - Tests and measurements - Part 6-3: Dynamic stress tests - Test 6c: Shock   | EN 60512-6-3   | 2002     |
| IEC 60512-6-4   | 2002 | Connectors for electronic equipment - Tests and measurements - Part 6-4: Dynamic stress tests - Test 6d: Vibration (sinusoidal)  | EN 60512-6-4   | 2002     |
| IEC 60512-6-5   | -    |  | EN 60512-6-5   | -        |
| IEC 60512-8-1   | 2010 | Connectors for electronic equipment - Tests and measurements - Part 8-1: Static load tests (fixed connectors) - Test 8a: Static load, transverse   | EN 60512-8-1   | 2010     |
| IEC 60512-8-2   | 2011 | Connectors for electronic equipment - Tests and measurements - Part 8-2: Static load tests (fixed connectors) - Test 8b: Static load, axial  | EN 60512-8-2   | 2011     |
| IEC 60512-9-1   | 2010 | Connectors for electronic equipment - Tests and measurements - Part 9-1: Endurance tests - Test 9a: Mechanical operation   | EN 60512-9-1   | 2010     |
| IEC 60512-9-2   | -    | Connectors for electronic equipment - Tests and measurements - Part 9-2: Endurance tests - Test 9b: Electrical load and temperature  | EN 60512-9-2   | -        |
| IEC 60512-11-1  | -    | Connectors for electrical and electronic equipment - Tests and measurements - Part 11-1: Climatic tests - Test 11a - Climatic sequence   |                | <u>!</u> |
| IEC 60512-11-3  | -    | Connectors for electronic equipment - Tests and measurements - Part 11-3: Climatic tests - Test 11c: Damp heat, steady state   |                | -        |
| IEC 60512-11-4  | -    | Connectors for electronic equipment - Tests and measurements - Part 11-4: Climatic tests - Test 11d:   | EN 60512-11-4  | -        |
| IEC 60512-11-9  | -    | Rapid change of temperature  Connectors for electronic equipment - Tests and measurements - Part 11-9: Climatic tests - Test 11i:  Dry hoat  | EN 60512-11-9  | -        |
| IEC 60512-11-10 | 0 -  | Dry heat Connectors for electronic equipment - Tests and measurements - Part 11-10: Climatic tests - Test 11j: Cold  | EN 60512-11-10 | 5        |

| IEC 60512-11-12 -   | Connectors for electronic equipment - Tests and measurements - Part 11-12: Climatic tests - Test 11m: Damp heat, cyclic  | EN 60512-11-12 | ! -   |
|---------------------|--|----------------|-------|
| IEC 60512-12-4 -    | Connectors for electronic equipment - Tests and measurements - Part 12-4: Soldering tests - Test 12d: Resistance to soldering heat, solder bath method   | EN 60512-12-4  | -     |
| IEC 60512-12-5 -    | Connectors for electronic equipment - Tests and measurements - Part 12-5: Soldering tests - Test 12e: Resistance to soldering heat, soldering iron method  | EN 60512-12-5  | -     |
| IEC 60512-13-1 2006 | Connectors for electronic equipment - Tests and measurements - Part 13-1: Mechanical operation tests - Test 13a: Engaging and separating forces  | EN 60512-13-1  | 2006  |
| - 'O                |  | + corrigendur  | n2006 |
| IEC 60540 40 0      | Compostore for electronic equipment. Tests and   | Dec.           |       |
| IEC 60512-13-2 -    | Connectors for electronic equipment - Tests and measurements - Part 13-2: Mechanical operation tests - Test 13b: Insertion and withdrawal forces   | EN 60512-13-2  | -     |
| IEC 60512-13-5 2006 | Connectors for electronic equipment - Tests and measurements - Part 13-5: Mechanical operation tests - Test 13e: Polarizing and keying method  | EN 60512-13-5  | 2006  |
|                     | g and noying mountain  | + corrigendur  | n2006 |
| IEO 00540 44 7      | Electron besides a community for all description   | Dec.           |       |
| IEC 60512-14-7 -    | Electromechanical components for electronic equipment - Basic testing procedures and measuring methods - Part 14: Sealing tests - Section 7: Test 14g: Impacting water   | EN 60512-14-7  | -     |
| IEC 60512-15-1 -    | Connectors for electronic equipment - Tests and measurements - Part 15-1: Connector tests (mechanical) - Test 15a: Contact retention in insert   | EN 60512-15-1  | -     |
| IEC 60512-15-6 2008 | Connectors for electronic equipment - Tests and measurements - Part 15-6: Connector tests (mechanical) - Test 15f: Effectiveness of connector coupling devices   | EN 60512-15-6  | 2008  |
| IEC 60512-16-5 -    | Connectors for electronic equipment - Tests and measurements - Part 16-5: Mechanical tests on contacts and terminations - Test 16e: Gauge retention force (resilient contacts)   | EN 60512-16-5  | -     |
| IEC 60512-17-3 -    | Connectors for electronic equipment - Tests and measurements - Part 17-3: Cable clamping tests - Test 17c: Cable clamp resistance to cable pull (tensile)  | EN 60512-17-3  | -     |
| IEC 60512-17-4 -    | Connectors for electronic equipment - Tests and measurements - Part 17-4: Cable clamping tests -   | EN 60512-17-4  | -     |
| IEC 60512-19-3 -    | Test 17d: Cable clamp resistance to cable torsion Electromechanical components for electronic equipment - Basic testing procedures and measuring methods - Part 19: Chemical resistance tests - Section 3: Test 19c - Fluid resistance | EN 60512-19-3  | -     |
| IEC 60529 1989      | Degrees of protection provided by enclosures (IP Code)   | EN 60529       | 1991  |
| IEC 60603-7 -       | Connectors for electronic equipment - Part 7: Detail specification for 8-way, unshielded, free and fixed connectors  | EN 60603-7     | -     |
| IEC 60664-1 2007    | Insulation coordination for equipment within low-voltage systems - Part 1: Principles, requirements and tests  | EN 60664-1     | 2007  |
| IEC 60793-2-10 -    | Optical fibres - Part 2-10: Product specifications - Sectional specification for category A1 multimode fibres  |                |       |

| IEC 60793-2-50 -     | Optical fibres - Part 2-50: Product specifications - Sectional specification for class B single-mode fibres  | EN IEC 60793-2<br>50 |      |
|----------------------|--|----------------------|------|
| IEC 60999-1 -        | Connecting devices - Electrical copper conductors - Safety requirements for screw-type and screwless-type clamping units - Part 1: General requirements and particular requirements for clamping units for conductors from 0,2 mm2 up to 35 mm2 (included)   |                      | -    |
| IEC 60999-2 -        | Connecting devices - Electrical copper conductors - Safety requirements for screw-type and screwless-type clamping units - Part 2: Particular requirements for clamping units for conductors above 35 mm2 up to 300 mm2 (included)   | EN 60999-2           | -    |
| IEC 61076-1 2006     | Connectors for electronic equipment - Product requirements - Part 1: Generic specification   | EN 61076-1           | 2006 |
| IEC 61076-3 2008     | Connectors for electronic equipment - Product requirements - Part 3: Rectangular connectors -  | EN 61076-3           | 2008 |
| IEC 61076-3-117 2009 | Sectional specification Connectors for electronic equipment - Product requirements - Part 3-117: Rectangular connectors - Detail specification for protective housings for use with 8-way shielded and unshielded connectors for industrial environments incorporating the IEC 60603-7 series interface - Variant 14 related to IEC 61076-3-106 - Push-pull coupling | EN 61076-3-117       | 2009 |
| IEC 61076-7-100 -    | Connectors for electronic equipment - Product requirements - Part 7-100: Cable outlet accessories - Detail specification for a metric cable sealing consisting of an integrated part of heavy-duty rectangular or circular connector hoods and a sealing system  | EN 61076-7-100       | -    |
| IEC 61156-1 2007     | Multicore and symmetrical pair/quad cables for digital communications - Part 1: Generic specification  | -                    | -    |
| IEC 61300-3-1 2005   | Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 3-1: Examinations and measurements - Visual examination  | EN 61300-3-1         | 2005 |
| IEC 61300-3-4 2012   | Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 3-4: Examinations and measurements - Attenuation   | EN 61300-3-4         | 2013 |
| IEC 61300-3-6 2008   | Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 3-6: Examinations and measurements - Return loss   | EN 61300-3-6         | 2009 |
| IEC 61300-3-11 1995  | Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 3-11: Examinations and measurements - Engagement and separation forces   | EN 61300-3-11        | 1997 |
| IEC 61300-3-35 2015  | Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 3-35: Examinations and measurements - Visual inspection of fibre optic connectors and fibre-stub transceivers  | EN 61300-3-35        | 2015 |
| IEC 61300-3-47 2014  | Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 3-47: Examinations and measurements - End face geometry of PC/APC spherically polished ferrules using interferometry   | EN 61300-3-47        | 2014 |

| IEC 61753-1-3          | 2014         | Fibre optic interconnecting devices and passive EN 61753-1-3 20 components - Performance standard - Part 1-3: General and guidance for single-mode fibre optic connector and cable assembly for industrial environment, Category I | 14         |
|------------------------|--------------|--|------------|
| IEC 61754-20           | 2012         |  | )12        |
| IEC 61755-3-<br>(mod)  | -12006       |  | 009        |
| IEC 61984<br>IEC 62430 | 2008<br>2009 | Connectors - Safety requirements and tests EN 61984 20   | 009<br>009 |
| IEC 62664-1-1          | 2013         | ·  | 13         |
| IEC 62664-1-3          | 2013         | Fibre optic interconnecting devices and passive components - Fibre optic connector product specifications - Part 1-3: LC-PC duplex singlemode connectors terminated on IEC 60793-2-50 category B1.1 and B1.3 fibre                 |            |
| IEC Guide 109          | -            | Environmental aspects - Inclusion in electrotechnical product standards  |            |
| ISO 128-30             | 2001         | Technical drawings - General principles of presentation - Part 30: Basic conventions for views   |            |
| ISO 1302               | 2002         | Geometrical Product Specifications (GPS) - Indication EN ISO 1302 20   | 002        |
| ISO 11469              | 2016         | of surface texture in technical product documentation  Plastics - Generic identification and marking of EN ISO 11469 20  plastics products   | )16        |
|                        |              |  | 7          |

## CONTENTS

| Ε( | OREWO | RD                                       | 5  |
|----|-------|--|----|
| IN | TRODU | ICTION                                   | 7  |
| 1  | Scop  | e  | 8  |
| 2  |       | native references                        |    |
| 3  |       | s, definitions, and abbreviated terms    |    |
| Ü  | 3.1   | Terms and definitions                    |    |
|    | 3.1   | Abbreviated terms                        |    |
| 4  |       | nical information                        |    |
| •  | 4.1   | Systems of levels                        |    |
|    | 4.1.1 |  |    |
|    | 4.1.2 |  |    |
|    | 4.2   | Classification into climatic categories  |    |
|    | 4.3   | Clearance and creepage distances         |    |
|    | 4.4   | Current-carrying capacity                |    |
|    | 4.5   | Marking                                  |    |
| 5  |       | ensional information                     |    |
| Ū  | 5.1   | Common features                          |    |
|    | 5.2   | Reference system                         |    |
|    | 5.3   | Engagement (mating) information          |    |
|    | 5.3.1 |  |    |
|    | 5.3.2 |  |    |
|    | 5.3.3 |  |    |
|    | 5.3.4 |  |    |
|    | 5.4   | Fixed connectors                         |    |
|    | 5.4.1 |  | 15 |
|    | 5.4.2 |  | 18 |
|    | 5.5   | Free connectors                          |    |
|    | 5.5.1 | Free connectors – A – coding             | 19 |
|    | 5.5.2 | · · · · · · · · · · · · · · · · · · ·    |    |
|    | 5.6   | Accessories                              | 22 |
|    | 5.7   | Mounting information for connectors      | 22 |
|    | 5.8   | Gauges                                   | 22 |
|    | 5.8.1 | Sizing gauges and retention force gauges | 22 |
|    | 5.8.2 | , 000 1                                  |    |
|    |       | gauges                                   |    |
|    | 5.8.3 |  |    |
|    | 5.8.4 | 5 5                                      |    |
|    | 5.8.5 | 1 ( 01 /                                 |    |
| _  | 5.8.6 |  |    |
| 6  |       | acteristics                              |    |
|    | 6.1   | General                                  |    |
|    | 6.2   | Pin assignment and other definitions     |    |
|    | 6.3   | Classification into climatic categories  |    |
|    | 6.4   | Electrical characteristics               |    |
|    | 6.4.1 | 1 0                                      |    |
|    | 6.4.2 | Voltage proof                            | 24 |

| 6.4.3        | Current-carrying capacity   | 24 |
|--------------|---|----|
| 6.4.4        | Contact and shield resistance                                       | 25 |
| 6.4.5        | Insulation resistance   | 25 |
| 6.4.6        | Impedance   | 25 |
| 6.4.7        | Transmission characteristics  | 25 |
| 6.5 M        | echanical characteristics   | 25 |
| 6.5.1        | Mechanical operation  | 25 |
| 6.5.2        | Effectiveness of connector coupling devices                         | 26 |
| 6.5.3        | Engaging and separating forces (or insertion and withdrawal forces) | 26 |
| 6.5.4        | Contact retention in insert   | 26 |
| 6.5.5        | Polarizing and coding method  | 26 |
| 6.6 O        | ther characteristics  | 26 |
| 6.6.1        | Vibration (method half-sine)  | 26 |
| 6.6.2        | Shock (method half-sine)  | 27 |
| 6.6.3        | Degree of protection provided by enclosures (IP-code)               | 28 |
| 6.6.4        | Screen and shielding properties                                     |    |
| 6.6.5        | Static load test  |    |
| 6.7 E        | nvironmental aspects  |    |
| 6.7.1        | Marking of insulation material (plastics)                           |    |
| 6.7.2        | Design/use of material  |    |
| 7 Test sc    | hedule  |    |
|              | eneral  |    |
| 7.1.1        | Overview  |    |
| 7.1.2        | Climatic category   |    |
| 7.1.2        | Creepage and clearance distances                                    |    |
| 7.1.4        | Arrangement for contact resistance measurement                      |    |
| 7.1.5        | Arrangement for dynamic stress tests                                |    |
| 7.1.6        | Arrangement for testing static load, axial                          |    |
| 7.1.7        | Wiring of specimens   |    |
|              | est schedules   |    |
| 7.2.1        | Basic (minimum) test schedule, see Table 12                         |    |
| 7.2.2        | Full test schedule  |    |
|              | est procedures and measuring methods                                |    |
|              | e-conditioning  |    |
|              | iring and mounting of specimens                                     |    |
| 7.5.1        | Wiring  |    |
| 7.5.2        | Mounting  |    |
| 1.0.2        | g   |    |
| Figure 1 _ S | ection showing mating direction                                     | 1/ |
|              |   |    |
|              | ixed connector with female contacts – A-coding                      |    |
|              | ixed connector with female contacts – B-coding                      |    |
|              | ree connector with male contacts – A-coding                         |    |
| Figure 5 – F | ree connector with male contacts – B-coding                         | 22 |
| Figure 6 – G | auge dimensions   | 23 |
| Figure 7 – V | ibration and shock test arrangement                                 | 27 |
| _            | ontact resistance arrangement                                       | 30 |

| Table 2 – Dimensions of fixed connector – A-coding                  |    |
|---|----|
| Table 3 – Dimensions of fixed connector – B-coding                  | 17 |
| . Late to Dimensions of International Discouring                    | 18 |
| Table 4 – Dimensions of free connector – A-coding                   | 20 |
| Table 5 – Dimensions of free connector – B-coding                   | 22 |
| Table 6 – Gauge dimensions  | 23 |
| Table 7 – Ratings of connectors                                     | 24 |
| Table 8 – Current-carrying capacity                                 | 25 |
| Table 9 – Number of mechanical operations                           | 26 |
| Table 10 – Total insertion force                                    | 26 |
| Table 11 – Rated voltage – Rated impulse voltage – Pollution degree | 29 |
| Table 12 – Basic tests  | 31 |
| Table 13 – Number of test specimens and contacts                    | 32 |
| Table 14 – Test group P   | 32 |
| Table 15 – Test group AP  | 33 |
| Table 16 – Test group BP  |    |
| Table 17 – Test group CP  |    |
| Table 18 – Test group DP  |    |
| Table 19 – Test group EP  |    |
| Table 20 –Test group FP   | 39 |
| Table 21 – Test group GP  | 40 |
| Table 22 – Test group JP<br>Table 23 – Test group KP                | 41 |
|   |    |
|   | 5, |

#### INTERNATIONAL ELECTROTECHNICAL COMMISSION

## CONNECTORS FOR ELECTRICAL AND ELECTRONIC EQUIPMENT – PRODUCT REQUIREMENTS –

Part 3-123: Rectangular connectors – Detail specification for hybrid connectors for industrial environments, for power supply and fibre optic data transmission, with push-pull locking

#### **FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61076-3-123 has been prepared by subcommittee 48B: Electrical connectors, of IEC technical committee 48: Electrical connectors and mechanical structures for electrical and electronic equipment.

The text of this standard is based on the following documents:

| FDIS          | Report on voting |
|---------------|------------------|
| 48B/2742/FDIS | 48B/2753/RVD     |

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 61076 series, published under the general title Connectors for electrical and electronic equipment – Product requirements, can be found on the IEC website.

Future standards in this series will carry the new general title as cited above. Titles of existing standards in this series will be updated at the time of the next edition.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- edition, replaced by a revised edition, or
- amended.

## **INTRODUCTION**

| IEC SC 48B – Electrical connectors                  | IEC 61076-3-123 Ed.1  |
|---|---|
| Specification available from:                       |   |
| IEC General secretariat                             |   |
| or from the addresses shown on the inside cover.    |   |
| DETAIL SPECIFICATION in accordance with IEC 61076-1 |   |
|   | Rectangular connectors  |
|   | Detail specification for hybrid connectors for industrial environments, for power supply and fibre optic data transmission, with pushpull locking |
|   | Male and female connectors  |
|   | Male and female contacts  |
|   | Optical ferrules and adaptors   |
|   | Rewirable –   |
|   | Non-rewirable   |
| IEC   |   |
|   | Free cable connectors   |
|   | Straight and right angle connectors   |
|   | Fixed connectors  |
| 4   | Flange mounting   |
|   | Single hole mounting  |
|   |   |
|   | 5   |
|   |   |
|   |   |