
**Thermal spraying — Zinc, aluminium
and their alloys —**

**Part 2:
Execution of corrosion protection
systems**

*Projection thermique — Zinc, aluminium et alliages de ces métaux —
Partie 2: Exécution des système de protection contre la corrosion*



This document is a preview generated by EBS



COPYRIGHT PROTECTED DOCUMENT

© ISO 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

	Page
Foreword	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
4 Requirements for the manufacturer	3
4.1 General.....	3
4.2 Qualification of the manufacturer.....	3
4.2.1 Qualification of the equipment.....	3
4.2.2 Qualification of supervision personnel.....	3
4.2.3 Qualification of spraying personnel.....	3
4.2.4 Qualification of test personnel.....	3
4.3 Coating specification for the thermal-sprayed coating.....	4
4.4 Assessment of the coating on the basis of reference areas.....	4
5 Quality assurance measures for the manufacturer	4
5.1 General.....	4
5.2 Assessment of the design to coatability.....	4
5.3 Establishing the manufacturing instructions — Manufacturing sequence plan.....	4
5.4 Establishing the thermal spray procedure specification.....	4
5.5 Qualification of the TSPS and scope of the TSPS.....	5
5.6 Qualification of the TSPS by a specific job reference qualification.....	5
5.7 Special job qualification by performance on mock-ups, if required.....	5
6 Manufacturing of thermal-sprayed coatings	5
6.1 General.....	5
6.2 Preparation of the surface to be coated.....	6
6.2.1 Masking of areas not to be coated.....	6
6.2.2 Preparation of the surface to be coated by blasting.....	6
6.2.3 Testing of the prepared surface.....	6
6.3 Thermal spraying.....	6
6.3.1 General.....	6
6.3.2 Spray material.....	7
6.3.3 Pre-conditions for the execution of thermal spraying process.....	7
6.3.4 Execution of thermal spraying.....	7
6.3.5 Inspection after spraying.....	7
6.4 Sealing of the coating.....	8
6.5 Advice for welding in combination with thermal spraying.....	8
6.6 Thermal spraying of corrosion protected fastenings.....	8
7 Tests — Test procedures	9
7.1 General.....	9
7.2 Manufacturing of the accompanying specimens.....	9
7.3 Coating thickness.....	9
7.3.1 General.....	9
7.3.2 Coatings with a surface below 1 m ²	10
7.3.3 Coatings with surfaces greater than 1 m ²	10
7.3.4 Number of thickness test points.....	10
7.3.5 Measurement of the coating thickness.....	10
7.4 Appearance of the coating surface and tests.....	11
7.4.1 Visual inspection.....	11
7.4.2 Roughness.....	11
7.4.3 Adhesion strength.....	11
7.4.4 Metallographic examination of the coating.....	11
7.5 Defects in the coating and their repair.....	11
7.5.1 Defects on the surface and in the coating and their repair.....	11

7.5.2	Reasons for the rejection of a defective sprayed coating.....	12
8	Health and safety and environment protection.....	12
9	Additional requirements for working on-site.....	12
9.1	General.....	12
9.2	Supervision of spraying on-site.....	12
9.3	Job reference qualification for spray personnel working on-site.....	12
9.4	Execution of spray works in the case of planned work on-site or not planned repairs on new manufactured parts.....	13
9.4.1	General.....	13
9.4.2	Surface preparation.....	13
9.4.3	Masking.....	13
9.4.4	Thermal spraying.....	13
9.4.5	Spraying of accompanying specimens.....	13
9.4.6	Sealing.....	13
10	Execution of spray works on-site in the case of planned maintenance of a service operated coating.....	14
10.1	General.....	14
10.2	Pre-inspection for assessment of the repair possibility applied by thermal spraying.....	14
10.3	Execution of repair-works by thermal spraying.....	14
10.3.1	General.....	14
10.3.2	Quality control after repair.....	14
11	Tests — Test procedures.....	14
12	Documentation of the procedure and tests in the case of maintenance.....	15
13	Health and safety and environment protection on-site.....	15
Annex A (normative)	Adhesion testing using the pull-off test in accordance with ISO 4624.....	16
Annex B (informative)	Documentation of the applied maintenance procedure, the thermal spray procedure and test results in the case of a planned maintenance.....	18
Annex C (informative)	Documentation of the applied thermal spray procedure and test results in the case of a new manufacturing.....	21
Annex D (informative)	Test certificate for job reference qualification for thermal sprayers working on-site in accordance with ISO 2063-2.....	23
Annex E (informative)	Test specimens — Spray positions.....	25
Annex F (informative)	Assessment of the coatability.....	28
Annex G (informative)	Bend test and its execution.....	29
Annex H (informative)	Additional information for surface preparation.....	31
Annex I (informative)	Further details for sealing.....	32
Annex J (informative)	Further instructions for safety and activities on-site.....	33
Annex K (informative)	Repair procedures of service loaded coatings and recommended repair procedures.....	34
Bibliography		35

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see the following URL: www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 107, *Metallic and other inorganic coatings*.

This document, together with ISO 2063-1:2017, cancels and replaces ISO 2063:2005, which has been technically revised.

A list of all the parts in the ISO 2063 series can be found on the ISO website.

Thermal spraying — Zinc, aluminium and their alloys —

Part 2:

Execution of corrosion protection systems

1 Scope

This document specifies requirements for corrosion protection of steel structures, components or parts, which are coated by thermal spraying of zinc, aluminium or their alloys.

This document specifies requirements for coating manufacturers of surface preparation, thermal spraying, testing and post treatments, e.g. sealing of the coating. This document applies to metallic corrosion protection coatings in the case of new fabrication in the workshop, as well as on-site and for repair on-site after assembly.

Requirements for coating thickness, minimum adhesive strength and surface conditions, specified in a coating specification, are given.

Recommendations are given for suitable process steps and quality assurance measures for new production and maintenance and for supervising of corrosion protection works.

This document covers the application of thermal-sprayed zinc, aluminium and their alloys for protection against corrosion in the temperature range between $-50\text{ }^{\circ}\text{C}$ to $+200\text{ }^{\circ}\text{C}$. Heat-resistant protective coatings of aluminium are covered by ISO 17834 and are not in the scope of this document.

This document specifies requirements for the equipment, the working place and the qualification of the spray and testing personnel.

NOTE ISO 2063-1:2017 is addressed to the designer and to the planning engineer of corrosion protection system.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 1463, *Metallic and oxide coatings — Measurement of coating thickness — Microscopical method*

ISO 2063-1, *Thermal spraying — Zinc, aluminium and their alloys — Part 1: Design considerations and quality requirements for corrosion protection systems*

ISO 2178, *Non-magnetic coatings on magnetic substrates — Measurement of coating thickness — Magnetic method*

ISO 4624, *Paints and varnishes — Pull-off test for adhesion*

ISO 8044, *Corrosion of metals and alloys — Basic terms and definitions*

ISO 8501-1:2007, *Preparation of steel substrates before application of paints and related products — Visual assessment of surface cleanliness — Part 1: Rust grades and preparation grades of uncoated steel substrates and of steel substrates after overall removal of previous coatings*