Majapidamis-ja muud taolised elektriseadmed. Ohutus. Osa 2-21: Erinõuded salvestus-veesoojenditele

Household and similar electrical appliances - Safety - Part 2-21: Particular requirements for storage water er. Omnenden og til som er som e heaters



EESTI STANDARDI EESSÕNA NATIONAL FOREWORD

Käesolev Eesti standard EVS-EN 60335- 2-21:2003 sisaldab Euroopa standardi EN 60335-2-21:2003 ingliskeelset teksti.	This Estonian standard EVS-EN 60335-2- 21:2003 consists of the English text of the European standard EN 60335-2-21:2003.
Käesolev dokument on jõustatud 17.07.2003 ja selle kohta on avaldatud teade Eesti standardiorganisatsiooni ametlikus väljaandes.	This document is endorsed on 17.07.2003 with the notification being published in the official publication of the Estonian national standardisation organisation.
Standard on kättesaadav Eesti standardiorganisatsioonist.	The standard is available from Estonian standardisation organisation.
ICS 13.120, 91.140.65	
	andardikeskusele
Andmete paljundamine, taastekitamine, kopeerimine, salvestamine millisel teel on keelatud ilma Eesti Standardikeskuse poolt antud kir	jaliku loata.
Kui Teil on küsimusi standardite autorikaitse kohta, palun võtke ühe Aru 10 Tallinn 10317 Eesti; <u>www.evs.ee</u> ; Telefon: 605 5050; E-po	Info@evs.ee
Right to reproduce and distribute Estonian Standards belongs	to the Estonian Centre for Standardisation
No part of this publication may be reproduced or utilized in any form photocopying, without permission in writing from Estonian Centre for	
If you have any questions about standards copyright, please contact	t Estonian Centre for Standardisation:

Aru str 10 Tallinn 10317 Estonia; www.evs.ee; Phone: +372 605 5050; E-mail: info@evs.ee

EUROPEAN STANDARD

EN 60335-2-21

NORME EUROPÉENNE

EUROPÄISCHE NORM

40.65; 13.120

ICS 91

March 2003

Supersedes EN 60335-2-21:1999 + A1:2000 + A11:2002 + A12:2002

English version

Household and similar electrical appliances -Safety

1: Particular requirements for storage water heaters

(IEC 60335-2-21:2002, modified)

Appareils électrodomestiques et analogues -Sécurité Partie 2-21: Règles particulières pour les chauffe-eau à accumulation (CEI 60335-2-21:2002, modifiée)

Sicherheit elektrischer Geräte für den Hausgebrauch und ähnliche Zwecke Teil 2-21: Besondere Anforderungen für Wassererwärmer (Warmwasserspeicher und Warmwasserboiler) (IEC 60335-2-21:2002, modifiziert)

This European Standard was approved by CENELEC on 2003-03-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Luxembourg, Malta, Netherlands, Norway, Portugal, Slovakia, Spain, Sweden, Switzerland and United Kingdom.



5_ European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

© 2003 CENELEC - All rights of exploitation in any form and by any means reserved worldwide for CENELEC members.

Foreword

The text of document 61/2135/FDIS, future fifth edition of IEC 60335-2-21, prepared by the IEC Technical Committee 61, was submitted to the IEC-CENELEC parallel vote.

As a result of the Kista meeting of CENELEC TC 61 in May 2002, a draft amendment prAA containing the relevant existing common modifications was submitted to the formal vote.

The texts of the FDIS and the prAA were approved by CENELEC as a new edition of EN 60335-2-21 on 2003-03-01

This European Standard replaces EN 60335-2-21:1999 + A1:2000 + A11:2002 + A12:2002.

The following dates are applicable:

-	latest date by which the EN has to be implemented at national level by publication of an identical		
	national standard or by endorsement	(dop)	2004-03-01
-	date on which national standards conflicting with the EN have to be withdrawn	(dow)	2006-03-01

This part 2 has to be used in conjunction with EN 60335-1, Household and similar electrical appliances – Safety – Part 1: General requirements. It was established on the basis of the 2002 edition of that standard. Amendments and revisions of Part 1 have also to be taken into account and the dates when such changes become applicable will be stated in the relevant amendment or revision of Part 1.

This part 2 supplements or modifies the corresponding clauses of EN 60335-1, so as to convert it into the European Standard: Safety requirements for electric storage water heaters.

When a particular subclause of Part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. When this standard states "addition", "modification" or "replacement", the relevant text of Part 1 is to be adapted accordingly.

NOTE 1 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.;
- subclauses, notes and annexes that are additional to those in the IEC standard are prefixed with the letter Z.

NOTE 2 The following print types are used:

- requirements: in roman type;
- test specifications: in italic type;
- notes: in small roman type.

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in bold.

There are no special national conditions causing a deviation from this European Standard, other than those listed in Annex ZA to EN 60335-1.

National deviations from this European Standard are listed in Annex ZB and are in addition to those in EN 60335-1.

p NOTE In this document, p is used in the margin to indicate instructions for preparing the printed version.

OL TTZS

Introduction

p Add:

An investigation by CENELEC TC 61 has shown that all risks from products within the scope of this standard are fully covered by the Low Voltage Directive, 73/23/EEC. For products having mechanical moving parts, a risk assessment in accordance with the Machinery Directive, 98/37/EC, has shown that the risks are mainly of electrical origin and consequently this directive is not applicable. However, the relevant essential safety requirements of the Machinery Directive are covered by this standard together with the principal objectives of the Low Voltage Directive.

Endorsement notice

The text of the International Standard IEC 60335-2-21:2002 was approved by CENELEC as a European Standard with agreed common modifications as given below.

▲ COMMON MODIFICATIONS

24 Components

p 24.102 Replace the text by:

The operating temperature of the **thermal cut-out** of a **closed water heater** shall ensure that the water temperature cannot exceed 99 °C or the **thermal cut-out** operates before its temperature exceeds 110 °C.

Compliance is checked by the test of 24.102.1 for water temperatures not exceeding 99 °C or by the test of 24.102.2 for **thermal cut-outs** having an operating temperature up to 110 °C.

p 24.102.2 Replace the text by:

The operating temperature of the **thermal cut-out** is measured by means of a thermocouple positioned on its sensing element or as close as possible to it.

The appliance is operated under **normal operation** at **rated power input** with the outlet valve closed and **thermostats** short-circuited until the **thermal cut-out** operates.

The thermal cut-out shall operate before its temperature exceeds 110 °C.

During the test, compliance with 19.13 shall not be impaired.

p Add:

	Annex ZB
	(informative)
3.	A-deviations
Addition:	Cr.
<u>Clause</u>	Deviation
24.101	United Kingdom (Building Regulation Part G3)
	In addition to a non-self-resetting thermal cut-out, any closed water heater having a storage capacity in excess of 15 I shall be fitted with a temperature relief valve according to BS 6283 Part 2 or a combined temperature and pressure relief valve according to BS 6283 Part 3.
24.102	United Kingdom (Building Regulation Part G3)
	The water temperature of the stored water shall not at any time exceed 99 °C in closed water heaters having a storage capacity in excess of 15 l.

<text>

INTERNATIONAL IEC his oocumenter te **STANDARD** 60335-2-21 Fifth edition 2002-07 Household and similar electrical appliances -Safety -Part 2-21: Particular requirements for storage water heaters Appareils électrodomestiques et analogues -Sécurité -Partie 2-21: Règles particulières pour les chauffe-eau à accumulation Reference number IEC 60335-2-21:2002(E)

Publication numbering

As from 1 January 1997 all IEC publications are issued with a designation in the 60000 series. For example, IEC 34-1 is now referred to as IEC 60034-1.

Consolidated editions

The IEC is now publishing consolidated versions of its publications. For example, edition numbers 1.0, 1.1 and 1.2 refer, respectively, to the base publication, the base publication incorporating amendment 1 and the base publication incorporating amendments 1 and 2.

Further information on IEC publications

The technical content of IEC publications is kept under constant review by the IEC, thus ensuring that the content reflects current technology. Information relating to this publication, including its validity, is available in the IEC Catalogue of publications (see below) in addition to new editions, amendments and corrigenda. Information on the subjects under consideration and work in progress undertaken by the technical committee which has prepared this publication, as well as the list of publications issued, is also available from the following:

IEC Web Site (www.iec.ch)

Catalogue of IEC publications

The on-line catalogue on the IEC web site (<u>www.iec.ch/catlg-e.htm</u>) enables you to search by a variety of criteria including text searches, technical committees and date of publication. On-line information is also available on recently issued publications, withdrawn and replaced publications, as well as corrigenda. /

IEC Just Published This summary of recently issued publications (<u>www.iec.ch/JP.htm</u>) is also available by email. Please contact the Customer Service Centre (see below) for

Customer Service Centre

Cation c If you have any questions regarding this publication or need further assistance, please contact the Customer Service Centre:

Email: custserv@iec.ch Tel: +41 22 919 02 11 Fax: +41 22 919 03 00

INTERNATIONAL IEC Anis document, 60335-2-21 **STANDARD** Fifth edition 2002-07 Household and similar electrical appliances -Safety -Part 2-21: Particular requirements for storage water heaters Appareils électrodomestiques et analogues -Sécurité -Partie 2-21: Règles particulières pour les chauffe-eau à accumulation John Ratale © IEC 2002 — Copyright - all rights reserved No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher. International Electrotechnical Commission, 3, rue de Varembé, PO Box 131, CH-1211 Geneva 20, Switzerland Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: inmail@iec.ch Web vww.iec.ch S PRICE CODE Commission Electrotechnique Internationale International Electrotechnical Commission

Международная Электротехническая Комиссия



CONTENTS

FO	REWORD	. 3
INT	RODUCTION	. 6
1	Scope	. 7
2	Normative references	. 7
3	Definitions	. 7
4	General requirement	. 9
5	General conditions for the tests	. 9
6	Classification.	. 9
7	Marking and instructions	. 9
8	Protection against access to live parts	
9	Starting of motor-operated appliances	
10	Power input and current	10
11	Heating	10
12	Heating	11
13	Leakage current and electric strength at operating temperature	
14	Transient overvoltages	
15	Moisture resistance	
16	Leakage current and electric strength	
17	Overload protection of transformers and associated circuits	
18	Endurance	11
19	Abnormal operation	11
20	Stability and mechanical hazards	12
21	Mechanical strength Construction	12
22	Construction	12
23	Internal wiring	15
24	Components	15
25	Components	16
26	Terminals for external conductors	16
27	Provision for earthing	16
28	Screws and connections	16
29	Clearances, creepage distances and solid insulation	16
30	Resistance to heat and fire	16
31	Resistance to rusting	16
32	Radiation, toxicity and similar hazards	17
Anr	nexes	20
Bib	liography	21
-	ure 101 – Examples of types of storage water heaters	18
Fig	ure 102 – Examples of positions of the thermocouples	19
	U	\$

INTERNATIONAL ELECTROTECHNICAL COMMISSION



FOREWORD

- 1) The IEC (International Electrotechnical Commission) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of the IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, the IEC publishes International Standards. Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. The IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- The formal decisions or agreements of the IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested National Committees.
- 3) The documents produced have the form of recommendations for international use and are published in the form of standards, technical specifications, technical reports or guides and they are accepted by the National Committees in that sense.
- 4) In order to promote international unification, IEC National Committees undertake to apply IEC International Standards transparently to the maximum extent possible in their national and regional standards. Any divergence between the IEC Standard and the corresponding national or regional standard shall be clearly indicated in the latter.
- 5) The IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with one of its standards.
- 6) Attention is drawn to the possibility that some of the elements of this International Standard may be the subject of patent rights. The IEC shall not be held responsible for identifying any or all such patent rights.

This part of International Standard IEC 60335 has been prepared by IEC technical committee 61: Safety of household and similar electrical appliances.

This fifth edition cancels and replaces the fourth edition published in 1997 and its amendment 1 (1999). It constitutes a technical revision.

The text of this part of IEC 60335 is based on the following document

FDIS	Report on voting	6
61/2135/FDIS	61/2160/RVD	

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This part 2 is to be used in conjunction with the latest edition of IEC 60335-1 and its amendments. It was established on the basis of the fourth edition (2001) of that standard.

NOTE 1 When "Part 1" is mentioned in this standard, it refers to IEC 60335-1.

This part 2 supplements or modifies the corresponding clauses in IEC 60335-1, so as to convert that publication into the IEC standard: Safety requirements for electric storage water heaters.

When a particular subclause of Part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. When this standard states "addition", "modification", or "replacement", the relevant text in Part 1 is to be adapted accordingly.

NOTE 2) The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.

NOTE 3 The following print types are used:

- requirements: in roman type;
- test specifications: in italic type;
- notes: in small roman type.

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in bold.

The committee has decided that the contents of this publication will remain unchanged until 2004. At this date, the publication will be

- reconfirmed;
- withdrawn;
- · replaced by a revised edition, or
- amended.

The following differences exist in the countries indicated below.

- 6.1: Class 0I appliances are allowed (Japan).
- 6.2: IPX0 water heaters are allowed (France, Portugal, United Kingdom and USA).
- 7.1: Additional markings are required (Australia, New Zealand and South Africa).
- 7.1: The rated pressure is to be marked in pounds per square inch (USA
- 7.1: Open outlet water heaters are not required to be marked with rated pressure (USA).
- 7.12.1: Additional instructions are required (South Africa).
- 11.7: The test is different (USA).
- 19.1: Water heaters that have all four features and are not liable to be emptied in normal use are not subjected to the test of 19.101 (South Africa).
- 19.1: Appliances incorporating sheathed heating elements are not required to have an outer enclosure of metal but their rated power input is limited to 12 kW (USA).
- 19.101: The test is different (USA).
- 22.101: Pressure reducing valves have to be designed for an inlet pressure of 2 MPa (South Africa).
- 22.101: The minimum rated pressure is 1,0 MPa (Denmark, Finland, Norway and Sweden).
- 22.102: The minimum pressure is 2,1 MPa. The test is not carried out on water heaters having a capacity less than 2 I or on appliances having containers open to the atmosphere (USA).
- 22.103: Closed water heaters have to incorporate a pressure-relief device (Norway).
- 22.103: Closed water heaters have to incorporate a pressure-relief device sensitive to both pressure and temperature that operates before the water temperature reaches 99 °C (Australia and New Zealand).
- 22.103: Closed water heaters having a capacity exceeding 50 I or a rated power input exceeding 2 kW have to
 incorporate a pressure-relief device sensitive to both pressure and temperature that operates before the water
 temperature reaches 99 °C (South Africa).
- 22.103: Closed water heaters have to incorporate a temperature relief valve or a combined temperature and
 pressure-relief valve that operates before the water temperature reaches 100 °C (United Kingdom).
- 22.106: All water heaters have to incorporate a thermal cut-out (India).
- 22.106: The thermal cut-out of single-phase closed water heaters need only provide single-pole disconnection (Japan).

- 22.106: For all closed water heaters, the thermal cut-out is to provide all-pole disconnection (France, Netherlands, Norway and Switzerland).
- 22.109: A tool is not required for draining the appliance (Canada and USA).
- 22.110: Additional requirements apply to plastic or resin-based containers (South Africa).
- 22,112: The temperature limit is 95 °C (South Africa).
- 22,112 The temperature limit is 85 °C (USA).
- 24.101. Thermal cut-outs are required to have a trip-free switching mechanism (USA).
- 24.102: The maximum water temperature is 90 °C (Australia and New Zealand).

24. 100 The maximum water temperature is 90 °C (Australia and New Zealand).
24.102: The maximum water temperature is 90 °C (Australia and New Zealand).
24.102: The enderature limit of 130 °C is only allowed for closed water heaters having a rated pressure of at least 0.4 MPa (Soun Africa).

INTRODUCTION

It has been assumed in the drafting of this International Standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules may differ.

If an appliance within the scope of this standard also incorporates functions that are covered by another part 2 of IEC 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features that impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the standard.

Sonneration of the second

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES -SAFETY -

Part 2-21: Particular requirements for storage water heaters

This clause of Part 1 is replaced by the following.

This International Standard deals with the safety of electric storage water heaters for household and similar purposes and intended for heating water below boiling temperature, their rated voltage being not more than 250 V for single-phase appliances and 480 V for other appliances.

Appliances not intended for normal household use but which nevertheless may be a source of danger to the public, such as appliances intended to be used by laymen in shops, in light industry and on farms, are within the scope of this standard.

As far as is practicable, this standard deals with the common hazards presented by appliances that are encountered by all persons in and around the home. However, in general, it does not take into account

- the use of appliances by young children or infirm persons without supervision;
- playing with the appliance by young children

NOTE 101 Attention is drawn to the fact that

- for appliances intended to be used at high altitudes, additional requirements may be necessary;
- for appliances intended to be used in vehicles or on board ships or aircraft, additional requirements may be necessary;
- in many countries additional requirements are specified by the national health authorities, the national authorities responsible for the protection of labour and similar authorities
- in many countries regulations exist for the installation of equipment connected to the water mains.

NOTE 102 This standard does not apply to

- appliances for boiling water (IEC 60335-2-15);
- instantaneous water heaters (IEC 60335-2-35);
- commercial dispensing appliances and vending machines (IEC 60335-2-75);
- appliances intended exclusively for industrial purposes;
- appliances intended to be used in locations where special conditions prevail, such as the presence of a corrosive or explosive atmosphere (dust, vapour or gas).

2 Normative references

This clause of Part 1 is applicable.

Definitions 3

This clause of Part 1 is applicable except as follows.